3.7 A.R

3 8 0432

HAZARDOUS SUBSTANCE INDICATOR PARAMETER TECHNICAL MEMORANDUM

REMEDIAL INVESTIGATION (RI)/FEASIBILITY STUDY (FS)

McINTOSH PLANT SITE OLIN CORPORATION McINTOSH, ALABAMA

> Prepared for Olin Corporation Charleston, Tennessee

> > December 1991

WCC File 90B449C-4A



3 8 0433

Woodward-Clyde Consultants

TABLE OF CONTENTS

| Section | <u>on</u> | | Page |
|---------|-----------|---|------|
| | Exec | utive Summary | ES-1 |
| 1.0 | Intro | duction | 1 |
| 2.0 | Site 1 | Background and Setting | 4 |
| | 2.1 | Operable Unit 1 | 4 |
| | 2.2 | Operable Unit 2 | 7 |
| 3.0 | Site (| Characterization Activities | 9 |
| | 3.1 | OU-1, On-site Groundwater Sampling | 9 |
| | 3.2 | OU-2, Sediment Sampling | 10 |
| | 3.3 | OU-2, Surface Water Sampling | 11 |
| 4.0 | Revie | ew of Chemical Data | 12 |
| 5.0 | Ident | ification of Chemicals of Potential Concern | 16 |
| | 5.1 | Concentration-Toxicity Screen | 16 |
| | 5.2 | Chemicals of Potential Concern | 19 |
| 6.0 | Refe | rences | 20 |
| LIST | OF TA | ABLES | |
| Table | e 1 | Summary of Organic Compounds | |
| Table | e 2 | Summary of Inorganic Analytes | |
| Table | e 3 | Concentration-Toxicity Screen: Noncarcinogens Groundwater | |
| Table | e 4 | Concentration-Toxicity Screen: Carcinogens Groundwater | |
| Table | e 5 | Concentration-Toxicity Screen: Noncarcinogens Surface Water | , |
| Table | e 6 | Concentration-Toxicity Screen: Carcinogens Surface Water | |
| Table | e 7 | Concentration-Toxicity Screen: Noncarcinogens Sediment | |
| Table | e 8 | Concentration-Toxicity Screen: Carcinogens Sediment | |
| Table | s 9 | Chemicals of Potential Concern | |

TABLE OF CONTENTS

3 8 0434

LIST OF FIGURES

Figure 1 Site Location Map

Figure 2 Facility Layout Map

Figure 3 Groundwater Sampling Well Location Map

Figure 4 Surface Sediment, Core and Surface Water Sample Locations

LIST OF APPENDICES

Appendix A Preliminary Groundwater Data

Appendix B Preliminary Surface Water Data

Appendix C Preliminary Sediment Data

3 8 0485

EXECUTIVE SUMMARY

Olin Chemical Corporation is conducting a Remedial Investigation/Feasibility Study (RI/FS) at their McIntosh, Alabama, facility. A human health risk assessment is being conducted as part of the RI/FS. An initial step in the human health risk assessment is to define the chemicals of potential concern at the site. This Hazardous Substance Indicator Parameter Technical Memorandum was prepared in conformance with current EPA guidance (EPA, 1989), which requires development of a list of chemicals of potential concern. The list is presented along with the documentation and rationale used to select the chemicals of potential concern at the McIntosh site.

For the purposes of defining the chemicals of potential concern, selected sediment samples, on-site groundwater samples and surface water samples were analyzed for organic and inorganic constituents using the procedures outlined in the EPA Contract Laboratory Program (CLP) Statements of Work (EPA, 1990b and 1990c). The completed human health risk assessment will also include the analytical data from fish tissue and off-site groundwater (domestic) wells, which are not available to date. However, currently available sediment, surface water and groundwater data should provide the necessary data to define the chemicals of potential concern for all affected media at the site.

A list of parameters considered for the list of chemicals of potential concern was developed from the CLP data. The parameters were subjected to toxicity screens based on their potential carcinogenic and noncarcinogenic properties. The chemicals of potential concern list was then defined from the toxicity screens as the chemicals that showed a contribution to total carcinogenic or noncarcinogenic hazard of greater than 1 percent. Additional chemicals without reported EPA carcinogenic or noncarcinogenic toxicity factors were also included on the list.

3 8 0466

The list of chemicals of potential concern will be used in further identification of exposure pathways, identification of human receptor populations, identification of ecological receptors, exposure point location identification, development of contaminant intake for receptors, toxicological assessment and finally, risk characterization and potential remediation of the site. Since this list has been developed early in the RI/FS process, it is subject to change as additional data are obtained form the site.

The list of chemicals of potential concern is:

1,2,4-Trichlorobenzene

1.2-Dichlorobenzene

1,4-Dichlorobenzene

Alpha-BHC

Antimony

Arsenic

Benzene

Beryllium

Bromodichloromethane

Cadmium

Chlorobenzene

Chloroform

Chromium

Copper

Cyanide

Hexachlorobenzene

Lead

Mercury

Nickel

Pentachlorobenzene

Pentachloronitrobenzene

Selenium

Silver

3 8 0487

1.0

INTRODUCTION

Olin Chemical Corporation is conducting a Remedial Investigation/Feasibility Study (RI/FS) at their McIntosh, Alabama facility. A human health risk assessment is being conducted as part of the RI/FS. An initial step in the human health risk assessment is to define the chemicals of potential concern at the site. This Hazardous Substance Indicator Parameter Technical Memorandum was prepared in conformance with current EPA guidance (EPA, 1989), which requires development of a list of chemicals of potential concern. The list is presented along with the documentation and rationale used to select the chemicals of potential concern at the McIntosh site.

The Olin Chemicals McIntosh plant is located approximately one mile east-southeast of the town of McIntosh, in Washington County, Alabama. A site location map is presented in Figure 1. The property is bounded on the east by the Tombigbee River, on the west by land west of U. S. Highway 43, on the north by the Ciba-Geigy Corporation plant site and on the south by River Road.

Olin operated a mercury cell chlorine-caustic soda plant on a portion of the site from 1952 through December 1982. In 1954, Olin began construction of a pentachloro-nitrobenzene (PCNB) plant on an adjacent portion of the site. The plant was completed and PCNB production was started in 1956. The McIntosh plant was expanded in 1973 to produce trichloroacetonitrile (TCAN) and 5-ethoxy-3-trichloromethyl-1,2,4-thiadiazole (Terrazole). The PCNB, TCAN and Terrazole manufacturing areas were collectively referred to as the Crop Protection Chemicals (CPC) plant. In 1978, Olin constructed a diaphragm cell caustic soda/chlorine plant which is still in operation. The CPC plant and mercury cell plant were shut down in late 1982. The McIntosh plant continues to operate and produce chlorine, caustic soda, sodium hypochlorite, sodium chloride and blends hydrazine.

The Olin McIntosh plant currently monitors and reports on numerous facilities permitted through the U.S Environmental Protection Agency (EPA) and the Alabama Department of Environmental Management (ADEM). These include water and air

permits as well as a Resource Conservation and Recovery Act (RCRA) post-closure permit (including a groundwater corrective action pumping/treatment program), Solid Waste Management Unit (SWMU) closures, three injection wells for mining salt and a neutralization/percolation field.

In September 1984, Olin's McIntosh plant site was placed on the National Priority List of the Comprehensive Environmental Response, Compensation and Liability Act (CERCLA) or "Superfund." Groundwater contamination at the site has been established based on the results of various investigations. Mercury and chloroform are the principal contaminants identified at the site. Mercury contamination was evidently caused by the operation of the mercury cell chlor-alkali plant during the period 1952 to 1982. The chloroform contamination is probably a degradation product from the operation of the CPC plant from 1954 to 1982.

Investigations have also indicated contamination in a 65-acre natural basin, herein referred to as the "basin," located on the Olin property east of the active plant facilities. This basin received plant wastewater discharge from 1952 to 1974.

DEVELOPMENT OF RI/FS SCOPING DOCUMENTS

Two operable units have been designated for the facility. Operable Unit 1 (OU-1) is the RCRA plant area (all of the Olin property except the area defined as OU-2). Operable Unit 2 (OU-2) is the basin, including the wetlands within the Olin property line and the wastewater ditch leading to the basin. Figure 2 is a facility layout map delineating the boundaries of the two operable units.

In November 1989, Olin submitted a Remedial Investigation/Risk Assessment (RI/RA) report to EPA for the McIntosh facility (ERM, 1989). This report was prepared to present all relevant data, interpretations, findings and conclusions arising from previous groundwater and soils investigations, the ongoing RCRA groundwater corrective action program, and other environmental investigations that have been conducted by Olin at the McIntosh facility.

3 8 0489

On December 5, 1989, representatives of the EPA met with Olin representatives to discuss the McIntosh site, including the adequacy of Olin's previously submitted RI/RA report (ERM, 1989) and an Administrative Order by Consent for Olin to conduct further work. The EPA indicated it would determine the adequacy based on: 1) a review of the data to ascertain completeness and 2) a determination as to whether the appropriate Quality Assurance/Quality Control (QA/QC) protocols were met during the collection and analysis of the data presented in the RI/RA report.

On January 15, 1990, Olin received a special notice letter from the EPA announcing EPA's intent to conduct an RI/FS beginning in June 1990. Olin was invited to respond to EPA with a Remedial Investigation and Feasibility Studies (RI/FS) Scope of Work to provide a basis for further negotiations. Olin submitted a draft Scope of Work to EPA on March 15, 1990. On April 9 and April 10, 1990, Olin and its consultants met with EPA Region IV representatives in Atlanta and discussed this draft. In response to comments by EPA, Olin revised the Scope of Work and submitted the final draft to the EPA on April 25, 1990.

On May 2, 1990, Olin signed the Administrative Order by Consent (Consent Order) issued by EPA for the preparation, performance and oversight costs for the RI/FS at the McIntosh plant site. The final Scope of Work was attached to the Consent Order, which became effective May 9, 1990. A Work Plan was developed in partial fulfillment of the work items to be performed under the jurisdiction of the Consent Order. The amended Work Plan was submitted to EPA on May 25, 1991 and approved on July 17, 1991.

This Hazardous Substance Indicator Parameter Technical Memorandum is one of the submittals listed in the amended Work Plan for work to be performed under the Baseline Risk Assessment. This memorandum was prepared in accordance with EPA guidance in order to develop a list of chemicals of potential concern at the site. Since it was prepared early in the RI/FS process, the list is subject to change as additional data are obtained and evaluated.

3 8 0450

2.0

SITE BACKGROUND AND SETTING

The information on the site background and setting presented in this section has been obtained from the ERM Remedial Investigation/Risk Assessment (RI/RA) report previously submitted to EPA.

The regional setting for the site is the East Gulf Coastal Plain Physiographic Province. Specifically, the 1500 acres that comprise the Olin property are within the Southern Pine Hills District.

The Olin McIntosh plant is an active chemical production facility. The main plant and associated Olin properties cover approximately 1,500 acres, with active plant production areas occupying approximately 60 acres. Current active facilities at the plant include: a diaphragm cell chlorine and caustic production process area; a caustic concentration process area; a caustic plant salt process area; a hydrazine blending process area, shipping and transport facilities; process water storage, transport and treatment facilities; and support and office areas. Beyond the active production facilities, the Olin property is heavily forested. A basin area is located on the Olin property, adjacent to the Tombigbee River and east of the active plant facilities.

2.1 OPERABLE UNIT 1

Operable Unit 1 is all Olin property excluding the area designated as Operable Unit 2. Within OU-1 are the following closed, inactive and active Solid Waste Management Units (SWMUs):

- 1. Stormwater pond
- 2. Brine filter backwash pond
- 3. Pollution abatement (pH) pond
- 4. Weak brine pond
- 5. Mercury waste pile storage pad
- 6. TCAN hydrolyzer

7. Mercury drum storage pad

3 8 0491

- 8. Chromium drum storage pad
- 9. PCB/Hexachlorobenzene storage building
- 10. Hazardous waste drum (flammable storage pad)
- 11. Sanitary landfills (two)
- 12. Old plant (CPC) landfill
- 13. Inactive ash ponds (two)
- 14. Active ash pond
- 15. Lime ponds (two)
- 16. Diaphragm cell brine pond and overflow basin
- 17. Hexachlorobenzene spoil area (removed)

[Note that EPA is conducting a RCRA Facility Assessment (RFA) to determine if the above list of SWMUs is complete.]

There have been several soil investigations conducted at the Olin facility for plant construction projects. In 1975 Dixie Laboratories completed 40 soil borings at the facility to a depth of 30 feet (Dixie, 1975). The investigation included general geotechnical soil testing (e.g., specific gravity, moisture content, Atterberg limits, unconfined compression strength and permeability). The soils were also tested for pH. Law Engineering Testing Company (1976) also conducted a geotechnical investigation. Thirty borings were completed to a maximum depth of 50 feet. Soil samples were tested for geotechnical properties and soil pH. The Dixie and Law investigations provide extensive data on the near-surface stratigraphy and physical properties of the near-surface soils.

In 1976, an extensive Environmental Impact Study (EIS) was conducted by J. B. Converse, Inc. and Betz Environmental Engineers under a third-party agreement between Olin, EPA Region IV and the contractors (Betz and Converse, 1977). The purpose of this EIS was to evaluate the impact of the construction of a chlor-alkali diaphragm cell process at the McIntosh plant site. With minimum environmental impact indicated, chlorine and caustic capacity was increased in 1977. The EIS provides extensive information on air quality, topography, geology, soils, climate, terrestrial

3 8 0492

ecology, surface water, aquatic ecology, groundwater and socioeconomics for the McIntosh area.

In 1980, Olin Corporation initiated an internal program to determine whether any groundwater contamination existed onsite. The program included the installation of 43 monitoring wells, 12 of which were for compliance with RCRA regulations for detection monitoring of hazardous constituent releases from Solid Waste Management Units (SWMUs). The result of Olin's study revealed contamination of the groundwater by chlorinated organic compounds and mercury.

In March 1982, Soil and Materials Engineers, Inc. (S&ME) was retained by Olin to perform a hydrogeological investigation of the McIntosh site to assess the migration and extent of organic contaminants in the groundwater (S&ME, 1982). The investigation included the installation of 32 additional monitoring wells and groundwater sampling of both new and existing wells. The field investigation was completed in August 1982, with the final report submitted to ADEM and EPA in November 1982. The report established the direction of groundwater flow and defined the hydrogeological parameters of the area. The study also identified two plumes of chlorinated organic contaminants (predominantly, chloroform, benzene, chlorobenzene and dichlorobenzene) in the Alluvial Aquifer. The hydrogeological data indicated this aquifer is separated from the deeper Miocene Aquifer by a low-permeability clay aquitard. The report further indicated that this aquitard inhibits downward migration of the contaminant plumes.

To further define the migration of the plumes identified by S&ME, Olin Corporation installed 14 additional monitoring wells between February and March of 1983.

During the period from 1982 to 1986, Olin closed the RCRA regulated units at the McIntosh plant. The sampling programs associated with these closures provide data regarding the potential mobility of constituents as indicated by the RCRA Extraction Procedure results. Soil sampling was conducted to fulfill the clean closure requirements for the RCRA surface impoundments.

3 8 0493

Since 1984, Olin has continued its RCRA groundwater monitoring programs. Ten additional monitoring wells have been installed on the eastern perimeter of the plant to further define the migration of contaminants to the east/southeast. In July 1987, construction was completed on the groundwater Corrective Action Program (CAP). The five-well system became operational in August 1987. Olin is currently conducting compliance point and corrective action monitoring. The monitoring results are submitted to EPA in semiannual reports.

2.2 OPERABLE UNIT 2

Operable Unit 2 consists of the basin (65-acres), the wetlands within the Olin property line and the wastewater ditch leading to the basin. The basin is a natural feature lying within the flood plain of the adjacent Tombigbee River. During the seasonal high water levels (approximately 4 to 6 months per year), the basin is inundated by, and thus becomes contiguous with, the adjacent river.

From 1952 to 1974, plant wastewater discharge was routed through the basin and then to the Tombigbee River. In 1974, the discharge was rerouted directly to the discharge channel of the basin bypassing the basin itself. The discharge channel of the basin is approximately 800 feet long (during the non-flood season) and flows towards the Tombigbee River. The wastewater ditch currently carries the NPDES discharge toward the Tombigbee River and stormwater runoff from the east and southeast non-manufacturing property.

In 1988, Olin completed the Basin Study Report. The study was done to provide information for the remedial investigation in accordance with CERCLA and in response to the Forward Planning Study of 1986. Sampling of both sediment and basin water was conducted on December 8 and 9, 1987, under the observation of EPA Region IV

3 8 0494

officials. In addition to chemical analyses, temperature and pH profiles were obtained. The analytical parameters for the basin samples included:

| Water | Sediment | | |
|-------------------------|-------------------------|--|--|
| Total Mercury | Total Mercury | | |
| 1,2-Dichlorobenzene | Soluble Mercury | | |
| 1,4-Dichlorobenzene | 1,2-Dichlorobenzene | | |
| Hexachlorobenzene | 1,4-Dichlorobenzene | | |
| Pentachloronitrobenzene | Hexachlorobenzene | | |
| | Pentachloronitrobenzene | | |

The mercury level detected in sediment ranged from <0.3 to 60.5 mg/kg across the basin. However, a duplicate sample analysis revealed 9.0 mg/kg of mercury at the same location as the 60.5 mg/kg value. Other sediment values ranged from 0.4 mg/kg to 25.5 mg/kg of mercury. Pentachloronitrobenzene (PCNB) was detected in three sediment samples, up to a maximum concentration of 14.5 ppm. Detection of PCNB was not confirmed in two of the three samples by replicate analysis. Hexachlorobenzene (HCB) was detected in five of the ten sediment samples. The detectable concentrations of HCB ranged from 1.9 to 114 mg/kg with a detection limit of 0.66 mg/kg. All detectable concentrations of HCB were verified with replicate analysis. The maximum concentration, 114 mg/kg, was 69.2 mg/kg in the replicate sample, thus the average value for this sample was less than 100 mg/kg (Olin, 1988).

Mercury in water was detected at or below the drinking water standards and ranged from 0.4 μ g/l to 2.0 μ g/l. None of the organics analyzed were detected in water.

3 8 0495

3.0

SITE CHARACTERIZATION ACTIVITIES

Numerous investigations have been conducted at the McIntosh facility. These investigations were used as a basis for scoping the site characterization activities and developing the amended RI/FS work plans, which were submitted to EPA on May 25, 1991. The RI/FS Work Plan and Sampling and Analysis Plan detail the sampling and analytical procedures that are used to characterize the site. The site characterization activities include sampling and chemical analysis of onsite groundwater and offsite groundwater (domestic wells) in OU-1, and sampling and chemical analysis of sediment, surface water and fish in OU-2.

For the purposes of defining the chemicals of potential concern, selected sediment samples, onsite groundwater samples and surface water samples were analyzed for organic and inorganic constituents using the procedures outlined in the EPA Contract Laboratory Program (CLP) Statements of Work (EPA, 1990b and 1990c). These sampling activities are summarized below. The completed human health risk assessment will also include the analytical data from fish tissue and offsite groundwater (domestic) wells, which are not available to date. However, currently available sediment, surface water and groundwater data should provide the necessary data to define the chemicals of potential concern for all affected media at the site.

3.1 OU-1, ONSITE GROUNDWATER SAMPLING

Thirty-three selected onsite wells (monitor, production, and corrective action) were sampled for the RI/FS. The monitor well locations are presented in Figure 3. The selected wells were sampled and analyzed for the following constituents as specified in the EPA Contract Laboratory Program (CLP): Target Compound List (TCL) Volatile Organics; TCL Semivolatile Organics; TCL Pesticides/PCBs; Target Analyte List (TAL)

3 3 0496

mercury (total and dissolved); a subset of the Target Analyte List that includes the following thirteen metals on the Priority Pollutant List and cyanide:

| Arsenic | Silver |
|----------|-----------|
| Cadmium | Antimony |
| Chromium | Beryllium |
| Lead | Copper |
| Mercury | Zinc |
| Nickel | Thallium |
| Selenium | Cvanide |

The groundwater samples were also analyzed in the laboratory for chloride. Field analyses included pH, specific conductance and temperature.

3.2 OU-2, SEDIMENT SAMPLING

Figure 4 shows the locations of the sediment samples that were collected during the first phase of the site characterization activities. Core sediment samples were collected at the three sample locations shown in Figure 4 (C1, C2, and C3). Each core was completed to an approximate depth of five feet and samples were collected at approximate 1-foot intervals. In addition to the core sampling, grab surface samples were collected on a grid established at approximate 200-foot spacing across the basin. The wastewater ditch, discharge ditch, the former flow path from the wastewater ditch to the basin, and the current flow path from the wastewater ditch to the discharge ditch were sampled every 200 feet along the centerline. These were also grab-type samples. All samples were split and analyzed for TAL mercury by CLP procedures. In addition to the mercury analyses, selected split core samples and grid samples were analyzed for soluble mercury, pH, Total Organic Carbon (TOC), sulfide, sulfate, and CLP parameters including the selected list of TAL constituents, TCL Volatile Organics, TCL Semi-Volatile Organics, and Pesticides/PCBs. The remaining samples were analyzed for selected organic indicator contaminants using a laboratory screening technique.

3.3 OU-2, SURFACE WATER SAMPLING

3 8 0457

Surface water samples were collected from discrete depths at randomly selected grid locations in the basin. Surface water samples were also obtained from each of the drainages to the basin that contain water. The surface water sample locations are shown in Figure 4. The water samples were analyzed by CLP procedures for TAL mercury (total and dissolved), the selected list of other TAL constituents, TCL Volatile Organics, TCL Semi-Volatile Organics, TCL Pesticides/PCBs. Non-CLP analyses included Dissolved Oxygen (DO), pH, TOC, Total Suspended Solids (TSS), and Total Dissolved Solids (TDS).

3 8 0 498 4.0 REVIEW OF CHEMICAL DATA

Volume I of the EPA Risk Assessment Guidance for Superfund (RAGS) (EPA, 1989) provides general criteria to be used in developing the initial list of chemicals of potential concern based on chemical data obtained from sampling of environmental media. These criteria include:

- 1. Analytes positively detected in at least one sample in a given medium, including (a) chemicals with no qualifiers attached (excluding samples with unusually high detection limits), and (b) chemicals with qualifiers attached that indicate known identities but unknown concentrations (e.g., J-qualified data).
- 2. Analytes detected at levels significantly elevated above levels of the same chemicals detected in associated blank samples.
- 3. Analytes detected at levels significantly elevated above naturally occurring levels of the same chemicals.
- 4. Analytes only tentatively identified but either may be associated with the site based on historical information or have been confirmed by Special Analytical Services.
- 5. Transformation products of chemicals demonstrated to be present.

CLP ANALYTICAL RESULTS

The results of the CLP analyses are presented in Appendix A, Appendix B, and Appendix C for onsite groundwater, surface water and sediments, respectively. Data validation for these sample analyses has not been completed. The results are considered preliminary, and therefore do not include the data validation qualifiers. However, specific detections and qualifiers have been evaluated by WCC's QA/QC Manager with respect to their significance for preparation of the list chemicals of potential concern.

Table 1 summarizes the TCL organic parameters that are interpreted to be detected based on the CLP data. The data are listed by media along with the maximum

3 8 0499

concentration of the analyte that was detected. For the sediment and surface water samples, common laboratory contaminants that were reported (carbon disulfide, acetone, methylene chloride and 2-butanone) are qualified as nondetected based on either comparison of reported concentrations with concentrations in blank samples, or based on professional judgment. Carbon disulfide is also found as naturally occurring at these low concentrations. The phthalate esters including bis(2-ethylhexyl)phthalate are common laboratory and field sampling contaminants, and are also qualified as nondetected or rejected in the sediment samples based on functional guidelines for evaluating organic and inorganic data (EPA 1988a, 1988b and 1990a) and professional judgment. Acetone, methylene chloride, and bis(2-ethylhexyl)phthalate are qualified as non-detected in the groundwater based on EPA functional guidelines and professional judgment. The parameter 2-butanone was considered for the list of chemicals of potential concern in the groundwater based on these preliminary data.

Several of the Pesticide/PCB constituents reported by the laboratory are not considered positives. As a conservative approach, a reported value was considered positive if it was confirmed by GC/MS or the reported concentrations varied less than a factor of two between the two GC/ECD columns. The CLP Statement of Work (EPA, 1990c) requires the laboratory to flag the data as suspect if the observed values from the two GC/ECD columns vary by more than 25 percent. One exception is surface water. Beta-BHC concentrations was reported, but at a concentration of less than two times the CRQL of $0.050~\mu g/l$. It should be noted that none of the pesticides that were qualified as non-detected were known to have been handled at the McIntosh facility.

The reported Tentatively Identified Compounds (TIC) that were considered are also listed in Table 1. The compounds were listed as possible chemicals of concern based on the frequency, association with the reported target compounds and knowledge of chemicals that were handled at the facility. The identifications are only tentative and the reported concentrations are estimated values. This uncertainty in the data will be considered during the risk assessment.

A summary of the maximum concentrations of inorganic analytes detected in groundwater, sediment and surface water is presented in Table 2. The values reported for surface water are the maximum of both the total and dissolved analyses. The values

3 8 0500

reported for groundwater are the maximum of the dissolved analyses only. The procedure for developing the list of chemicals of potential concern includes normalizing the data to assess the relative hazard associated with each compound. It is the relative concentrations across the site that are pertinent in this evaluation. The high turbidity of some of the groundwater samples greatly affects the total analyses results. Therefore, the dissolved analyses are used for the evaluation to prevent skewing the data toward compounds reported in the turbid samples, thus masking lower concentrations detected in less turbid samples. This ensures that the list of chemicals of potential concern includes all compounds that contribute more than 1 percent of the relative hazard. Total analyses will be used however to evaluate risk associated with consumption of off-site drinking water.

The superfund risk assessment guidance (EPA, 1989) indicates that a detected chemical can be considered as a candidate for elimination from the quantitative risk assessment if:

- 1. It is detected infrequently in one or perhaps two environmental media.
- 2. It is not detected in any other sampled media or at high concentrations.
- 3. There is no reason to believe that the chemical may be present.

Based on these criteria the following chemicals are eliminated from the list of potential chemicals of potential concern in groundwater:

- 1,2,-dichloroethane reported in two samples below the CRQL
- 1,2-dichloroethene (total) reported in one sample below the CRQL
- 1,1-dichloroethene reported in one sample below the CRQL
- 1,1-dichloroethane reported in one sample below the CRQL
- 1,1,1-trichloroethane reported in one sample below the CRQL
- Carbon Tetrachloride reported in one sample below the CRQL
- Phenol reported in one sample below the CRQL
- Alpha-chlordane reported in one sample at a low concentration of 0.055 μ g/l.

3 8 0501

None of the above analytes that are eliminated from the chemicals of potential concern list are believed to be significant contaminants associated with the Olin McIntosh facility.

3 8

0502

5.0

IDENTIFICATION OF CHEMICALS OF POTENTIAL CONCERN

An initial step in developing a human health risk assessment is to identify the site related chemicals of potential concern. Chemicals of potential concern are hazardous compounds that may be present at or released from a site that may pose health risks to humans coming in contact with them.

A list of chemicals of potential concern was generated for each of the three media (surface water, groundwater, and sediment) based on the analytical data presented in Section 3.0. EPA has developed toxicity values for use in assessing potential noncarcinogenic hazards and carcinogenic health risks from exposures to the chemicals. Only parameters with those EPA toxicity values were considered. In other words, chemicals that possessed reference dose (RfD) values and/or carcinogenic slope factors were carried through the potential chemicals of concern selection process.

Chemicals not possessing verified EPA carcinogenic and/or noncarcinogenic toxicity values were not included in the screening process. These included 1,3-dichlorobenzene, phenanthrene, endrin aldehyde, delta-BHC, trichlorobenzene isomers, tetrachlorobenzene isomers and DDMU (1-chloro-2,2-bis-(4 chlorophenyl)ethylene). Alpha-BHC, Beta-BHC, 4,4'-DDD and 4,4'-DDE were excluded from the noncarcinogen quantitative screening due to the lack of published RfD and RfC values. These chemicals will be addressed in the risk assessment.

5.1 CONCENTRATION-TOXICITY SCREEN

RAGS states that carrying a large number of chemicals through a quantitative risk assessment may be complex, consume significant resources, and result in an unwieldy report that can distract from the dominant risks present at the site. EPA guidelines recommend reducing the number of chemicals by eliminating those that contribute an insignificant fraction of the total risk. Following EPA guidelines, this is accomplished by applying a concentration-toxicity screen to arrive at a list of chemicals, each of which

3 8 0503

contributes 1.0 percent or more of the total hazard or risk. Exposures to these chemicals are then addressed in the exposure assessment.

A concentration-toxicity screen was applied to the carcinogenic and noncarcinogenic TCL and TAL constituents, and TICs identified with a verified CAS number that were considered potential site contaminants. The concentration-toxicity screen was conducted separately for each medium (groundwater, surface water and sediment).

To apply a concentration-toxicity screen for noncarcinogenic compounds, the maximum concentration for each constituent in each medium was divided by its toxicity value (chronic reference doses or concentration, RfD or RfC) to yield a ratio known arbitrarily as a "hazard factor." For carcinogens, the maximum contaminant concentration was multiplied by the slope factor to yield the hazard factor. The ratio of the hazard factor to the sum total of the hazard factors yields a "hazard descriptor" for each chemical. Any chemical whose hazard descriptor is 0.01 (1.00E-02) or greater (that is, represents 1 percent or more of all total hazard descriptors) is considered a chemical of potential concern to be addressed in the health risk assessment. Chemicals that represent less than 1 percent of the total hazard descriptors are eliminated from further consideration.

Inorganic and organic materials were combined in each carcinogen and noncarcinogen concentration-toxicity screen. For sediment only, the lower of the RfC or RfD values for noncarcinogens were used in the screens to accommodate future potential exposure scenarios in order to be conservative. For instance, the inhalation exposure route may be plausible for contaminants in sediment, especially if soil remediation workers are the receptors involved. Similarly, the higher of inhalation or oral slope factors were used in sediment concentration-toxicity screens for carcinogens in order to be conservative. For groundwater and surface water, only oral RfDs and slope factors were used in the concentration-toxicity screens since inhalation exposure for contaminants in water at this site is not considered a viable exposure route.

The concentration toxicity screen calculations for noncarcinogenic and carcinogenic chemicals are shown in Tables 3 through 8. Maximum concentrations were obtained from the analytical data lists for each medium as discussed in Section 4.0 (see Table 1

38 0504

and Table 2). Reference doses (or concentrations) are obtained from the EPA Integrated Risk Information System (IRIS) (EPA, 1990) and in EPA's Health Effects Assessment Summary Tables (HEAST) (EPA, 1991).

For groundwater, 12 of 26 noncarcinogens contributed greater than 1 percent to the sum total of hazard descriptors and are considered potential chemicals of concern (Table 3). In addition, lead and cyanide were added to the noncarcinogen groundwater list. No RfD is available for lead; the potential impact of lead on humans will be evaluated in the risk assessment under the uptake biokinetic model (EPA Lead Model 0.5, 1991). Cyanide is included because cyanide cyanide analytical data have not yet been received. After receipt of the cyanide data a final determination will be made regarding whether cyanide is a chemical of potential concern.

The carcinogen groundwater concentration-toxicity screen yielded seven chemicals of potential concern (out of twelve) (Table 4). To this list, lead and selenium were added even though slope factors are not available at this time since both metals are suspected or probable carcinogens. Again, the potential impact of lead on humans will be evaluated separately under the uptake biokinetic model.

In surface water, 5 of 11 materials contributed greater than 1 percent to the sum total of hazard descriptors and are considered chemicals of potential concern (Table 5). In addition, lead is added since it was reported in this medium and its potential human health impact must be evaluated. The carcinogen screen yielded three (of four) significant chemicals (Table 6). Additionally, lead and selenium were added to the chemical of concern list due to their presence in surface water and for the same reasons stated above. Although nickel, cadmium and chromium were reported in surface water, they were not included as contaminants of concern since oral slope factors were not determined.

For sediment, only three chemicals out of twenty-six screened in the noncarcinogen concentration-toxicity screen contributed 1 percent or greater to the sum total of hazard descriptors and are considered potential chemicals of concern (Table 7). In addition, lead, which was reported in sediment, was added to the list.

3 8 0505

The sediment carcinogen screen (Table 8) yielded only three potential chemicals of concern (out of eighteen screened). In addition, lead and selenium, which were both reported in sediment, are included due to their potential carcinogenic properties.

5.2 CHEMICALS OF POTENTIAL CONCERN

The list of chemicals of potential concern for each medium are presented in Table 6. The list includes noncarcinogenic and carcinogenic compounds detected at the Olin site that represent 1 percent or more of the total hazard descriptor (indicated by the concentration toxicity screening) and chemicals that were reported that possess subchronic and/or chronic toxicity and/or carcinogenic potential.

The list of chemicals of concern will be used in the further development of conceptual site models, identification of exposure pathways, identification of human receptor populations, identification of ecological receptors, exposure point location identification, development of contaminant intake for receptors, toxicological assessment and finally, risk characterization and potential remediation of the site. Since this list has been developed early in the RI/FS process, it is subject to change as additional data are obtained from the site. Chemicals may be added or removed based on the final validated data. Additional RI activities may result in modifications to the list.

3 8 0506

6.0

REFERENCES

- Betz Environmental Engineers and J.B. Converse and Company, Inc., Environmental Impact Assessment for Proposed Chlor-Alkali Expansion, McIntosh, Alabama, June 1977.
- Dixie Laboratories, Inc., Report on Soil Borings by Split-Spoon Method, unpublished consulting report, November 25, 1975.
- Environmental Protection Agency (EPA), 1988a. Functional Guidelines for Evaluating Organics Analyses.
- Environmental Protection Agency (EPA), 1988b. Functional Guidelines for Evaluating Inorganics Analyses.
- Environmental Protection Agency (EPA), 1989. Risk Assessment Guidance for Superfund (RAGS). Volume 1: Human Health Evaluation Manual. Interim Final. Office of Emergency and Remedial Response, EPA, Washington, D.C. EPA/540/1-89/002.
- Environmental Protection Agency (EPA), 1990a. National Functional Guidelines for Organic Data Review. Documents Number OLMO1.0 and OLCO1.0.
- Environmental Protection Agency (EPA), 1990b. Statement of Work for Inorganics Analysis. Document Number ILMO2.0.
- Environmental Protection Agency (EPA), 1990c. Statement of Work for Organics Analysis. Multi-media, Multi-concentration. Document Number OLMO1.0.
- Environmental Protection Agency (EPA), 1990d. Integrated Risk Information System (IRIS), Toxnet, National Library of Medicine (NLM).

3 8 0507

- Environmental Protection Agency (EPA), 1991. Health Effects Assessment Summary Tables (HEAST)
- ERM, Remedial Investigation and Risk Assessment for Olin Corporation, McIntosh, Alabama, November 9, 1989.
- Law Engineering Testing Company, (LET Co.), 1976, Report of Subsurface Investigation, Chlorine Plant Expansion, Olin Chemical Plant, McIntosh, Alabama, unpublished consulting report, LET Co. Job No. B-2315, March 24, 1976.
- Olin Corporation, Investigation Report Olin Basin, unpublished technical report, April 21, 1988.
- Soil and Material Engineers, Inc. (S&ME), Hydrogeology of the Olin Chemical Group, McIntosh, Alabama Plant, November 1982.

3 8 0508

TABLES

3 8

0509

TABLE 2 (Continued)

SUMMARY OF INORGANIC ANALYTES

| | Chemical | Maximum Reported Concentration (mg/kg) |
|----------|-----------|--|
| SEDIMENT | | |
| | Antimony | 24.6 |
| | Arsenic | 16.1 |
| | Beryllium | 3.7 |
| | Cadmium | 0.78 |
| | Chromium | 69.4 |
| | Copper | 57.5 |
| | Cyanide | 1.5³ |
| | Lead | 44.2 |
| | Mercury | 290.0 |
| | Nickel | 28.9 |
| | Selenium | 2.4 |
| | Silver | 1.0 |
| | Thallium | ND ⁴ |
| | Zinc | 227.0 |

NOTES:

- 3 Result is a data validation value and is being investigated by the laboratory.
- 4 Not Detected. Concentration limit varies with sample weight.

TABLE 2
SUMMARY OF INORGANIC ANALYTES

3 8 05:0

| Chemical | Maximum Reported Concentration (mg/l) ¹ |
|---------------|--|
| GROUNDWATER | |
| Antimony | 0.512 |
| Arsenic | 0.0032 |
| Beryllium | 0.115 |
| Cadmium | 0.036 |
| Chromium | 0.313 |
| Copper | 1.010 |
| Cyanide | NA ² |
| Lead | 0.441 |
| Mercury | 0.130 |
| Nickel | 1.24 |
| Selenium | 0.0487 |
| Silver | 0.185 |
| Thallium | < 0.008 |
| Zinc | 1.42 |
| SURFACE WATER | |
| Antimony | < 0.032 |
| Arsenic | 0.0122 |
| Beryllium | 0.0033 |
| Cadmium | 0.0022 |
| Chromium | 0.882 |
| Copper | 0.0336 |
| Cyanide | < 0.010 |
| Lead | 0.0038 |
| Mercury | 0.0028 |
| Nickel | 0.616 |
| Selenium | 0.0049 |
| Silver | 0.0063 |
| Thallium | < 0.008 |
| Zinc | 0.444 |

NOTES:

- 1 Includes results of dissolved analyses only for groundwater.
- Results had not been received for cyanide as of 12/10/91. Cyanide will be included on the list of chemicals of potential concern for groundwater until the results are received and reviewed. At that time a determination will be made whether cyanide should remain as a chemical of potential concern.

| TCL Volatile Organic Compounds | Maximum Reported Concentration (µg/kg) | TCL Semivolatile Organic Compounds | Maximum Reported Concentration (/4g/kg) | TCL Pesticide/ PCB Compounds | Maximun Reported Concentrat (µg/kg) | Tentatively | Estimated Concentration (µg/kg) |
|---|---|------------------------------------|--|------------------------------|--|-------------------------|---------------------------------------|
| SEDIMENT | | | | | | | |
| Chlorobenzene | 5800 | Hexachlorobenzene | 810,000D | 4,4'-DDT | 4000D | Pentachloronitrobenzene | e 41,000JN |
| Benzene | 180D | Fluoranthene | 4900J | 4,4'-DDD | 1800CD | Pentachlorobenzene | 33,000JN |
| | | Pyrene | 3500J | 4,4'-DDE | 1400CD | 1-Chlor-2,2-bis- | 1400JN |
| | | 1,2,4-Trichlorobenzene | 1100 | Delta-BHC | 170PD | (4-chlorophenyl)ethyle | ne |
| | | 1,3-Dichlorobenzene | 950 | Gamma Chlordane | 78P | • • • • | |
| | | 1,4-Dichlorobenzene | 630 | Gamma-BHC | 29 | | |
| | | 1,2-Dichlorobenzene | 240J | Aldrin | 5.0P | | |
| | | Phenanthrene | 210J | Alpha-BHC | 24 | | |
| | | | | Beta-BHC | 18 P | | |
| | | | | Heptachlor Epoxide | 19 | | |
| | | | | Endrin Aldehyde | 7.6P | | |

C Pesticide/PCB compound confirmed by GC/MS.

loodward-Clyd

(N)

CO

 C^{1}

12-19-91

E Concentrations exceeded the calibration range. The original extract was diluted and reanalyzed per the method.

An estimated value below the Contract Required Quantitation Limit or estimated concentration of a Tentatively Identified Compound.

P Greater than 2st percent difference for observed concentrations between the two GC/ECD columns.

N Indicates presumptive evidence of a compound. Used for TICs where identification is based on mass spectral library search.

Woodward-Clyde Consultants

12-19-91

TABLE 1
SUMMARY OF ORGANIC COMPOUNDS

| TCL Volatile Organic Compounds | Maximum Reported Concentration (µg/l) | TCL Semivolatile n Organic Compounds | Maximum Reported Concentration (µg/l) | TCL Pesticide/ PCB Compounds | Maximum Reported Concentration (µg/I) | Tentatively Identified Compounds | Estimated Concentration (µg/l) |
|---|--|--------------------------------------|--|------------------------------|---------------------------------------|--|--------------------------------|
| GROUNDWATER | | | | | | | |
| Chlorobenzene | 2500D | 1,2-Dichlorobenzene | 4000D | Alpha-BHC | 5.6CD | Tetrachlorobenzene | 65JN |
| Chloroform | | 1,4-Dichlorobenzene | 4100D | Beta-BHC | 2.2D | isomers | |
| Benzene | | 1,2,4-Trichlorobenzene | | Gamma-BHC (Lindar | | Pentachlorobenzene | 49JN |
| 2-Butanone | | 1,3-Dichlorobenzene | 270 | Delta-BHC | 0.57 PD | Trichlorobenzene | 37 JN |
| Bromodichloromethane | | 2-Chlorophenol | 80 | Gamma-Chlordane | 0.20P | Pentachloronitrobenz | zene 11JN |
| Dibromochloromethane | | 2,4-Dichlorophenol | 59 | | | | |
| Bromoform | - | Phenol | 3J | | | | |
| Carbon Disulfide | 21 | | | | | | |
| Carbon Tetrachloride | 8J | | | | | | |
| 1,1,1-Trichloroethane | 5 J | | | | | | |
| 1,1-Dichloroethene | 5 J | | | | | | |
| 1,2-Dichloroethane | 5 J ~ | | | | | | |
| 1,2-Dichloroethene (total | | | | | | | |
| 1,1-Dichloroethane | 3 J | | | | | | |
| SURFACE WATER | | | | | | | |
| Chloroform | 3 J | | | Alpha-BHC | 0.22 | | - |
| Carbon Disulfide | 4 J | | | | | | - |
| | | | | | | | - си |
| | | | | | | | CO |
| | | | | | | | |
| | | | | | | | \supset |

TABLE 3
CONCENTRATION – TOXICITY SCREEN: NONCARCINOGENS
GROUNDWATER

| | Maximum | Chronic | | Hazard |
|-------------------------|---------------|-------------|---------------|-------------------|
| Chemicals | Concentration | Oral RFD . | Hazard Factor | Descriptor |
| | (mg/l) | (mg/kg/day) | | |
| 1,2,4-trichlorobenzene | 2.20E-01 | 1.31E-03 ь | 1.68E+02 | 6.39E -02 |
| 1,2-dichlorobenzene | 4.00E+00 | 9.00E - 02 | 4.44E+01 | 1.69E - 02 |
| 1.4 – dichlorobenzene | 4.10E + 00 | 7.00E-01 | 5.86E + 00 | 2.23E-03 |
| 2,4 – dichlorophenol | 5.90E-02 | 3.00E - 03 | 1.97E+01 | 7.48E - 03 |
| 2-butanone | 2.00E - 01 | 5.00E-02 ь | 4.00E + 00 | 1.52E - 03 |
| 2-chlorophenol | 8.00E - 02 | 5.00E - 03 | 1.60E+01 | 6.08E - 03 |
| 'antimony | 5.12E-01 | 4.00E-04 | 1.28E+03 | 4.87E-01 |
| arsenic | 3.20E - 03 | 1.00E - 03 | 3.20E + 00 | 1.22E - 03 |
| beryllium | 1.15E-01 | 5.00E - 03 | 2.30E+01 | 8.75E - 03 |
| bromodichloromethane | 6.50E - 02 | 2.00E - 02 | 3.25E + 00 | 1.24E - 03 |
| bromoform | 3.10E - 02 | 2.00E - 02 | 1.55E + 00 | 5.89E - 0.4 |
| 'cadmium | 3.60E - 02 | 5.00E - 04 | 7.20E + 01 | 2.74E - 01 |
| chlorobenzene | 2.50E + 00 | 2.00E - 02 | 1.25E + 02 | 4.75E - 0.3 |
| chloroform | 1.20E + 00 | 1.00E - 02 | 1.20E + 02 | 4.56E - 0.2 |
| chromium | 3.13E-01 | 5.00E - 03 | 6.26E + 01 | 2.38E - 0.2 |
| copper | 1.01E + 00 | 3.70E - 02 | 2.73E + 01 | 1.04E - 0.0 |
| dibromochloromethane | 4.00E - 02 | 2.00E - 02 | 2.00E + 00 | 7.61E - 04 |
| gamma chlordane | 2.00E - 04 | 6.00E - 05 | 3.33E+00 | 1.27E - 0.3 |
| gamma – BHC | 1.00E - 03 | 3.00E - 04 | 3.33E + 00 | 1.27E - 0.3 |
| mercury | 1.30E - 01 | 3.00E - 04 | 4.33E+02 | 1.65E - 0 |
| nickel | 1.24E + 00 | 2.00E - 02 | 6.20E+01 | 2.36E - 0.2 |
| pentachlorobenzene | 4.90E - 02 | 8.00E - 04 | 6.13E + 01 | 2.33E-0 |
| pentachloronitrobenzene | 1.10E - 02 | 3.00E - 03 | 3.67E + 00 | 1.39E - 0.0 |
| selenium | 4.87E - 02 | 3.00E - 03 | 1.62E + 01 | 6.17E - 0.0 |
| silver | 1.85E - 01 | 3.00E - 03 | 6.17E+01 | 2.34E - 0 |
| zinc | 1.42E+00 | 2.00E-01 | 7.10E + 00 | <u>2.70E - 03</u> |
| | | SUM | 2.63E+03 | 1.00E+0 |

a – Only oral reference dose values were used since inhalation route is not a viable exposure pathway for groundwater at this site.

b - Under review by the U.S. E.P.A.; the toxicity value was obtained from HEAST (1991).

^{* –} chemicals of potential concern

TABLE 4 CONCENTRATION – TOXICITY SCREEN : CARCINOGENS GROUNDWATER

| | Maximum | Oral | | Hazard |
|--------------------------|---------------|----------------|---------------|------------|
| Chemicals | Concentration | Slope Factor a | Hazard Factor | Descriptor |
| | (mg/l) | (mg/kg/day)-1 | | |
| *1,4 – dichlorobenzene | 4.10E+00 | 2.40E-02 b | 9.84E-02 | 1.45E-01 |
| *alpha-BHC | 5.60E - 03 | 6.30E + 00 | 3.53E - 02 | 5.21E-02 |
| arsenic | 3.20E - 03 | 1.75E + 00 c | 5.60E - 03 | 8.26E - 03 |
| *benzene | 3.50E - 01 | 2.90E - 02 | 1.01E - 02 | 1.50E - 02 |
| *beryllium | 1.15E - 01 | 4.30E + 00 | 4.94E - 01 | 7.30E - 01 |
| *bromodichloromethane | 6.50E - 02 | 1.30E - 01 | 8.45E - 03 | 1.25E-02 |
| bromoform | 3.10E - 02 | 7.90E - 03 | 2.45E - 04 | 3.61E - 04 |
| *chloroform | 1.20E + 00 | 6.10E - 03 | 7.32E - 03 | 1.08E - 02 |
| dibromochloromethane | 4.00E - 02 | 8.40E - 02 | 3.36E - 03 | 4.96E-03 |
| gamma chlordane | 2.00E - 04 | 1.30E + 00 | 2.60E - 04 | 3.84E - 04 |
| gamma – BHC | 1.00E - 03 | 1.30E + 00 b | 1.30E - 03 | 1.92E - 03 |
| *pentachloronitrobenzene | 4.90E - 02 | 2.60E-01 b | 1.27E-02 | 1.88E - 02 |
| | | SUM | 6.78E-01 | 1.00E+00 |

a - Only oral slope factors were used since inhalation exposure is not a viable exposure route for groundwater at this site.

b - Under review by the U.S. E.P.A.; the toxicity value was obtained from HEAST (1991).

c - Calculated value based on unit risk of 5.00E-05 ug/l-1 (HEAST).

^{* –} chemicals of potential concern

3 8 0515 TABLE 5 **CONCENTRATION - TOXICITY SCREEN: NONCARCINOGENS** SURFACE WATER

| | Maximum | Chronic | | Hazard |
|------------|----------------------|------------------------|---------------|-------------|
| Chemicals | Concentration (mg/l) | Oral RFD a (mg/kg/day) | Hazard Factor | Descriptor |
| *arsenic | 1.22E-02 | 1.00E-03 | 1.22E+01 | 5.09E-02 |
| beryllium | 3.30E - 03 | 5.00E - 03 | 6.60E - 01 | 2.75E - 03 |
| *cadmium | 2.20E - 03 | 5.00E - 04 | 4.40E + 00 | 1.84E - 02 |
| chloroform | 3.00E - 03 | 1.00E - 02 | 3.00E - 01 | 1.25E-03 |
| *chromium | 8.82E - 01 | 5.00E - 03 | 1.76E + 02 | 7.36E - 01 |
| copper | 3.36E - 02 | 3.70E - 02 | 9.08E - 01 | 3.79E - 03 |
| *mercury | 2.80E - 03 | 3.00E - 04 | 9.33E + 00 | 3.90E - 02 |
| *nickel | 6.16E-01 | 2.00E - 02 | 3.08E + 01 | 1.29E-01 |
| selenium | 4.90E - 03 | 3.00E - 03 | 1.63E + 00 | 6.82E - 03 |
| silver | 6.30E - 03 | 3.00E - 03 | 2.10E + 00 | 8.77E - 03 |
| zinc | 1.66E-01 | 2.00E - 01 | 8.30E - 01 | 3.46E - 0.3 |
| | | SUM | 2.40E+02 | 1.00E+00 |

a – only oral RFD used since inhalation route is not a viable exposure route for this medium.
 * – chemicals of potential concern

TABLE 6 **CONCENTRATION - TOXICITY SCREEN: CARCINOGENS SURFACE WATER**

| Chemicals | Maximum Concentration (mg/l) | Oral Slope Factor a (mg/kg/day)-1 | Hazard Factor | Hazard Descriptor |
|------------|------------------------------------|-----------------------------------|---------------|----------------------|
| *alpha-BHC | 2.20E-04 | 6.30E+00 | 1.39E-03 | 3.75E-02 |
| *arsenic | 1.22E - 02 | 1.75E + 00 b | 2.14E - 02 | 5.78E-01 |
| *beryllium | 3.30E - 03 | 4.30E + 00 | 1.42E - 02 | 3.84E - 01 |
| chloroform | 3.00E - 03 | 6.10E - 03 | 1.83E - 05 | 4.95E - 04 |
| | | SUM | 3.69E-02 | 1.00E+00 |

a - Only oral slope factors used since the inhalation route is not considered a valid route of exposure for surface water at this site. b - Calculated value based on unit risk of 5.00E-05 ug1-1 (HEAST).

^{* –} chemicals of potential concern

TABLE 7 3 8 0517
CONCENTRATION – TOXICITY SCREEN: NONCARCINOGENS
SEDIMENT

| | Maximum | Chronic | | Hazard |
|-------------------------|---------------|--------------|---------------|------------|
| Chemicals | Concentration | RFD or RFC . | Hazard Factor | Descriptor |
| | (mg/kg) | (mg/kg/day) | | |
| 12 11 1 | 2.40501 | 4.005 .02 | 6 00T + 00 | 2.505 05 |
| 1,2 dichlorobenzene | 2.40E-01 | 4.00E-02 | 6.00E+00 | 3.59E-07 |
| 1,4 dichlorobenzene | 6.30E-01 | 7.00E-01 | 9.00E-01 | 5.39E-08 |
| 4.4'-DDT | 4.00E + 00 | 5.00E - 04 | 8.00E + 03 | 4.79E-04 |
| Aldrin | 5.00E - 03 | 3.00E - 05 | 1.67E + 02 | 9.97E-06 |
| Antimony | 2.46E + 01 | 4.00E - 04 | 6.15E + 04 | 3.68E - 03 |
| Arsenic | 1.61E + 01 | 1.00E - 03 | 1.61E + 04 | 9.63E-04 |
| Beryllium | 3.70E + 00 | 5.00E - 03 | 7.40E + 02 | 4.43E-05 |
| Cadmium | 7.80E-01 | 5.00E - 04 | 1.56E + 03 | 9.33E - 05 |
| Chlorobenzene | 5.80E + 00 | 5.00E - 03 a | 1.16E + 03 | 6.94E - 05 |
| 'Chromium | 6.94E + 01 | 5.70E – 06 c | 1.22E+07 | 7.29E-01 |
| Copper | 5.75E + 01 | 3.70E - 02b | 1.55E + 03 | 9.30E - 05 |
| Cyanide | 1.50E + 00 | 2.00E - 02 | 7.50E + 01 | 4.49E-06 |
| Fluoranthene | 4.90E + 00 | 4.00E - 02 | 1.23E + 02 | 7.33E-06 |
| gamma chlordane | 7.80E - 02 | 6.00E - 05 | 1.30E + 03 | 7.78E - 05 |
| gamma – BHC | 2.90E - 02 | 3.00E - 04 | 9.67E+01 | 5.78E - 06 |
| heptachlor epoxide | 1.90E - 02 | 1.30E - 05 | 1.46E + 03 | 8.75E - 05 |
| 'Hexachlorobenzene | 8.10E + 02 | 8.00E - 04 | 1.01E + 06 | 6.06E-02 |
| Mercury | 2.90E + 02 | 8.60E - 05 c | 3.37E+06 | 2.02E-01 |
| Nickel | 2.89E+01 | 2.00E - 02 | 1.45E+03 | 8.65E - 05 |
| Pentachlorobenzene | 3.30E+01 | 8.00E - 04 | 4.13E+04 | 2.47E-03 |
| Pentachloronitrobenzene | 4.10E+01 | 3.00E - 03 | 1.37E+04 | 8.18E-04 |
| Pyrene | 3.50E + 00 | 3.00E - 02 | 1.17E+02 | 6.98E-06 |
| Selenium | 2.40E+00 | 3.00E - 03 | 8.00E+02 | 4.79E-05 |
| Silver | 1.00E+00 | 3.00E - 03 | 3.33E+02 | 1.99E-05 |
| Zinc | 2.27E+02 | 2.00E-01 | 1.14E+03 | 6.79E - 05 |
| | | SUM | 1.67E+07 | 1.00E + 00 |

a - most conservative (smaller) of the chronic RFD or RFC used to produce the largest hazard factor

b - based on current drinking water standard of 1.3 mg/l

c - calculated value by HEAST methodology from the RFC, RFD, or from unit risk for slope factor

d – under review by RFD/RFC work group

^{* –} chemicals of potential concern

TABLE 8 **CONCENTRATION - TOXICITY SCREEN: CARCINOGENS SEDIMENT**

| | Maximum | | | Hazard |
|-------------------------|---------------|----------------|---------------|-------------------|
| Chemicals | Concentration | Slope Factor a | Hazard Factor | Descripto |
| | (mg/kg) | (mg/kg/day)-1 | | • |
| 1,4 – dichlorobenzene | 6.30E-01 | 2.40E-02 b | 1.51E-02 | 3.01E-06 |
| 4,4'-DDD | 1.80E + 00 | 2.40E - 01 | 4.32E - 01 | 8.61E - 0.5 |
| 4,4'-DDE | 1.40E + 00 | 3.40E - 01 | 4.76E-01 | 9.48E - 0.00 |
| 4.4'-DDT | 4.00E+00 | 3.40E - 01 | 1.36E + 00 | 2.71E - 0.0 |
| Aldrin | 5.00E - 03 | 1.70E + 01 | 8.50E - 02 | 1.69E - 0.9 |
| alpha-BHC | 2.40E - 02 | 6.30E + 00 | 1.51E - 01 | 3.01E - 0.01E |
| 'arsenic | 1.61E+01 | 5.00E + 01 | 8.05E + 02 | 1.60E - 0 |
| benzene | 1.80E - 01 | 2.90E - 02 | 5.22E - 03 | 1.04E - 06 |
| beryllium | 3.70E + 00 | 8.40E + 00 | 3.11E+01 | 6.19E - 0. |
| beta-BHC | 1.80E - 02 | 1.80E + 00 | 3.24E - 02 | 6.45E-0 |
| cadmium | 7.80E - 01 | 6.10E + 00 | 4.76E + 00 | 9.48E-0 |
| chromium et al. | 6.94E+01 | 4.10E + 01 | 2.85E + 03 | 5.67E - 0 |
| gamma – BHC | 2.90E - 02 | 1.30E+00 b | 3.77E - 02 | 7.51E - 0 |
| gamma – chlordane | 7.80E - 02 | 1.30E + 00 | 1.01E - 01 | 2.02E - 0 |
| heptachlor epoxide | 1.90E - 02 | 9.10E + 00 | 1.73E - 01 | 3.44E - 0 |
| hexachlorobenzene | 8.10E + 02 | 1.60E + 00 | 1.30E + 03 | 2.58E - 0 |
| nickel | 2.89E+01 | 8.40E - 01 | 2.43E + 01 | 4.84E - 0 |
| pentachloronitrobenzene | 4.10E+01 | 2.60E-01 b | 1.07E + 01 | <u>2.12E − 0</u> |
| | | SUM | 5.02E+03 | 1.00E+0 |

a – When inhalation and oral slope factors were both listed, the more conservative number yielding the largest hazard factor was used.

b - Under review by the U.S. E.P.A.; the toxicity value was obtained from HEAST (1991).

* - Chemicals of potential concern

Woodward-Clyde Consultants

TABLE 9

CHEMICALS OF POTENTIAL CONCERN

GROUNDWATER

Carcinogens

1,4-Dichlorobenzene Alpha-BHC* Benzene Beryllium*

Bromodichloromethane* Chloroform Lead* Pentachloronitrobenzene¹

Selenium*

Noncarcinogens

1,2,4-Trichlorobenzene 1,2-Dichlorobenzene

Antimony* Cadmium* Chlorobenzene Chloroform Chromium Copper* Cyanide*

Lead* Mercury Nickel

Pentachlorobenzene

Silver*

SURFACE WATER

Carcinogens

Alpha-BHC* Arsenic* Bervllium* Lead* Selenium*

Noncarcinogens

Arsenic* Cadmium* Chromium Lead* Mercury Nickel

SEDIMENT

Carcinogens

Arsenic* Chromium

Hexachlorobenzene

Lead* Selenium*

Noncarcinogens

Chromium

Hexachlorobenzene


Lead* Mercury


- Carcinogenic potential under review by the U. S. EPA. 1
- No evidence found which indicates materials containing these chemicals (other then trace amounts) were used or produced at Olin.


Woodward-Clyde Consultants


3 8 0599

FIGURES









Woodward-Clyde Consultants

3 8 0525

APPENDIX A

PRELIMINARY GROUNDWATER DATA

PRELIMINARY GROUNDWATER DATA TARGET COMPOUND LIST (TCL) VOLATILE ORGANICS

| Compound | DH-1 (μg/l) | DH-3 (μg/l) | PE-3D (μg/l) | PL-4S (μg/I) |
|----------------------------|----------------|----------------|-----------------|-----------------|
| 1,1,1-TRICHLOROETHANE | U | U | U | U |
| 1,1,2,2-TETRACHLOROETHANE | U | U | Ü | U |
| 1,1,2-TRICHLOROETHANE | U | U | U | U |
| 1,1-DICHLOROETHANE | U | U | U | U |
| 1,1-DICHLOROETHENE | Ū | U | U | U |
| 1,2-DICHLOROPROPANE | U | U | U | U |
| 1,2-DICHOLOROETHANE | U | U | U | U |
| 1,2-DICHOLOROETHENE(TOTAL) | Ü | Ü | 3J | Ü |
| 2-BUTANONE | r. | U | U | U |
| 2-HEXANONE | \mathbf{U} | U | U | Ü |
| 4-METHYL-2-PENTANONE | U | U | U | Ü |
| ACETONE | 11B | 5BJ | 21B | 7BJ |
| BENZENE | U | \mathbf{U} | U | U |
| BROMODICHLOROMETHANE | U | U | U | U |
| BROMOFORM | U | U | U | U |
| BROMOMETHANE | U | U | U | U |
| CARBON DISULFIDE | U | U | U | U |
| CARBON TETRACHLORIDE | U | U | U | U |
| CHLOROBENZENE | 6J | U | U | U |
| CHLOROETHANE | U | U | U | U |
| CHOLOROFORM | U | U | 36 | U |
| CHOLOROMETHANE | U | U | U | U |
| CIS-1,3-DICHLOROPROPENE | U | U | \mathbf{U} | U |
| DIBROMOCHLOROMETHANE | \mathbf{U} | U | \mathbf{U} | U |
| ETHYLBENZENE | U | U | U | U |
| METHYLENE CHLORIDE | 7BJ | 6BJ | 24B | 7BJ |
| STYRENE | U | U | U | Ü |
| TETRACHLOROETHENE | U | U | \mathbf{U} | U |
| TOLUENE | U | Ü | Ü | Ü |
| TRANS-1,3-DICHLOROPROPENE | Ü | Ü | Ū | Ū |
| TRICHLOROETHENE | U | U | U | U |
| VINYL CHLORIDE | U | U | \mathbf{U} | U |
| XYLENE (TOTAL) | Ü | Ū、 | Ū | Ū |

- B Analyte was found in the associated blank as well as the sample.
- C Compound confirmed by GC/MS.
- D Result from a diluted sample.
- E Concentrations exceeded the calibration range. The original extract was diluted and reanalyzed per the method.
- J An estimated value below the Contract Required Quantitation Limit.
- P Greater than 25 percent difference for detected concentrations between the two GC columns.
- U Compound was analyzed for, but not detected.
- X The detected concentrations from the two GC columns varied more than a factor of 2.

PRELIMINARY GROUNDWATER DATA TARGET COMPOUND LIST (TCL) VOLATILE ORGANICS

| Compound | PL-8D (μg/l) | D/PL-8D (μg/l) | PL-8S (μg/l) | PL-9D (μg/l) |
|----------------------------|-----------------|-------------------|-----------------|-------------------|
| 1,1,1-TRICHLOROETHANE | U | U | U | U |
| 1,1,2,2-TETRACHLOROETHANE | U | U | U | U |
| 1,1,2-TRICHLOROETHANE | U | U | U | U |
| 1,1-DICHLOROETHANE | U | U | U | U |
| 1,1-DICHLOROETHENE | U | U | U | U |
| 1,2-DICHLOROPROPANE | U | U | U | U |
| 1,2-DICHOLOROETHANE | U | U | U | U |
| 1,2-DICHOLOROETHENE(TOTAL) | U | U | U | U |
| 2-BUTANONE | 180 | 150 | 92 | Ľ' |
| 2-HEXANONE | U | U | U | U |
| 4-METHYL-2-PENTANONE | U | U | U | \mathcal{L}_{i} |
| ACETONE | 76 B | 60B | 56B | 8BJ |
| BENZENE | U | U | U | U |
| BROMODICHLOROMETHANE | U | U | U | U |
| BROMOFORM | U | U | U | U |
| BROMOMETHANE | U | U | U | U |
| CARBON DISULFIDE | U | U | U | U |
| CARBON TETRACHLORIDE | U | U | U | U |
| CHLOROBENZENE | U | U | U | U |
| CHLOROETHANE | U | \mathbf{U} | \mathbf{U} | U |
| CHOLOROFORM | U | U | U | U |
| CHOLOROMETHANE | U | U | U | U |
| CIS-1,3-DICHLOROPROPENE | U | U | U | U |
| DIBROMOCHLOROMETHANE | U | U | U | U |
| ETHYLBENZENE | U | U | U | U |
| METHYLENE CHLORIDE | 11BJ | 16B | 22B | 17B |
| STYRENE | U | U | U | U |
| TETRACHLOROETHENE | \mathbf{U} | U | \mathbf{U} | U |
| TOLUENE | U | U | U | \mathbf{U} |
| TRANS-1,3-DICHLOROPROPENE | U | U | U | U |
| TRICHLOROETHENE | U | \mathbf{U} | U | U |
| VINYL CHLORIDE | U | U | U | U |
| XYLENE (TOTAL) | U | U· | U | U |

- B Analyte was found in the associated blank as well as the sample.
- C Compound confirmed by GC/MS.
- D Result from a diluted sample.
- E Concentrations exceeded the calibration range. The original extract was diluted and reanalyzed per the method.
- J An estimated value below the Contract Required Quantitation Limit.
- P Greater than 25 percent difference for detected concentrations between the two GC columns.
- U Compound was analyzed for, but not detected.
- X The detected concentrations from the two GC columns varied more than a factor of 2.

PRELIMINARY GROUNDWATER DATA TARGET COMPOUND LIST (TCL) VOLATILE ORGANICS

| Compound | PL-9S (μg/l) | PL-10D (μg/l) | PL-10S (μg/l) | SL-2 (μg/l) |
|----------------------------|-----------------|------------------|------------------|----------------|
| 1,1,1-TRICHLOROETHANE | U | U | U | U |
| 1,1,2,2-TETRACHLOROETHANE | U | U | U | U |
| 1,1,2-TRICHLOROETHANE | U | U | U | U |
| 1,1-DICHLOROETHANE | U | U | U | U |
| 1,1-DICHLOROETHENE | U | U | U | U |
| 1,2-DICHLOROPROPANE | U | U | U | U |
| 1,2-DICHOLOROETHANE | U | U | U | U |
| 1,2-DICHOLOROETHENE(TOTAL) | U | U | \mathbf{U} | U |
| 2-BUTANONE | U | 100 | 200D | U |
| 2-HEXANONE | U | U | U | U |
| 4-METHYL-2-PENTANONE | U | \mathbf{U} | U | \mathbf{U} |
| ACETONE | 8BJ | 40B | 72B | 13B |
| BENZENE | U | U | U | U |
| BROMODICHLOROMETHANE | U | Ü | U | U |
| BROMOFORM | U | U | U | U |
| BROMOMETHANE | U | U | U | U |
| CARBON DISULFIDE | U | U | U | 3J |
| CARBON TETRACHLORIDE | U | U | \mathbf{U} | U |
| CHLOROBENZENE | ${f U}$ | U | U | U |
| CHLOROETHANE | U | U | U | U |
| CHOLOROFORM | U | U | ა6 | U |
| CHOLOROMETHANE | U | \mathbf{U} | U | U |
| CIS-1,3-DICHLOROPROPENE | U | U | U | U |
| DIBROMOCHLOROMETHANE | U | U | U | U |
| ETHYLBENZENE | U | U | U | U |
| METHYLENE CHLORIDE | 17B | 9BJ | 22R | 9BJ |
| STYRENE | U | \mathbf{U} | U | U |
| TETRACHLOROETHENE | U | U | U | U |
| TOLUENE | U | U | U | U |
| TRANS-1,3-DICHLOROPROPENE | U | U | \mathbf{U} | U |
| TRICHLOROETHENE | U | U | U | U |
| VINYL CHLORIDE | U | U | U | U |
| XYLENE (TOTAL) | U | U٠ | U | U |

- B Analyte was found in the associated blank as well as the sample.
- C Compound confirmed by GC/MS.
- D Result from a diluted sample.
- E Concentrations exceeded the calibration range. The original extract was diluted and reanalyzed per the method.
- J An estimated value below the Contract Required Quantitation Limit.
- P Greater than 25 percent difference for detected concentrations between the two GC columns.
- U Compound was analyzed for, but not detected.
- X The detected concentrations from the two GC columns varied more than a factor of 2.

PRELIMINARY GROUNDWATER DATA TARGET COMPOUND LIST (TCL) VOLATILE ORGANICS

| Compound | SL-3 (µg/l) | SL-4 (μg/l) | WP-6 (μg/l) | WP-9A (μg/l) |
|----------------------------|----------------|----------------|----------------|-----------------|
| 1,1,1-TRICHLOROETHANE | U | U | U | U |
| 1,1,2,2-TETRACHLOROETHANE | U | U | U | U |
| 1,1,2-TRICHLOROETHANE | U | U | U | U |
| 1,1-DICHLOROETHANE | U | U | U | U |
| 1,1-DICHLOROETHENE | U | U | U | U |
| 1,2-DICHLOROPROPANE | U | \mathbf{U} | U | U |
| 1,2-DICHOLOROETHANE | U | 5J | U | U |
| 1,2-DICHOLOROETHENE(TOTAL) | U | U | U | U |
| 2-BUTANONE | U | U | 96 | U |
| 2-HEXANONE | U | U | U | \mathbf{U} |
| 4-METHYL-2-PENTANONE | U | U | U | U |
| ACETONE | U | 12B | 20B | 9 B J |
| BENZENE | U | U | 200D | U |
| BROMODICHLOROMETHANE | U | U | U | U |
| BROMOFORM | U | \mathbf{U} | U | U |
| BROMOMETHANE | U | U | U | U |
| CARBON DISULFIDE | U | 21 | 13J | U |
| CARBON TETRACHLORIDE | U | U | U | U |
| CHLOROBENZENE | 9 J | U | 2500D | U |
| CHLOROETHANE | U | U | U | U |
| CHOLOROFORM | U | 3J | 220D | U |
| CHOLOROMETHANE | U | \mathbf{U} | U | U |
| CIS-1,3-DICHLOROPROPENE | \mathbf{U} | U | U | U |
| DIBROMOCHLOROMETHANE | U | U | U | U |
| ETHYLBENZENE | U | U | U | U |
| METHYLENE CHLORIDE | 8BJ | 8BJ | 15B | 7 B J |
| STYRENE | U | U | U | U |
| TETRACHLOROETHENE | U | U | U | U |
| TOLUENE | U | U | U | U |
| TRANS-1,3-DICHLOROPROPENE | U | U | U | U |
| TRICHLOROETHENE | U | U | U | U |
| VINYL CHLORIDE | U | U | U | U |
| XYLENE (TOTAL) | U | U· | U | U |

- B Analyte was found in the associated blank as well as the sample.
- C Compound confirmed by GC/MS.
- D Result from a diluted sample.
- E Concentrations exceeded the calibration range. The original extract was diluted and reanalyzed per the method.
- J An estimated value below the Contract Required Quantitation Limit.
- P Greater than 25 percent difference for detected concentrations between the two GC columns.
- U Compound was analyzed for, but not detected.
- X The detected concentrations from the two GC columns varied more than a factor of 2.

PRELIMINARY GROUNDWATER DATA TARGET COMPOUND LIST (TCL) VOLATILE ORGANICS

| Compound | BR-7 (μg/l) | BR-7D (μg/l) | BR-8 (μg/l) | CA-1 (μg/l) |
|----------------------------|----------------|-----------------|----------------|----------------|
| 1,1,1-TRICHLOROETHANE | U | U | U | U |
| 1,1,2,2-TETRACHLOROETHANE | U | U | U | U |
| 1,1,2-TRICHLOROETHANE | U | U | U | U |
| 1,1-DICHLOROETHANE | U | 3J | U | U |
| 1,1-DICHLOROETHENE | U | U | U | U |
| 1,2-DICHLOROPROPANE | U | U | U | U |
| 1,2-DICHOLOROETHANE | U | U | U | U |
| 1,2-DICHOLOROETHENE(TOTAL) | U | U | U | U |
| 2-BUTANONE | 6J | U | U | U |
| 2-HEXANONE | U | U | U | U |
| 4-METHYL-2-PENTANONE | U | U | \mathbf{U} | U |
| ACETONE | 7BJ | 9BJ | 22B | U |
| BENZENE | 7 J | 30 | U | U |
| BROMODICHLOROMETHANE | U | 4 J | \mathbf{U} | U |
| BROMOFORM | U | U | U | U |
| BROMOMETHANE | U | U | U | U |
| CARBON DISULFIDE | U | U | U | U |
| CARBON TETRACHLORIDE | 8J | U | U | U |
| CHLOROBENZENE | 180 | 380D | 430D | 45 |
| CHLOROETHANE | U | U | U | Ü |
| CHOLOROFORM | 1200D | 260D | 270 | U |
| CHOLOROMETHANE | U | U | U | U |
| CIS-1,3-DICHLOROPROPENE | U | U | U | U |
| DIBROMOCHLOROMETHANE | U | U | U | U |
| ETHYLBENZENE | U | U | U | \mathbf{U} |
| METHYLENE CHLORIDE | 15B | 5BJ | 12BJ | 8BJ |
| STYRENE | U | U | U | Ü |
| TETRACHLOROETHENE | Ü | Ü | Ü | Ū |
| TOLUENE | Ü | Ü | Ŭ | Ū |
| TRANS-1,3-DICHLOROPROPENE | Ū | Ŭ | Ŭ | Ü |
| TRICHLOROETHENE | Ü | Ü | Ü | Ū |
| VINYL CHLORIDE | Ü | • Ü | Ū | Ŭ |
| XYLENE (TOTAL) | Ŭ | Ŭ · | Ü | ũ |

- B Analyte was found in the associated blank as well as the sample.
- C Compound confirmed by GC/MS.
- D Result from a diluted sample.
- E Concentrations exceeded the calibration range. The original extract was diluted and reanalyzed per the method.
- J An estimated value below the Contract Required Quantitation Limit.
- P Greater than 25 percent difference for detected concentrations between the two GC columns.
- U Compound was analyzed for, but not detected.
- X The detected concentrations from the two GC columns varied more than a factor of 2.

PRELIMINARY GROUNDWATER DATA TARGET COMPOUND LIST (TCL) VOLATILE ORGANICS

| Compound | CA-2 (µg/l) | CA-3 (μg/l) | CA-4 (µg/l) | CA-5 (μg/l) |
|----------------------------|----------------|----------------|-------------------------|----------------|
| 1,1,1-TRICHLOROETHANE | U | | U | Ŭ |
| 1,1,2,2-TETRACHLOROETHANE | Ü | Ü | Ü | ŢŢ |
| 1,1,2-TRICHLOROETHANE | Ū | Ü | Ü | U |
| 1,1-DICHLOROETHANE | Ü | Ü | Ü | Ü |
| 1,1-DICHLOROETHENE | Ü | 5J | Ü | Ū |
| 1,2-DICHLOROPROPANE | Ū | Ü | Ü | Ü |
| 1,2-DICHOLOROETHANE | Ü | Ü | U | Ü |
| 1,2-DICHOLOROETHENE(TOTAL) | Ü | Ū | U | Ū |
| 2-BUTANONE | Ü | Ū | Ü | Ü |
| 2-HEXANONE | Ü | Ü | Ü | Ü |
| 4-METHYL-2-PENTANONE | Ü | Ü | Ü | Ü |
| ACETONE | 5 J | 17 | Ü | 11 |
| BENZENE | 18 | U | Ü | U |
| BROMODICHLOROMETHANE | 3J | 11 | Ü | 8J |
| BROMOFORM | Ü | 3J | $\overline{\mathbf{U}}$ | Ü |
| BROMOMETHANE | Ū | Ü | $\dot{	ilde{	ext{U}}}$ | Ü |
| CARBON DISULFIDE | Ü | Ū | Ü | Ū |
| CARBON TETRACHLORIDE | U | U | U | U |
| CHLOROBENZENE | 140 | Ü | Ü | 9 J |
| CHLOROETHANE | U | U | U | U |
| CHOLOROFORM | 99 | 71 | 37 | 230D |
| CHOLOROMETHANE | U | U | U | U |
| CIS-1,3-DICHLOROPROPENE | U | U | U | U |
| DIBROMOCHLOROMETHANE | U | 5J | U | 3J |
| ETHYLBENZENE | U | U | U | U |
| METHYLENE CHLORIDE | 11B | 12B | 6BJ | 9BJ |
| STYRENE | U | U | Ü | U |
| TETRACHLOROETHENE | Ü | Ū | Ŭ | Ü |
| TOLUENE | Ü | Ü | Ü | Ü |
| TRANS-1,3-DICHLOROPROPENE | Ü | Ü | Ü | Ü |
| TRICHLOROETHENE | Ü | Ü | Ü | Ü |
| VINYL CHLORIDE | Ü | Ü | Ü | Ü |
| XYLENE (TOTAL) | Ü | Ū, | Ü | Ü |

- B Analyte was found in the associated blank as well as the sample.
- C Compound confirmed by GC/MS.
- D Result from a diluted sample.
- E Concentrations exceeded the calibration range. The original extract was diluted and reanalyzed per the method.
- J An estimated value below the Contract Required Quantitation Limit.
- P Greater than 25 percent difference for detected concentrations between the two GC columns.
- U Compound was analyzed for, but not detected.
- X The detected concentrations from the two GC columns varied more than a factor of 2.

PRELIMINARY GROUNDWATER DATA TARGET COMPOUND LIST (TCL) VOLATILE ORGANICS

| Compound | E-1 (μg/l) | E-2 (μg/l) | E-4 (μg/l) | E-5 (μg/l) |
|----------------------------|---------------|---------------|---------------|---------------|
| 1,1,1-TRICHLOROETHANE | U | U | U | U |
| 1,1,2,2-TETRACHLOROETHANE | U | U | U | \mathbf{U} |
| 1,1,2-TRICHLOROETHANE | U | U | U | U |
| 1,1-DICHLOROETHANE | 2BJ | U | U | U |
| 1,1-DICHLOROETHENE | U | U | U | U |
| 1,2-DICHLOROPROPANE | U | U | U | U |
| 1,2-DICHOLOROETHANE | U | U | U | U |
| 1,2-DICHOLOROETHENE(TOTAL) | U | U | U | U |
| 2-BUTANONE | U | U | U | \mathbf{U} |
| 2-HEXANONE | U | U | U | U |
| 4-METHYL-2-PENTANONE | U | U | U | U |
| ACETONE | U | U | 7BJ | 44B |
| BENZENE | U | U | U | U |
| BROMODICHLOROMETHANE | U | U | U | 65 |
| BROMOFORM | U | U | U | 31 |
| BROMOMETHANE | U | U | U | U |
| CARBON DISULFIDE | U | 9J | 7 J | 4Ј |
| CARBON TETRACHLORIDE | U | U | U | U |
| CHLOROBENZENE | 10 | U | 22 | U |
| CHLOROETHANE | U | \mathbf{U} | \mathbf{U} | U |
| CHOLOROFORM | 40 | U | 58 | 380 |
| CHOLOROMETHANE | U | U | \mathbf{U} | U |
| CIS-1,3-DICHLOROPROPENE | U | U | U | U |
| DIBROMOCHLOROMETHANE | U | Ü | Ū | 4 0 |
| ETHYLBENZENE | Ü | Ü | Ū | Ü |
| METHYLENE CHLORIDE | 7BJ | 4BJ | 11B | 12BJ |
| STYRENE | U | U | U | Ü |
| TETRACHLOROETHENE | U | U | Ü | Ū |
| TOLUENE | U | \mathbf{U} | \mathbf{U} | U |
| TRANS-1,3-DICHLOROPROPENE | U | U | \mathbf{U} | U |
| TRICHLOROETHENE | U | U | U | U |
| VINYL CHLORIDE | Ü | Ū | Ü | Ū |
| XYLENE (TOTAL) | Ū | Ū, | Ü | Ū |

- В Analyte was found in the associated blank as well as the sample.
- C Compound confirmed by GC/MS.
- D Result from a diluted sample.
- Ε Concentrations exceeded the calibration range. The original extract was diluted and reanalyzed per the method.
- An estimated value below the Contract Required Quantitation Limit. J
- Р Greater than 25 percent difference for detected concentrations between the two GC columns.
- ſ, Compound was analyzed for, but not detected.
- X The detected concentrations from the two GC columns varied more than a factor of 2.

PRELIMINARY GROUNDWATER DATA TARGET COMPOUND LIST (TCL) VOLATILE ORGANICS

| Compound | MP-13 (μg/l) | MP-14 (μg/l) | MP-15 (μg/l) | PL-4D (μg/l) |
|----------------------------|-----------------|-----------------|-----------------|-----------------|
| 1,1,1-TRICHLOROETHANE | U | U | U | U |
| 1,1,2,2-TETRACHLOROETHANE | Ü | Ü | Ü | Ū |
| 1,1,2-TRICHLOROETHANE | Ū | Ū | Ü | Ū |
| 1,1-DICHLOROETHANE | U | U | Ū | Ū |
| 1,1-DICHLOROETHENE | U | U | U | U |
| 1,2-DICHLOROPROPANE | U | U | U | U |
| 1,2-DICHOLOROETHANE | U | U | \mathbf{U} | U |
| 1,2-DICHOLOROETHENE(TOTAL) | U | U | U | U |
| 2-BUTANONE | 62 | 16 | 5BJ | C: |
| 2-HEXANONE | U | U | U | U |
| 4-METHYL-2-PENTANONE | U | U | U | U |
| ACETONE | 220BD | 57B | 26B | U |
| BENZENE | U | 350D | 350D | U |
| BROMODICHLOROMETHANE | \mathbf{U} | 43 | 21 | U |
| BROMOFORM | U | 12 | U | U |
| BROMOMETHANE | U | U | U | U |
| CARBON DISULFIDE | U | U | U | U |
| CARBON TETRACHLORIDE | U | \mathbf{U} | U | U |
| CHLOROBENZENE | 63 | 1700D | 1900D | U |
| CHLOROETHANE | \mathbf{U} | U | \mathbf{U} | U |
| CHOLOROFORM | 14 | 980 D | 510D | U |
| CHOLOROMETHANE | U | U | U | U |
| CIS-1,3-DICHLOROPROPENE | U | U | U | U |
| DIBROMOCHLOROMETHANE | U | 21 | 7Ј | U |
| ETHYLBENZENE | \mathbf{U} | \mathbf{U} | U | U |
| METHYLENE CHLORIDE | 13B | 75B | 160B | 4BJ |
| STYRENE | U | U | U | U |
| TETRACHLOROETHENE | U | U | \mathbf{U} | U |
| TOLUENE | U | U | U | U |
| TRANS-1,3-DICHLOROPROPENE | U | U | U | U |
| TRICHLOROETHENE | U | U | U | U |
| VINYL CHLORIDE | U | U | U | U |
| XYLENE (TOTAL) | U | U· | U | U |

- B Analyte was found in the associated blank as well as the sample.
- C Compound confirmed by GC/MS.
- D Result from a diluted sample.
- E Concentrations exceeded the calibration range. The original extract was diluted and reanalyzed per the method.
- J An estimated value below the Contract Required Quantitation Limit.
- P Greater than 25 percent difference for detected concentrations between the two GC columns.
- U Compound was analyzed for, but not detected.
- X The detected concentrations from the two GC columns varied more than a factor of 2.

Page 5 of 5

PRELIMINARY GROUNDWATER DATA TARGET COMPOUND LIST (TCL) VOLATILE ORGANICS

| Compound | WW-8 (μg/l) | WW-12 (μg/l) | D/WW-12 (μg/l) | |
|----------------------------|----------------|-------------------------|-------------------|--|
| 1,1,1-TRICHLOROETHANE | U | U | U | |
| 1,1,2,2-TETRACHLOROETHANE | | U | U | |
| 1,1,2-TRICHLOROETHANE | U | U | U | |
| 1,1-DICHLOROETHANE | U | \mathbf{U} | U | |
| 1,1-DICHLOROETHENE | U | ${f U}$ | U | |
| 1,2-DICHLOROPROPANE | U | ${f U}$ | U | |
| 1,2-DICHOLOROETHANE | U | U | U | |
| 1,2-DICHOLOROETHENE(TOTAL) | U | U | Γ | |
| 2-BUTANONE 2-HEXANONE | U | U | C | |
| 2-HEXANONE | U | L. | L. | |
| 4-METHYL-2-PENTANONE | U | U | C_i | |
| ACETONE | U | U | \mathbf{C} | |
| BENZENE | U | U | U | |
| BROMODICHLOROMETHANE | U | U | ſ. | |
| BROMOFORM | U | U | U | |
| BROMOMETHANE | U | U | U | |
| CARBON DISULFIDE | U | \mathbf{U} | U | |
| CARBON TETRACHLORIDE | U | U | U | |
| CHLOROBENZENE | 3J | 99 | 88 | |
| CHLOROETHANE | U | U | U | |
| CHOLOROFORM | U | Ü | U | |
| CHOLOROMETHANE | U | U | Ü | |
| CIS-1,3-DICHLOROPROPENE | | Ü | Ü | |
| DIBROMOCHLOROMETHANE | Ü | Ü | Ü | |
| ETHYLBENZENE | Ü | $\overline{\mathbf{U}}$ | Ü | |
| METHYLENE CHLORIDE | 18B | 6BJ | 4BJ | |
| STYRENE | Ü | Ü | U | |
| TETRACHLOROETHENE | Ü | Ü | Ü | |
| TOLUENE | Ü | Ü | Ü | |
| TRANS-1,3-DICHLOROPROPENE | Ü | Ü | Ü | |
| TRICHLOROETHENE | Ü | Ü | Ü | |
| VINYL CHLORIDE | Ŭ | Ü | Ü | |
| XYLENE (TOTAL) | Ŭ | , Ü | Ţ, | |

- B Analyte was found in the associated blank as well as the sample.
- C Compound confirmed by GC/MS.
- D Result from a diluted sample.
- E Concentrations exceeded the calibration range. The original extract was diluted and reanalyzed per the method.
- J An estimated value below the Contract Required Quantitation Limit.
- P Greater than 25 percent difference for detected concentrations between the two GC columns.
- U Compound was analyzed for, but not detected.
- X The detected concentrations from the two GC columns varied more than a factor of 2.

Page 1 of 6
PRELIMINARY GROUNDWATER DATA
TARGET COMPOUND LIST (TCL) SEMIVOLATILE ORGANICS

| Compound | DH-1 (μg/l) | DH-3 (μg/l) | PE-3D (μg/l) | PL-4S (μg/l) | PL~8D (μg/l) | D/PL-8D (μg/I) |
|--|----------------|----------------------|-----------------|-----------------|-------------------------|-------------------|
| 1,2,4-TRICHLOROBENZENE | U | U | 22 | U | U | U |
| 1,2-DICHLOROBENZENE | Ü | Ū | 210D | Ū | Ü | Ü |
| 1,3-DICHLOROBENZENE | Ū | Ŭ | U | Ü | Ū | Ü |
| 1,4-DICHLOROBENZENE | 8J | $\tilde{\mathbf{U}}$ | 7 <u>J</u> | Ū | Ū | ſ. |
| 2,4,5-TRICHLOROPHENOL | Ü | Ŭ | Ū | Ü | Ü | Ũ |
| 2,4,6-TRICHLOROPHENOL | Ū | Ŭ | Ū | Ū | Ü | Ü |
| 2,4-DICHLOROPHENOL | Ū | Ü | Ŭ | Ü | $\overline{\mathbf{U}}$ | ť. |
| 2,4-DIMETHYLPHENOL | Ŭ | Ŭ | Ŭ | Ü | Ü | Ĺ |
| 2,4-DINITROPHENOL | Ü | Ü | Ŭ | Ŭ | Ü | Ü |
| 2,4-DINITROTOLUENE | Ü | Ŭ | Ü | Ŭ | Ü | Ü |
| 2,6-DINITROTOLUENE | Ü | U | Ü | Ü | Ü | U |
| 2-CHLORONAPHTHALENE | Ü | U | Ü | U | Ü | Ü |
| 2-CHLOROPHENOL | Ü | U | U | U | U | Ü |
| 2-CHEOROT HENOL 2-METHYLNAPHTHALENE | U | U | U | บ | U | U |
| 2-METHYLPHENOL | U | Ü | U | U | U | U |
| | Ü | | | | Ü | |
| 2-NITROANILINE | | U | U | U | | U |
| 2-NITROPHENOL | U | U | U | U | U | U |
| 3,3'-DICHLOROBENZIDINE | U | U | U | U | U | U |
| 3-NITROANILINE | U | U | U | U | U | U |
| 4,6-DINITRO-2-METHYLPHENOL | U | U | U | U | U | U |
| 4-BROMOPHENYL-PHENYLETHER | U | U | U | Ų | Ų | U |
| 4-CHLORO-3-METHYLPHENOL | U | U | U | U | U | U |
| 4-CHLOROANILINE | U | U | U | U | U | U |
| 4-CHLOROPHENYL-PHENYLETHER | U | U | U | U | U | U |
| 4-METHYLPHENOL | U | U | U | U | U | U |
| 4-NITROANILINE | U | U | U | U | U | U |
| 4-NITROPHENOL | U | U | U | \mathbf{U} | \mathbf{U} | U |
| ACENAPHTHENE | U | U | U | U | U | U |
| ACENAPHTHYLENE | U | U | U | U | U | \mathbf{U} |
| ANTHRACENE | U | U | U | \mathbf{U} | U | U |
| BENZO(A)ANTHRACENE | U | U | U | U | U | U |
| BENZO(A)PYRENE | U | U | ` U | U | U | U |
| BENZO(B)FLUORANTHENE | U | U | U | U | U | U |
| BENZO(G,H,I)PERYLENE | U | U | U | U | U | U |
| BENZO(K)FLUORANTHENE | U | U | U | U | U | U |
| BIS(2-CHLOROETHOXY)METHANE | U | U | U | U | U | U |
| BIS(2-CHLOROETHYL)ÉTHER | U | U | U | U | U | U |
| BIS(2-CHLOROISOPROPYL)ETHER | Ū | Ū. | Ū | Ū | Ü | Ŭ |
| BIS(2-ETHYLHEXYL)PHTHALATE | 3BJ | 4BJ | 6BJ | 3BJ | Ŭ | 3BJ |
| BUTYLBENZYLPHTHALATE | U | U | U | U | Ü | U |
| CARBAZOLE | Ŭ | Ü | Ü | Ü | Ü | Ü |
| CHRYSENE | Ü | Ü | Ü | Ü | Ü | Ü |
| DI-N-BUTYLPHTHALATE | U | Ü | U | U | Ü | U |
| | U | U | Ü | U | Ū | U |
| DI-N-OCTYL PHTHALATE | 7 1 | | , , | | | |

Page 2 of 6

PRELIMINARY GROUNDWATER DATA TARGET COMPOUND LIST (TCL) SEMIVOLATILE ORGANICS

| Compound | DH-1 (μg/l) | DH-3 (μg/l) | PE-3D (μg/l) | PL-4S (μg/l) | PL-8D (μg/l) | D/PL-8D (μg/l) |
|----------------------------|----------------|----------------|-----------------|-----------------|-----------------|-------------------|
| DIBENZOFURAN | U | U | U | U | U | U |
| DIETHYLPHTHALATE | Ū | Ū | Ū | Ü | Ū | Ū |
| DIMETHYL PHTHALATE | Ū | Ū | Ü | Ū | Ū | Ü |
| FLUORANTHENE | U | U | U | Ū | Ü | U |
| FLUORENE | U | U | U | U | U | U |
| HEXACHLOROBENZENE | U | U | U | \mathbf{U} | \mathbf{U} | U |
| HEXACHLOROBUTADIENE | U | U | U | \mathbf{U} | C | \mathbf{C} |
| HEXACHLOROCYCLOPENTADIENE | U | U | U | U | ľ. | U |
| HEXACHLOROETHANE | U | \mathbf{U} | U | U | U | U |
| INDENO(1,2,3-CD)PYRENE | U | U | U | \mathbf{U} | U | U |
| ISOPHORONE | U | U | U | U | U | U |
| N-NITROSO-DI-N-PROPYLAMINE | U | U | U | U | U | \mathbf{U} |
| N-NITROSODIPHENYLAMINE (1) | U | U | U | U | U | U |
| NAPHTHALENE | U | U | U | U | U | U |
| NITROBENZENE | U | U | U | U | U | U |
| PENTACHLOROPHENOL | U | U | U | U | U | U |
| PHENANTHRENE | U | U | U | U | U | U |
| PHENOL | U | U | U | U | U | U |
| PYRENE | U | U | U | U | U | U |

- B Analyte was found in the associated blank as well as the sample.
- C Compound confirmed by GC/MS.
- D Result from a diluted sample.
- E Concentrations exceeded the calibration range. The original extract was diluted and reanalyzed per the method.
- J An estimated value below the Contract Required Quantitation Limit.
- P Greater than 25 percent difference for detected concentrations between the two GC columns.
- U Compound was analyzed for, but not detected.
- X The detected concentrations from the two GC columns varied more than a factor of 2.

3 8 0537

Page 3 of 6

PRELIMINARY GROUNDWATER DATA TARGET COMPOUND LIST (TCL) SEMIVOLATILE ORGANICS

| Compound | PL-8S (µg/l) | PL-9D (μg/l) | PL-9S (μg/l) | PL-10D (µg/l) | PL-10S (μg/l) | SL-2 (μg/l) |
|-----------------------------|-----------------|-----------------|-----------------|------------------|------------------|----------------|
| 1,2,4-TRICHLOROBENZENE | U | U | U | U | U | U |
| 1,2-DICHLOROBENZENE | Ū | Ū | Ü | Ū | Ü | Ĺ, |
| 1,3-DICHLOROBENZENE | Ū | Ū | U | Ū | Ū | Ü |
| 1,4-DICHLOROBENZENE | U | U | U | U | U | Ü |
| 2,4,5-TRICHLOROPHENOL | U | U | U | U | U | U |
| 2,4,6-TRICHLOROPHENOL | U | U | U | U | U | U |
| 2,4-DICHLOROPHENOL | U | U | U | U | U | U |
| 2,4-DIMETHYLPHENOL | U | U | U | U | U | ſ. |
| 2,4-DINITROPHENOL | U | U | U | \mathbf{U} | U | ſ. |
| 2,4-DINITROTOLUENE | U | U | Ľ | U | U | U |
| 2,6-DINITROTOLUENE | U | U | U | U | U | U |
| 2-CHLORONAPHTHALENE | Ū | Ü | Ū | Ü | Ù | Ū |
| 2-CHLOROPHENOL | Ü | Ū | Ū | Ü | Ü | Ũ |
| 2-METHYLNAPHTHALENE | Ü | Ū | Ū | Ū | Ü | Ü |
| 2-METHYLPHENOL | Ū | Ü | Ū | Ū | Ū | Ü |
| 2-NITROANILINE | Ū | Ü | Ū | Ü | Ū | Ū |
| 2-NITROPHENOL | U | U | U | U | U | U |
| 3,3'-DICHLOROBENZIDINE | U | U | U | U | U | U |
| 3-NITROANILINE | U | U | Ü | U | U | U |
| 4,6-DINITRO-2-METHYLPHENOL | U | U | Ü | U | U | U |
| 4-BROMOPHENYL-PHENYLETHER | U | U | U | U | U | U |
| 4-CHLORO-3-METHYLPHENOL | U | U | U | U | U | U |
| 4-CHLOROANILINE | U | U | Ü | U | U | U |
| 4-CHLOROPHENYL-PHENYLETHER | Ü | U | Ü | Ü | U | Ü |
| 4-METHYLPHENOL | Ū | Ü | Ū | Ū | Ū | Ü |
| 4-NITROANILINE | Ū | Ū | Ü | Ü | Ü | Ü |
| 4-NITROPHENOL | Ū | Ū | Ū | Ü | Ū | Ü |
| ACENAPHTHENE | Ū | Ü | Ŭ | Ü | Ü | Ü |
| ACENAPHTHYLENE | U | U | Ū | Ū | U | Ü |
| ANTHRACENE | U | U | U | U | U | U |
| BENZO(A)ANTHRACENE | U | U | , Ū | U | U | Û |
| BENZO(A)PYRENE | U | U | Ū | U | U | U |
| BENZO(B)FLUORANTHENE | U | U | U | U | U | U |
| BENZO(G,H,I)PERYLENE | U | U | Ū | Ü | Ū | Ü |
| BENZO(K)FLUORANTHENE | Ū | Ū | Ū | Ū | Ü | Ū |
| BIS(2-CHLOROETHOXY)METHANE | Ü | Ū | Ū | Ü | Ŭ | Ũ |
| BIS(2-CHLOROETHYL)ETHER | Ŭ | Ū | Ŭ | Ŭ | Ü | Ü |
| BIS(2-CHLOROISOPROPYL)ETHER | Ü | Ü | Ū | Ü | Ŭ | Ŭ |
| BIS(2-ETHYLHEXYL)PHTHALATE | 3BJ | Ŭ | 1BJ | Ŭ | 2BJ | 2BJ |
| BUTYLBENZYLPHTHALATE | U | Ü | U | Ü | U | U |
| CARBAZOLE | Ü | Ŭ | Ŭ | Ü | Ŭ | Ŭ |
| CHRYSENE | Ü | Ü | Ü | Ü | Ü | Ŭ |
| DI-N-BUTYLPHTHALATE | Ŭ | Ŭ | Ŭ | Ŭ | Ŭ | Ŭ |
| DI-N-OCTYL PHTHALATE | Ü | Ü | Ü | Ü | Ü | Ŭ |
| DIBENZO(A,H)ANTHRACENE | Ü | Ü | Ü | Ü | Ü | U |

Page 4 of 6

PRELIMINARY GROUNDWATER DATA TARGET COMPOUND LIST (TCL) SEMIVOLATILE ORGANICS

| Compound | PL-8S (μg/l) | PL-9D (μg/l) | PL-9S (μg/l) | PL-10D (μg/l) | PL-10S (μg/l) | SL-2 (μg/l) |
|----------------------------|-----------------|--------------------------|-----------------|-------------------------|------------------|----------------|
| DIBENZOFURAN | U | U | U | U | U | U |
| DIETHYLPHTHALATE | Ü | 2,1 | Ü | Ü | Ü | Í. |
| DIMETHYL PHTHALATE | Ü | $\widetilde{\mathbf{U}}$ | Ü | Ü | Ü | Ü |
| FLUORANTHENE | Ü | Ŭ | Ū | Ü | Ü | Į i |
| FLUORENE | Ü | Ü | Ü | Ū | Ü | Ü |
| HEXACHLOROBENZENE | Ū | Ŭ | Ü | Ü | Ü | Ù |
| HEXACHLOROBUTADIENE | Ū | Ü | Ü | $\overline{\mathbf{U}}$ | Ü | Ü |
| HEXACHLOROCYCLOPENTADIENE | Ü | Ü | Ü | Ü | Ū | Ĺ, |
| HEXACHLOROETHANE | U | Ū | Ü | Ü | Ü | į. |
| INDENO(1,2,3-CD)PYRENE | U | U | U | U | U | Γ. |
| ISOPHORONE | U | U | U | U | U | ſ. |
| N-NITROSO-DI-N-PROPYLAMINE | U | U | U | U | U | U |
| N-NITROSODIPHENYLAMINE (1) | U | U | U | \mathbf{U} | U | U |
| NAPHTHALENE | U | U | \mathbf{U} | U | U | U |
| NITROBENZENE | U | U | U | U | U | U |
| PENTACHLOROPHENOL | U | U | U | U | U | U |
| PHENANTHRENE | U | U | U | U | U | U |
| PHENOL | U | U | U | U | U | U |
| PYRENE | U | U | U | U | U | U |

- B Analyte was found in the associated blank as well as the sample.
- C Compound confirmed by GC/MS.
- D Result from a diluted sample.
- E Concentrations exceeded the calibration range. The original extract was diluted and reanalyzed per the method.
- J An estimated value below the Contract Required Quantitation Limit.
- P Greater than 25 percent difference for detected concentrations between the two GC columns.
- U Compound was analyzed for, but not detected.
- X The detected concentrations from the two GC columns varied more than a factor of 2.

Page 5 of 6

PRELIMINARY GROUNDWATER DATA TARGET COMPOUND LIST (TCL) SEMIVOLATILE ORGANICS

| ompound | SL-3 (μg/l) | SL-4 (µg/l) | WP-6 (μg/l) | WP-9A (μg/l) | · |
|---------------------------------------|----------------|----------------|----------------|-----------------|---|
| ,4-TRICHLOROBENZENE | U | U | 140 | U | |
| -DICHLOROBENZENE | U | U | 1800D | U | |
| -DICHLOROBENZENE | U | U | 140 | U | |
| -DICHLOROBENZENE | U | U | 2500D | U | |
| ,5-TRICHLOROPHENOL | U | U | U | U | |
| ,6-TRICHLOROPHENOL | U | U | U | U | |
| DICHLOROPHENOL | Ū | Ü | 18J | Ü | |
| DIMETHYLPHENOL | Ü | Ũ | U | Ü | |
| -DINITROPHENOL | Ŭ | Ù | Ŭ | Ü | |
| -DINITROTOLUENE | Ü | Ŭ | Ŭ | Ü | |
| -DINITROTOLUENE | Ü | Ü | Ü | Ŭ | |
| CHLORONAPHTHALENE | Ü | Ü | Ü | Ŭ | |
| CHLOROPHENOL | Ü | Ŭ | 16J | Ŭ | |
| METHYLNAPHTHALENE | Ü | U | U | Ü | |
| METHYLPHENOL | U | U | U | Ŭ | |
| NITROANILINE | U | U | U | Ü | |
| NITROANILINE NITROPHENOL | U | Ü | U | U | |
| | U | | U | U | |
| -DICHLOROBENZIDINE | | U | | | |
| TITROANILINE | U | U | U | U | |
| DINITRO-2-METHYLPHENOL | U | U | U | U | |
| ROMOPHENYL-PHENYLETHER | U | U | U | U | |
| HLORO-3-METHYLPHENOL | U | U | U | U | |
| HLOROANILINE | U | U | U | U | |
| HLOROPHENYL-PHENYLETHER | U | U | U | U | |
| IETHYLPHENOL | U | U | U | U | |
| ITROANILINE | U | U | U | U | |
| ITROPHENOL | U | U | U | U | |
| ENAPHTHENE | U | U | U | U | |
| ENAPHTHYLENE | U | U | U | U | |
| THRACENE | U | U | U | U | |
| NZO(A)ANTHRACENE | U | U | , U | U | |
| NZO(A)PYRENE | U | U | U | U | |
| NZO(B)FLUORANTHENE | U | U | U | U | |
| NZO(G,H,I)PERYLENE | U | U | U | U | |
| NZO(K)FLUORANTHENE | U | U | U | U | |
| S(2-CHLOROETHOXY)METHANE | U | U | U | U | |
| S(2-CHLOROETHYL)ÉTHER | U | U | U | U | |
| (2-CHLOROISOPRÓPYL)ETHER | U | U | U | U | |
| (2-ETHYLHEXYL)PHTHALATE | 1BJ | 3BJ | U | Ü | |
| TYLBENZYLPHTĤALATE | U | U | U | U | |
| RBAZOLE | Ü | Ü | Ü | Ŭ | |
| RYSENE | Ü | Ü | Ü | Ŭ | |
| | Ü | Ü | Ü | Ŭ | |
| N-BUTYLPHTHALATE | 1) | | | | |
| I-BUTYLPHTHALATE I-OCTYL PHTHALATE | U | U | Ü | U | |

Page 6 of 6

PRELIMINARY GROUNDWATER DATA TARGET COMPOUND LIST (TCL) SEMIVOLATILE ORGANICS

| Compound | SL-3 (μg/l) | SL-4 (μg/l) | WP-6 (μg/l) | WP-9A (μg/l) |
|----------------------------|----------------|----------------|----------------|-----------------|
| DIBENZOFURAN | U | U | U | U |
| DIETHYLPHTHALATE | Ü | U | Ü | U |
| DIMETHYL PHTHALATE | U | U | Ü | U |
| FLUORANTHENE | Ü | U | U | U |
| FLUORENE | U | U | U | U |
| HEXACHLOROBENZENE | Ü | U | U | U |
| HEXACHLOROBUTADIENE | Ü | Ŭ | U | U |
| HEXACHLOROCYCLOPENTADIENE | Ü | Ŭ | Ü | Ü |
| HEXACHLOROETHANE | Ü | Ü | Ŭ | Ŭ |
| INDENO(1,2,3-CD)PYRENE | Ū | Ü | Ü | Ü |
| ISOPHORONE | Ū | Ū | Ü | Ü |
| N-NITROSO-DI-N-PROPYLAMINE | Ū | U | Ü | Ü |
| N-NITROSODIPHENYLAMINE (1) | U | U | U | U |
| NAPHTHALENE | U | Ü | U | U |
| NITROBENZENE | U | U | U | U |
| PENTACHLOROPHENOL | U | U | U | U |
| PHENANTHRENE | U | U | U | U |
| PHENOL | U | U | U | U |
| PYRENE | U | U | U | \mathbf{U} |

- B Analyte was found in the associated blank as well as the sample.
- C Compound confirmed by GC/MS.
- D Result from a diluted sample.
- E Concentrations exceeded the calibration range. The original extract was diluted and reanalyzed per the method.
- J An estimated value below the Contract Required Quantitation Limit.
- P Greater than 25 percent difference for detected concentrations between the two GC columns.
- U Compound was analyzed for, but not detected.
- X The detected concentrations from the two GC columns varied more than a factor of 2.

Page 1 of 8
PRELIMINARY GROUNDWATER DATA
TARGET COMPOUND LIST (TCL) SEMIVOLATILE ORGANICS

| Compound | BR-7 (μg/l) | B4-7D (μg/l) | BR-8 (μg/l) | CA-1 (μg/l) | CA-2 (μg/l) |
|-----------------------------|----------------|-----------------|----------------|----------------|----------------|
| 1,2,4-TRICHLOROBENZENE | 93 | 22 | 220 | U. | 17 |
| 1,2-DICHLOROBENZENE | 1200D | 620D | 4000D | 31 | 36 |
| 1,3-DICHLOROBENZENE | 96 | 47 | 270 | U | 15 |
| 1,4-DICHLOROBENZENE | 1500D | 770D | 4100D | 42 | 220D |
| 2,4,5-TRICHLOROPHENOL | U | U | U | Ü | Ü |
| 2,4,6-TRICHLOROPHENOL | Ū | Ü | Ü | Ü | Ţ, |
| 2,4-DICHLOROPHENOL | Ü | Ü | 59 | Ü | 3J |
| 2,4-DIMETHYLPHENOL | Ü | Ü | Ü | Ü | ľ. |
| 2,4-DINITROPHENOL | Ü | Ü | Ü | Ü | Ĺ. |
| 2,4-DINITROTOLUENE | Ŭ | Ü | Ŭ | Ü | Ü |
| 2,6-DINITROTOLUENE | Ŭ | Ü | Ü | Ü | Ü |
| 2-CHLORONAPHTHALENE | Ŭ | Ü | Ü | Ü | Ü |
| 2-CHLOROPHENOL | Ü | Ü | 80 | Ü | 4J |
| 2-METHYLNAPHTHALENE | U | Ü | U | Ŭ | Ü |
| 2-METHYLPHENOL | U | Ü | Ü | Ü | U |
| 2-NITROANILINE | U | U | Ü | U | U |
| 2-NITROPHENOL | U | U | U | U | Ü |
| 3,3'-DICHLOROBENZIDINE | U | U | U | U | U |
| 3-NITROANILINE | U | U | U | U | ſ. |
| 4,6-DINITRO-2-METHYLPHENOL | U | | U | U | ſ. |
| • | Ü | U | | Ü | Ľ. |
| 4-BROMOPHENYL-PHENYLETHER | | U | U | | |
| 4-CHLORO-3-METHYLPHENOL | U | U | U | U | U |
| 4-CHLOROANILINE | U | U | U | U | U |
| 4-CHLOROPHENYL-PHENYLETHER | U | U | U | U | U |
| 4-METHYLPHENOL | U | U | U | U | Ü |
| 4-NITROANILINE | U | U | U | Ü | ſ. |
| 4-NITROPHENOL | U | U | U | U | ſ. |
| ACENAPHTHENE | U | U | U | U | U |
| ACENAPHTHYLENE | U | U | U | U | U |
| ANTHRACENE | U | U | U | U | U |
| BENZO(A)ANTHRACENE | U | U , | U | U | Γ |
| BENZO(A)PYRENE | U | U | U | U | U |
| BENZO(B)FLUORANTHENE | U | U | U | U | U |
| BENZO(G,H,I)PERYLENE | U | U | U | U | U |
| BENZO(K)FLUORANTHENE | U | U | U | U | U |
| BIS(2-CHLOROETHOXY)METHANE | U | U | U | U | U |
| BIS(2-CHLOROETHYL)ETHER | U | U | U | U | U |
| BIS(2-CHLOROISOPROPYL)ETHER | \mathbf{U} | U | U | U | U |
| BIS(2-ETHYLHEXYL)PHTHALATE | 4 5 | 7 J | U | 2 J | 2.J |
| BUTYLBENZYLPHTHALATE | \mathbf{U} | U | U | U | U |
| CARBAZOLE | U | U | U | U | U |
| CHRYSENE | U | U | U | U | U |
| DI-N-BUTYLPHTHALATE | U | U | U | U | U |
| DI-N-OCTYL PHTHALATE | U | U | U | U | U |
| DIBENZO(A,H)ANTHRACENE | U | \mathbf{U} | U | U | U |

Page 2 of 8

PRELIMINARY GROUNDWATER DATA TARGET COMPOUND LIST (TCL) SEMIVOLATILE ORGANICS

| Compound | BR-7 (μg/l) | BR-7D (μg/l) | BR-8 (μg/l) | CA-1 (μg/l) | CA-2 (μg/l) |
|----------------------------|----------------|-----------------|----------------|----------------|----------------|
| DIBENZOFURAN | U | U | IJ | 1. | Ι. |
| DIETHYLPHTHALATE | Ü | Ü | Ü | Ü | Ü |
| DIMETHYL PHTHALATE | Ü | Ü | Ŭ | Ŭ | Ĺ |
| FLUORANTHENE | Ü | Ū | Ü | Ü | Ţ. |
| FLUORENE | Ü | Ū | Ü | U | ſ. |
| HEXACHLOROBENZENE | U | U | \mathbf{U} | ſ. | ſ. |
| HEXACHLOROBUTADIENE | U | U | U | U. | ζ. |
| HEXACHLOROCYCLOPENTADIENE | U | U | ſ. | L. | Ľ. |
| HEXACHLOROETHANE | U | U | U | ſ. | ſ, |
| INDENO(1,2,3-CD)PYRENE | U | U | U | U | ſ. |
| ISOPHORONE | U | U | U | U | ſ. |
| N-NITROSO-DI-N-PROPYLAMINE | U | U | U | U | Γ |
| N-NITROSODIPHENYLAMINE (1) | U | \mathbf{U} | U | U | Γ |
| NAPHTHALENE | U | U | U | U | U |
| NITROBENZENE | U | U | U | U | U |
| PENTACHLOROPHENOL | U | U | U | U | U |
| PHENANTHRENE | U | U | U | U | ľ. |
| PHENOL | U | U | U | U | 3J |
| PYRENE | U | U | U | U | U |

- B Analyte was found in the associated blank as well as the sample.
- C Compound confirmed by GC/MS.
- D Result from a diluted sample.
- E Concentrations exceeded the calibration range. The original extract was diluted and reanalyzed per the method.
- J An estimated value below the Contract Required Quantitation Limit.
- P Greater than 25 percent difference for detected concentrations between the two GC columns.
- U Compound was analyzed for, but not detected.
- X The detected concentrations from the two GC columns varied more than a factor of 2.

3 8 0543

Page 3 of 8

PRELIMINARY GROUNDWATER DATA TARGET COMPOUND LIST (TCL) SEMIVOLATILE ORGANICS

| Compound | CA-3 (µg/l) | CA-4 (μg/l) | CA-5 (μg/l) | Ε-1 (μg/l) | E-2 (μg/l) |
|-----------------------------------|----------------|--------------------|---------------------|---------------|---------------|
| 1,2,4-TRICHLOROBENZENE | 5J | U | U | Ľ | ſ. |
| 1,2-DICHLOROBENZENE | 23 | U | 1.4 | U | U |
| 1,3-DICHLOROBENZENE | 3J | \mathbf{U} | 15 | U | U |
| 1,4-DICHLOROBENZENE | U | U | U | U | ſ. |
| 2,4,5-TRICHLOROPHENOL | U | U | U | U | U |
| 2,4,6-TRICHLOROPHENOL | U | U | U | U | £. |
| 2,4-DICHLOROPHENOL | U | Ü | Ü | Ü | ĺ |
| 2,4-DIMETHYLPHENOL | Ü | Ü | Ü | Ü | ĺ. |
| 2,4-DINITROPHENOL | Ŭ | Ü | Ü | Ù | 1. |
| 2,4-DINITROTOLUENE | Ü | Ü | Ü | Ü | 1. |
| 2,6-DINITROTOLUENE | Ü | Ü | Ü | Ü | 1. |
| 2-CHLORONAPHTHALENE | Ü | Ü | Ü | Ü | ť. |
| 2-CHLOROPHENOL | U | Ü | Ü | Ü | ſ. |
| 2-METHYLNAPHTHALENE | U | Ü | U | U | ſ. |
| 2-METHYLPHENOL | U | Ü | U | U | U |
| 2-METH TEPHENOL 2-NITROANILINE | U | U | U | Ü | |
| 2-NITROANILINE 2-NITROPHENOL | U | U | U | Ü | U U |
| | | | | | |
| 3,3'-DICHLOROBENZIDINE | U | U | U | U | U |
| 3-NITROANILINE | U | U | U | U | Ü |
| 4,6-DINITRO-2-METHYLPHENOL | U | U | U | C | U |
| 4-BROMOPHENYL-PHENYLETHER | U | U | U | Ţ, | U |
| 4-CHLORO-3-METHYLPHENOL | U | U | U | U | r. |
| 4-CHLOROANILINE | U | U | U | U | L, |
| 4-CHLOROPHENYL-PHENYLETHER | U | U | U | U | U |
| 4-METHYLPHENOL | U | Ľ' | U | U | U |
| 4-NITROANILINE | U | U | U | U | ſ. |
| 4-NITROPHENOL | U | U | U | U | ſ. |
| ACENAPHTHENE | U | U | U | U | U |
| ACENAPHTHYLENE | U | U | U | U | ſ. |
| ANTHRACENE | U | U | U | U | U |
| BENZO(A)ANTHRACENE | U | U, | U | U | \mathcal{U} |
| BENZO(A)PYRENE | U | U | U | U | U |
| BENZO(B)FLUORANTHENE | U | U | U | U | U |
| BENZO(G,H,I)PERYLENE | U | U | U | U | U |
| BENZO(K)FLUORANTHENE | U | U | U | U | U |
| BIS(2-CHLOROETHOXY)METHANE | U | U | U | U | U |
| BIS(2-CHLOROETHYL)ÉTHER | U | U | U | U | U |
| BIS(2-CHLOROISOPROPYL)ETHER | Ü | Ü | Ü | Ü | Ü |
| BIS(2-ETHYLHEXYL)PHTHALATE | Ü | Ü | 21 | 3J | 1J |
| BUTYLBENZYLPHTHALATE | Ü | $reve{\mathbf{U}}$ | $\tilde{\tilde{U}}$ | Ü | Ü |
| CARBAZOLE | U | Ü | Ü | Ü | U |
| CHRYSENE | U | Ü | Ü | U | U |
| DI-N-BUTYLPHTHALATE | Ü | Ŭ | Ľ' | Ü | U. |
| | | | | | |
| DI-N-OCTYL PHTHALATE | U | U | L' | U | IJ |

Page 4 of 8

PRELIMINARY GROUNDWATER DATA TARGET COMPOUND LIST (TCL) SEMIVOLATILE ORGANICS

| Compound | CA-3 (μg/l) | CA-4 (μg/l) | CA-5 (μg/l) | E-1 (μg/l) | E-2 (μg/l |
|----------------------------|----------------|----------------|----------------|---------------|--------------|
| DIBENZOFURAN | U | U | U | U | U |
| DIETHYLPHTHALATE | Ü | Ü | Ü | Ŭ | Ŭ |
| DIMETHYL PHTHALATE | Ū | Ū | Ü | Ü | Ü |
| FLUORANTHENE | Ü | U | U | U | Γ |
| FLUORENE | U | U | U | U | U |
| HEXACHLOROBENZENE | U | U | U | U | Ľ. |
| HEXACHLOROBUTADIENE | U | U | U | U | ſ. |
| HEXACHLOROCYCLOPENTADIENE | \mathbf{U} | U | U | ſ. | ſ. |
| HEXACHLOROETHANE | U | U | U | U | ſ. |
| INDENO(1,2,3-CD)PYRENE | U | U | U | Ľ. | f. |
| ISOPHORONE | U | U | U | U | L. |
| N-NITROSO-DI-N-PROPYLAMINE | U | U | U | U | U |
| N-NITROSODIPHENYLAMINE (1) | U | U | \mathbf{U} | U | U |
| NAPHTHALENE | U | U | \mathbf{U} | U | U |
| NITROBENZENE | U | U | U | U | U |
| PENTACHLOROPHENOL | U | U | U | U | U |
| PHENANTHRENE | U | U | U | U | U |
| PHENOL | U | U | U | U | Γ |
| PYRENE | U | U | U | U | U |

- B Analyte was found in the associated blank as well as the sample.
- C Compound confirmed by GC/MS.
- D Result from a diluted sample.
- E Concentrations exceeded the calibration range. The original extract was diluted and reanalyzed per the method.
- J An estimated value below the Contract Required Quantitation Limit.
- P Greater than 25 percent difference for detected concentrations between the two GC columns.
- U Compound was analyzed for, but not detected.
- X The detected concentrations from the two GC columns varied more than a factor of 2.

Page 5 of 8
PRELIMINARY GROUNDWATER DATA
TARGET COMPOUND LIST (TCL) SEMIVOLATILE ORGANICS

| Compound | E-4 (μg/l) | E-5 (μg/l) | MP-13 (μg/l) | MP-14 (μg/l) | MP-15 $(\mu g/l)$ | |
|-----------------------------|---------------|---------------|-----------------|-----------------|-------------------|--|
| .,2,4-TRICHLOROBENZENE | U | 7Ј | 13 | 30 | 22 | |
| ,2-DICHLOROBENZENE | U | 28 | 680D | 520D | 980D | |
| ,3-DICHLOROBENZENE | U | U | 38 | 37 | 55 | |
| ,4-DICHLOROBENZENE | U | 9 J | 950 D | 600D | 1300D | |
| 2,4,5-TRICHLOROPHENOL | U | U | U | U | £! | |
| 2,4,6-TRICHLOROPHENOL | U | ť. | U | U | U | |
| ,4-DICHLOROPHENOL | U | U | U | U | ſ. | |
| 2,4-DIMETHYLPHENOL | U | U | U | U | Ľ' | |
| 2,4-DINITROPHENOL | ι. | U | U | U | U | |
| 2,4-DINITROTOLUENE | U | U | Ü | Ü | U | |
| 2,6-DINITROTOLUENE | Ü | Ü | Ū | Ü | Ü | |
| 2-CHLORONAPHTHALENE | Ü | Ü | Ū | Ü | Ū. | |
| 2-CHLOROPHENOL | Ü | Ü | Ü | Ū | Ü | |
| 2-METHYLNAPHTHALENE | U | Ü | Ü | Ü | Ü | |
| 2-METHYLPHENOL | U | U | U | Ü | U | |
| 2-NITROANILINE | U | U | U | Ü | U | |
| 2-NITROPHENOL | U | U | U | U | U | |
| 3,3'-DICHLOROBENZIDINE | U | U | U | U | U | |
| - NITROANILINE | U | U | U | U | U | |
| ,6-DINITRO-2-METHYLPHENOL | U | U | U | Ü | U | |
| -BROMOPHENYL-PHENYLETHER | U | U | Ü | Ü | U | |
| I-CHLORO-3-METHYLPHENOL | U | U | Ü | Ü | Ü | |
| -CHLOROANILINE | U | Ü | U | Ü | Ü | |
| -CHLOROPHENYL-PHENYLETHER | Ū | Ü | $\bar{	ext{U}}$ | Ü | Ü | |
| -METHYLPHENOL | Ü | Ü | Ü | Ŭ | Ü | |
| -NITROANILINE | \mathbf{U} | Ü | Ü | Ü | Ū | |
| I-NITROPHENOL | Ū | Ü | Ü | Ü | Ü | |
| ACENAPHTHENE | Ü | Ü | Ü | Ü | Ū | |
| ACENAPHTHYLENE | Ü | Ü | Ü | U | Ü | |
| ANTHRACENE | Ŭ | Ü | Ü | Ü | Ŭ | |
| BENZO(A)ANTHRACENE | Ü | Ü | , U | Ü | Ü | |
| BENZO(A)PYRENE | Ü | Ü | Ü | Ü | Ū | |
| BENZO(B)FLUORANTHENE | Ü | Ü | Ŭ | Ü | Ŭ | |
| BENZO(G,H,I)PERYLENE | Ü | Ü | Ü | Ü | Ŭ | |
| BENZO(K)FLUORANTHENE | Ü | Ü | Ü | Ü | Ŭ | |
| BIS(2-CHLOROETHOXY)METHANE | Ü | Ŭ | Ü | Ü | Ü | |
| BIS(2-CHLOROETHYL)ETHER | Ü | Ü | Ü | Ü | Ü | |
| BIS(2-CHLOROISOPROPYL)ETHER | Ü | Ü | Ü | Ü | Ŭ | |
| BIS(2-ETHYLHEXYL)PHTHALATE | 4 J | 3J | U | 5 J | Ŭ | |
| BUTYLBENZYLPHTHALATE | Ü | Ü | U | U | Ü | |
| CARBAZOLE | Ü | Ü | U | Ü | Ü | |
| CHRYSENE | Ŭ | Ü | Ü | Ü | Ŭ | |
| DI-N-BUTYLPHTHALATE | Ŭ | Ŭ | Ü | Ü | Ü | |
| DI-N-OCTYL PHTHALATE | Ŭ | Ü | Ü | Ü | Ü | |
| | | | | | | |

Page 6 of 8

PRELIMINARY GROUNDWATER DATA TARGET COMPOUND LIST (TCL) SEMIVOLATILE ORGANICS

| Compound | E-4 (μg/l) | E-5 (μg/l) | MP-13 (μg/l) | MP-14 (μg/l) | MP-15 (μg/l) |
|----------------------------|-------------------|---------------|-----------------|-----------------|-----------------|
| DIBENZOFURAN | U | U | U | 'U | U |
| DIETHYLPHTHALATE | Ü | Ü | Ū | Ü | Ū |
| DIMETHYL PHTHALATE | Ū | Ū | Ü | Ü | Ü |
| FLUORANTHENE | Ü | Ü | U | Ü | U |
| FLUORENE | U | U | U | U | U |
| HEXACHLOROBENZENE | U | U | U | Ľ | U |
| HEXACHLOROBUTADIENE | U | U | U | Ľ: | U |
| HEXACHLOROCYCLOPENTADIENE | U | U | U | U | ſ. |
| HEXACHLOROETHANE | U | U | U | U | Ľ. |
| INDENO(1,2,3-CD)PYRENE | \mathbf{U} | U | U | U | U |
| ISOPHORONE | U | U | U | U | U |
| N-NITROSO-DI-N-PROPYLAMINE | U | U | Γ_1 | U | U |
| N-NITROSODIPHENYLAMINE (1) | U | U | U | U | U |
| NAPHTHALENE | U | U | U | U | U |
| NITROBENZENE | U | U | U | U | \mathbf{U} |
| PENTACHLOROPHENOL | U | U | U | U | U |
| PHENANTHRENE | U | U | U | U | U |
| PHENOL | U | U | U | U | U |
| PYRENE | U | U | U | U | U |

- B Analyte was found in the associated blank as well as the sample.
- C Compound confirmed by GC/MS.
- D Result from a diluted sample.
- E Concentrations exceeded the calibration range. The original extract was diluted and reanalyzed per the method.
- J An estimated value below the Contract Required Quantitation Limit.
- P Greater than 25 percent difference for detected concentrations between the two GC columns.
- U Compound was analyzed for, but not detected.
- X The detected concentrations from the two GC columns varied more than a factor of 2.

Page 7 of 8

PRELIMINARY GROUNDWATER DATA TARGET COMPOUND LIST (TCL) SEMIVOLATILE ORGANICS

| Compound | PL-4D (μg/l) | WW-8 (μg/l) | WW-12 (μg/l) | D/WW-12 (μg/l) |
|-----------------------------|-----------------|----------------|-----------------|-------------------|
| 1,2,4-TRICHLOROBENZENE | U | U | U | U |
| 1,2-DICHLOROBENZENE | \mathbf{U} | U | 50 | 44 |
| 1,3-DICHLOROBENZENE | U | U | 3J | 2J |
| 1,4-DICHLOROBENZENE | U | U | 68 | 59 |
| 2,4,5-TRICHLOROPHENOL | U | U | U | U |
| 2,4,6-TRICHLOROPHENOL | U | U | ľ. | ſ. |
| 2,4-DICHLOROPHENOL | U | U | U | ſ. |
| 2,4-DIMETHYLPHENOL | U | U | f. | ſ. |
| 2,4-DINITROPHENOL | U | U | U | ſ. |
| 2,4-DINITROTOLUENE | Ü | Ü | Ü | Ü |
| 2,6-DINITROTOLUENE | Ü | Ü | Ü | Ü |
| 2-CHLORONAPHTHALENE | Ü | Ü | Ü | Ü |
| 2-CHLOROPHENOL | Ŭ | Ü | Ü | Ü |
| 2-METHYLNAPHTHALENE | Ŭ | Ü | Ü | Ü |
| 2-METHYLPHENOL | Ŭ | Ü | Ŭ | Ü |
| 2-NITROANILINE | Ü | Ü | Ŭ | Ŭ |
| 2-NITROPHENOL | Ü | Ü | Ŭ | Ü |
| 3,3'-DICHLOROBENZIDINE | Ŭ | Ŭ | Ŭ | Ü |
| 3-NITROANILINE | Ü | Ü | Ŭ | Ŭ |
| 4,6-DINITRO-2-METHYLPHENOL | U | Ü | U | U |
| 4-BROMOPHENYL-PHENYLETHER | U | Ü | U | Ü |
| 4-CHLORO-3-METHYLPHENOL | U | Ü | U | U |
| 4-CHLOROANILINE | U | U | U | U |
| | U | Ü | Ü | Ü |
| 4-CHLOROPHENYL-PHENYLETHER | U | Ü | Ü | Ü |
| 4-METHYLPHENOL | U | | U | Ü |
| 4-NITROANILINE | | U | | |
| 4-NITROPHENOL | U | U | U | U |
| ACENAPHTHENE | U | U | U | U |
| ACENAPHTHYLENE | U | U | U | U |
| ANTHRACENE | U | U | U | U |
| BENZO(A)ANTHRACENE | U | U · | U | \mathbf{U} |
| BENZO(A)PYRENE | U | U | U | U |
| BENZO(B)FLUORANTHENE | U | U | U | U |
| BENZO(G,H,I)PERYLENE | U | U | U | U |
| BENZO(K)FLUORANTHENE | U | U | U | U |
| BIS(2-CHLOROETHOXY)METHANE | U | U | U | U |
| BIS(2-CHLOROETHYL)ETHER | U | U | U | U |
| BIS(2-CHLOROISOPROPYL)ETHER | U | U | U | U |
| BIS(2-ETHYLHEXYL)PHTHALATE | 2J | 1J | 5 J | 2J |
| BUTYLBENZYLPHTHALATE | U | \mathbf{U} | \mathbf{U} | U |
| CARBAZOLE | U | U | U | U |
| CHRYSENE | U | U | U | U |
| DI-N-BUTYLPHTHALATE | U | U | U | U |
| DI-N-OCTYL PHTHALATE | U | U | U | U |
| DIBENZO(A,H)ANTHRACENE | U | U | U | U |

Page 8 of 8

PRELIMINARY GROUNDWATER DATA TARGET COMPOUND LIST (TCL) SEMIVOLATILE ORGANICS

| Compound | PL-4D (μg/l) | WW-8 (μg/l) | WW-012 (μg/l) | D/WW-12 (μg/l) |
|----------------------------|-----------------|----------------|------------------|-------------------|
| DIBENZOFURAN | U | U | U | U |
| DIETHYLPHTHALATE | Ü | Ü | Ü | Ū |
| DIMETHYL PHTHALATE | Ü | U | U | U |
| FLUORANTHENE | \mathbf{U} | \mathbf{U} | U | U |
| FLUORENE | U | \mathbf{U} | U | U |
| HEXACHLOROBENZENE | U | U | U | U |
| HEXACHLOROBUTADIENE | U | U | U | U |
| HEXACHLOROCYCLOPENTADIENE | U | \mathbf{U} | U | L. |
| HEXACHLOROETHANE | U | U | U | U |
| INDENO(1,2,3-CD)PYRENE | U | U | U | U |
| ISOPHORONE | U | U | U | U |
| N-NITROSO-DI-N-PROPYLAMINE | U | U | U | U |
| N-NITROSODIPHENYLAMINE (1) | U | U | U | U |
| NAPHTHALENE | U | U | U | U |
| NITROBENZENE | U | U | U | U |
| PENTACHLOROPHENOL | U | U | U | U |
| PHENANTHRENE | U | U | U | U |
| PHENOL | U | U | U | U |
| PYRENE | U | U | U | U |

- B Analyte was found in the associated blank as well as the sample.
- C Compound confirmed by GC/MS.
- D Result from a diluted sample.
- E Concentrations exceeded the calibration range. The original extract was diluted and reanalyzed per the method.
- J An estimated value below the Contract Required Quantitation Limit.
- P Greater than 25 percent difference for detected concentrations between the two GC columns.
- U Compound was analyzed for, but not detected.
- X The detected concentrations from the two GC columns varied more than a factor of 2.

Page 1 of 3
PRELIMINARY GROUNDWATER DATA
TARGET COMPOUND LIST (TCL) PESTICIDE/PCB ANALYSIS

| Compound | DH-1 (μg/l) | DH-3 (μg/l) | PE-3D (μg/l) | PL-4S (μg/l) | PL-8D (μg/l) | D/PL-8Ω (μg/l) |
|--------------------|----------------|----------------|-----------------|-----------------|-----------------|-------------------|
| 4,4'-DDD | U | U | U | U | U | ľ |
| 4,4'-DDE | U | U | U | U | U | U |
| 4,4'-DDT | U | U | U | U | U | U |
| ALDRIN | U | U | U | U | U | U |
| ALPHA CHLORDANE | U | U | U | U | U | U |
| ALPHA-BHC | U | U | U | U | U | U |
| AROCLOR - 1016 | U | U | U | U | U | U |
| AROCLOR - 1221 | U | U | U | U | U | U |
| AROCLOR - 1232 | \mathbf{U} | U | U | U | U | U |
| AROCLOR - 1242 | U | \mathbf{U} | U | \mathbf{U} | U | U |
| AROCLOR - 1248 | U | U | U | U | U | U |
| AROCLOR - 1254 | U | U | U | U | U | U |
| AROCLOR - 1260 | U | U | U | U | \mathbf{U} | U |
| BETA-BHC | U | U | U | U | U | U |
| DELTA-BHC | U | U | U | U | U | U |
| DIELDRIN | U | U | U | U | U | U |
| ENDOSULFAN I | U | U | U | U | U | U |
| ENDOSULFAN II | U | U | U | U | U | U |
| ENDOSULFAN SULFATE | U | U | U | U | U | U |
| ENDRIN | U | U | U | U | \mathbf{U} | U |
| ENDRIN ALDEHYDE | U | U | U | U | \mathbf{U} | U |
| ENDRIN KETONE | U | U | \mathbf{U} | \mathbf{U} | U | U |
| GAMMA CHLORDANE | U | \mathbf{U} | U | U | U | U |
| GAMMA-BHC | U | U | U | U | U | U |
| HEPTACHLOR | U | U | U | U | U | U |
| HEPTACHLOR EPOXIDE | U | U | U | U | U | U |
| METHOXYCHLOR | U | U | U | U | U | U |
| TOXAPHENE | U | U | U | U | U | U |

- B Analyte was found in the associated blank as well as the sample.
- C Compound confirmed by GC/MS.
- D Result from a diluted sample.
- E Concentrations exceeded the calibration range. The original extract was diluted and reanalyzed per the method.
- J An estimated value below the Contract Required Quantitation Limit.
- P Greater than 25 percent difference for detected concentrations between the two GC columns.
- U Compound was analyzed for, but not detected.
- X The detected concentrations from the two GC columns varied more than a factor of 2.

Page 2 of 3

PRELIMINARY GROUNDWATER DATA TARGET COMPOUND LIST (TCL) PESTICIDE/PCB ANALYSIS

| Compound | PL-8S (μg/l) | PL-9D (μg/l) | PL-9S (μg/l) | PL-10D (μg/l) | PL-10S (μg/l) | SL-2 (µg/l) |
|--------------------|-----------------|-----------------|-----------------|------------------|------------------|----------------|
| 4,4'-DDD | U | U | U | U | U | U |
| 4,4'-DDE | U | U | U | U | Ū | U |
| 4,4'-DDT | U | U | U | U | U | U |
| ALDRIN | U | U | U | U | U | U |
| ALPHA CHLORDANE | U | U | U | U | U | U |
| ALPHA-BHC | U | U | U | U | 0.78P | U |
| AROCLOR - 1016 | U | U | U | U | U | U |
| AROCLOR - 1221 | \mathbf{U} | U | U | U | U | U |
| AROCLOR - 1232 | U | U | U | U | U | U |
| AROCLOR - 1242 | U | U | U | U | U | U |
| AROCLOR - 1248 | U | U | U | U | U | U |
| AROCLOR - 1254 | U | U | U | U | U | U |
| AROCLOR - 1260 | U | U | U | U | U | U |
| BETA-BHC | \mathbf{U} | U | U | U | 0.19P | U |
| DELTA-BHC | U | U | U | U | 0.080P | U |
| DIELDRIN | U | U | U | U | U | U |
| ENDOSULFAN I | U | U | U | U | U | U |
| ENDOSULFAN II | \mathbf{U} | \mathbf{U} | U | U | U | U |
| ENDOSULFAN SULFATE | \mathbf{U} | \mathbf{U} | U | U | U | U |
| ENDRIN | U | U | U | U | U | U |
| ENDRIN ALDEHYDE | U | U | U | U | U | U |
| ENDRIN KETONE | \mathbf{U} | U | U | U | U | U |
| GAMMA CHLORDANE | \mathbf{U} | \mathbf{U} | U | U | U | U |
| GAMMA-BHC | U | U | U | U | 0.15P | U |
| HEPTACHLOR | U | U | U | U | \mathbf{U} | U |
| HEPTACHLOR EPOXIDE | \mathbf{U} | U | U | U | U | U |
| METHOXYCHLOR | U | U | U | U | U | U |
| TOXAPHENE | U | U | U | U | U | U |

- B Analyte was found in the associated blank as well as the sample.
- C Compound confirmed by GC/MS.
- D Result from a diluted sample.
- E Concentrations exceeded the calibration range. The original extract was diluted and reanalyzed per the method.
- J An estimated value below the Contract Required Quantitation Limit.
- P Greater than 25 percent difference for detected concentrations between the two GC columns.
- U Compound was analyzed for, but not detected.
- X The detected concentrations from the two GC columns varied more than a factor of 2.

Page 3 of 3

PRELIMINARY GROUNDWATER DATA TARGET COMPOUND LIST (TCL) PESTICIDE/PCB ANALYSIS

| Compound | SL-3 (µg/l) | SL-4 (μg/1) | WP-6 (μ g /l) | WP-9A (μg/l) | |
|--------------------|----------------|----------------|-------------------------|-----------------|--|
| 4,4'-DDD | U | U | U | U | |
| 4,4'-DDE | U | U | U | U | |
| 4,4'-DDT | U | U | U | U | |
| ALDRIN | U | U | U | U | |
| ALPHA CHLORDANE | U | \mathbf{U} | U | U | |
| ALPHA-BHC | U | U | 5.4DC | U | |
| AROCLOR - 1016 | U | U | U | U | |
| AROCLOR - 1221 | U | U | U | U | |
| AROCLOR - 1232 | U | U | U | C. | |
| AROCLOR - 1242 | U | U | U | U | |
| AROCLOR - 1248 | Ŭ | U | U | U | |
| AROCLOR - 1254 | U | U | U | U | |
| AROCLOR - 1260 | U | U | U | U | |
| BETA-BHC | U | \mathbf{U} | 1.1D | U | |
| DELTA-BHC | U | U | 0.48P | U | |
| DIELDRIN | 36PX | \mathbf{U} | 15P | U | |
| ENDOSULFAN I | U | U | U | U | |
| ENDOSULFAN II | U | U | U | U | |
| ENDOSULFAN SULFATE | U | U | U | U | |
| ENDRIN | U | U | U | U | |
| ENDRIN ALDEHYDE | U | U | U | U | |
| ENDRIN KETONE | U | U | \mathbf{U} | U | |
| GAMMA CHLORDANE | U | U | U | U | |
| GAMMA-BHC | U | \mathbf{U} | U | U | |
| HEPTACHLOR | U | U | U | U | |
| HEPTACHLOR EPOXIDE | U | U | U | U | |
| METHOXYCHLOR | U | U | U | U | |
| TOXAPHENE | U | U | U | U | |

- B Analyte was found in the associated blank as well as the sample.
- C Compound confirmed by GC/MS.
- D Result from a diluted sample.
- E Concentrations exceeded the calibration range. The original extract was diluted and reanalyzed per the method.
- J An estimated value below the Contract Required Quantitation Limit.
- P Greater than 25 percent difference for detected concentrations between the two GC columns.
- U Compound was analyzed for, but not detected.
- X The detected concentrations from the two GC columns varied more than a factor of 2.

Page 1 of 4
PRELIMINARY GROUNDWATER DATA

| Compound | BR-7 (μg/l) | BR-7D (μg/l) | BR-8 (μg/l) | CA-1 (μg/l) | CA-2 (μg/l) |
|--------------------|----------------|-----------------|----------------|----------------|----------------|
| 4,4'-DDD | U | U | U | U | U |
| 4,4'-DDE | U | U | U | U | U |
| 4,4'-DDT | U | U | U | U | U |
| ALDRIN | U | U | U | U | U |
| ALPHA CHLORDANE | 0.055 | U | U | U | U |
| ALPHA-BHC | 2.5CD | 1.7CD | 1.4CD | U | 2.3D |
| AROCLOR - 1016 | U | U | U | U | U |
| AROCLOR - 1221 | U | U | U | U | ſ. |
| AROCLOR - 1232 | U | U | U | \mathbf{U} | U |
| AROCLOR - 1242 | U | U | U | U | U |
| AROCLOR - 1248 | U | U | U | U | U |
| AROCLOR - 1254 | U | U | U | U | U |
| AROCLOR - 1260 | Ū | U | U | U | U |
| BETA-BHC | 1.6CD | 0.79 | 0.70 | U | 0.53 |
| DELTA-BHC | U | 0.16PX | 0.18 | U | 0.26 |
| DIELDRIN | U | U | U | U | U |
| ENDOSULFAN I | U | U | U | U | U |
| ENDOSULFAN II | 0.28PX | U | \mathbf{U} | U | U |
| ENDOSULFAN SULFATE | U | U | \mathbf{U} | U | U |
| ENDRIN | U | U | U | U | U |
| ENDRIN ALDEHYDE | U | U | U | U | U |
| ENDRIN KETONE | U | U | U | U | U |
| GAMMA CHLORDANE | \mathbf{U} | U | U | \mathbf{U} | U |
| GAMMA-BHC | 0.51 | 0.35P | 0.31P | \mathbf{U} | 0.33 |
| HEPTACHLOR | U | U | U | U | U |
| HEPTACHLOR EPOXIDE | U | U | U | U | U |
| METHOXYCHLOR | U | U | U | U | U |
| TOXAPHENE | U | U | U | U | U |

TARGET COMPOUND LIST (TCL) PESTICIDE/PCB ANALYSIS

- B Analyte was found in the associated blank as well as the sample.
- C Compound confirmed by GC/MS.
- D Result from a diluted sample.
- E Concentrations exceeded the calibration range. The original extract was diluted and reanalyzed per the method.
- J An estimated value below the Contract Required Quantitation Limit.
- P Greater than 25 percent difference for detected concentrations between the two GC columns.
- U Compound was analyzed for, but not detected.
- X The detected concentrations from the two GC columns varied more than a factor of 2.

Page 2 of 4
PRELIMINARY GROUNDWATER DATA
TARGET COMPOUND LIST (TCL) PESTICIDE/PCB ANALYSIS

| Compound | CA-3 (μg/l) | CA-4 (μg/l) | CA-5 (μg/l) | Ε-1 (μg/l) | E-2 (μg/l) | |
|--------------------|----------------|----------------|----------------|---------------|---------------|--|
| 4,4'-DDD | U | U | U | U | U | |
| 4,4'-DDE | U | U | U | U | U | |
| 4,4'-DDT | U | U | U | U | U | |
| ALDRIN | U | U | U | U | \mathbf{U} | |
| ALPHA CHLORDANE | U | U | U | U | U | |
| ALPHA-BHC | U | 0.31 | 1.2D | 0.36 | U | |
| AROCLOR - 1016 | U | U | U | U | U | |
| AROCLOR - 1221 | U | U | U | \mathbf{U} | U | |
| AROCLOR - 1232 | U | U | U | U | U | |
| AROCLOR - 1242 | U | U | U | U | U | |
| AROCLOR - 1248 | U | U | U | U | U | |
| AROCLOR - 1254 | U | U | U | U | U | |
| AROCLOR - 1260 | U | U | U | U | U | |
| BETA-BHC | U | U | 0.38 | 0.099 | U | |
| DELTA-BHC | U | 0.089 | 0.12P | U | U | |
| DIELDRIN | U | U | U | U | U | |
| ENDOSULFAN I | \mathbf{U} | \mathbf{U} | U | \mathbf{U} | U | |
| ENDOSULFAN II | U | U | U | U | U | |
| ENDOSULFAN SULFATE | 16P | U | U | U | U | |
| ENDRIN | 16PX | U | U | U | U | |
| ENDRIN ALDEHYDE | 18P | U | U | U | U | |
| ENDRIN KETONE | U | U | U | U | U | |
| GAMMA CHLORDANE | U | U | U | U | U | |
| GAMMA-BHC | U | U | 0.20P | 0.066P | U | |
| HEPTACHLOR | U | U | U | U | U | |
| HEPTACHLOR EPOXIDE | U | U | U | U | U | |
| METHOXYCHLOR | U | U | U | U | U | |
| TOXAPHENE | U | U | U | U | U | |

- B Analyte was found in the associated blank as well as the sample.
- C Compound confirmed by GC/MS.
- D Result from a diluted sample.
- E Concentrations exceeded the calibration range. The original extract was diluted and reanalyzed per the method.
- J An estimated value below the Contract Required Quantitation Limit.
- P Greater than 25 percent difference for detected concentrations between the two GC columns.
- U Compound was analyzed for, but not detected.
- X The detected concentrations from the two GC columns varied more than a factor of 2.

Page 3 of 4

PRELIMINARY GROUNDWATER DATA TARGET COMPOUND LIST (TCL) PESTICIDE/PCB ANALYSIS

| Compound | Ε-4 (μg/l) | E-5 (μg/l) | MP-13 (μg/l) | MP-14 (μg/l) | MP-15 (μg/l) |
|--------------------|---------------|---------------|-----------------|-----------------|-----------------|
| 4,4'-DDD | U | U | U | U | U |
| 4,4'-DDE | U | U | U | U | U |
| 4,4'-DDT | U | U | U | U | U |
| ALDRIN | U | U | \mathbf{U} | 0.067PX | U |
| ALPHA CHLORDANE | U | U | U | 0.081PX | U |
| ALPHA-BHC | 0.95D | 0.13P | 0.35 | 5.6CD | 1.3CD |
| AROCLOR - 1016 | U | U | U | U | U |
| AROCLOR - 1221 | \mathbf{U} | U | \mathbf{U} | U | Ľ. |
| AROCLOR - 1232 | U | U | U | U | U |
| AROCLOR - 1242 | U | U | U | U | Γ_1 |
| AROCLOR - 1248 | U | U | U | U | U |
| AROCLOR - 1254 | U | U | U | U | ſ, |
| AROCLOR - 1260 | U | U | U | U | \mathbf{U} |
| BETA-BHC | 0.62 | 0.23P | 0.11P | 2.2D | 0.49D |
| DELTA-BHC | 0.093PX | U | U | 0.57PD | 0.29P |
| DIELDRIN | U | U | U | U | U |
| ENDOSULFAN I | 0.053P | U | U | \mathbf{U} | U |
| ENDOSULFAN II | U | U | U | \mathbf{U} | U |
| ENDOSULFAN SULFATE | U | U | U | U | U |
| ENDRIN | U | U | U | U | U |
| ENDRIN ALDEHYDE | U | 0.11PX | U | U | U |
| ENDRIN KETONE | U | U | U | U | U |
| GAMMA CHLORDANE | U | \mathbf{U} | 0.20P | U | U |
| GAMMA-BHC | 0.21 | U | U | 1.0PD | 0.64 |
| HEPTACHLOR | U | U | U | U | U |
| HEPTACHLOR EPOXIDE | U | U | U | U | U |
| METHOXYCHLOR | \mathbf{U} | U | U | U | U |
| TOXAPHENE | U | U | U | U | U |

- B Analyte was found in the associated blank as well as the sample.
- C Compound confirmed by GC/MS.
- D Result from a diluted sample.
- E Concentrations exceeded the calibration range. The original extract was diluted and reanalyzed per the method.
- J An estimated value below the Contract Required Quantitation Limit.
- P Greater than 25 percent difference for detected concentrations between the two GC columns.
- U Compound was analyzed for, but not detected.
- X The detected concentrations from the two GC columns varied more than a factor of 2.
- The designation DL indicates that the results are from reanalysis of the sample extract after dilution

Page 4 of 4

PRELIMINARY GROUNDWATER DATA TARGET COMPOUND LIST (TCL) PESTICIDE/PCB ANALYSIS

| Compound | PL-4D (μg/l) | WW-8 (μg/l) | WW-12 (μg/l) | D/WW-12 (μg/l) |
|--------------------|-----------------|----------------|-----------------|-------------------|
| 4,4'-DDD | U | U | U | U |
| 4,4'-DDE | U | U | U | U |
| 4,4'-DDT | U | U | U | U |
| ALDRIN | U | U | U | U |
| ALPHA CHLORDANE | U | U | U | U |
| ALPHA-BHC | U | U | U | U |
| AROCLOR - 1016 | U | U | U | U |
| AROCLOR - 1221 | U | U | ſ. | U |
| AROCLOR - 1232 | U | U | U | U |
| AROCLOR - 1242 | U | U | U | U |
| AROCLOR - 1248 | U | U | U | U |
| AROCLOR - 1254 | \mathbf{U} | U | U | \mathbf{U} |
| AROCLOR - 1260 | \mathbf{U} | U | U | U |
| BETA-BHC | U | U | U | U |
| DELTA-BHC | U | U | U | U |
| DIELDRIN | U | U | \mathbf{U} | U |
| ENDOSULFAN I | U | U | U | U |
| ENDOSULFAN II | U | U | U | U |
| ENDOSULFAN SULFATE | U | U | U | U |
| ENDRIN | U | U | U | U |
| ENDRIN ALDEHYDE | U | U | U | U |
| ENDRIN KETONE | U | U | \mathbf{U} | U |
| GAMMA CHLORDANE | U | U | U | U |
| GAMMA-BHC | U | \mathbf{U} | U | U |
| HEPTACHLOR | U | \mathbf{U} | U | U |
| HEPTACHLOR EPOXIDE | U | U | U | U |
| METHOXYCHLOR | U | \mathbf{U} | U | U |
| TOXAPHENE | U | U | U | U |

- B Analyte was found in the associated blank as well as the sample.
- C Compound confirmed by GC/MS.
- D Result from a diluted sample.
- E Concentrations exceeded the calibration range. The original extract was diluted and reanalyzed per the method.
- J An estimated value below the Contract Required Quantitation Limit.
- P Greater than 25 percent difference for detected concentrations between the two GC columns.
- Compound was analyzed for, but not detected.
- X The detected concentrations from the two GC columns varied more than a factor of 2.

Page 1 of 3
PRELIMINARY GROUNDWATER DATA
TOTAL INORGANIC CONSTITUENTS

| Compound | DH-1 (μg/l) | DH-3 (μg/l) | PE-3D (μg/l) | PL-4S (μg/l) | PL-8D (μg/l) | D/PL-8D (μg/l) |
|-----------|----------------|----------------|-----------------|-----------------|-----------------|-------------------|
| ANTIMONY | ND | ND | ND | 51.0 | 38.9 | ND |
| ARSENIC | ND | 3.7 | ND | 32.7 | ND | ND |
| BERYLLIUM | 2.0 | 2.0 | 4.8 | 43.0 | 2.1 | 2.0 |
| CADMIUM | 3.1 | 3.3 | 2.0 | 2.8 | 2.6 | ND |
| CHROMIUM | 11.9 | 12.5 | 6.9 | 8.7 | 8.7 | 6.2 |
| COPPER | 57.0 | 53.8 | 24.3 | 106 | 16.8 | 15.9 |
| LEAD | 10.7 | 20.3 | 9.9 | 4.3 | 3.9 | 3.8 |
| MERCURY | ND | ND | 0.56 | ND | ND | ND |
| NICKEL | 20.9 | 16.9 | 64.4 | 223 | ND | ND |
| SELENIUM | ND | ND | 3.1 | ND | 2.0 | ND |
| SILVER | 2.2 | ND | 5.1 | 40.2 | ND | ND |
| THALLIUM | ND | ND | ND | ND | ND | ND |
| ZINC | 211 | 188 | 177 | 509 | 73.6 | 3.0 |

¹ ND = Not detected.

Page 2 of 3
PRELIMINARY GROUNDWATER DATA

| Compound | PL-8S (µg/l) | PL-9D (μg/l) | PL-9S (μg/l) | PL-10D (μg/l) | PL-10S (μg/l) | SL-2 (µg/l) |
|-----------|-----------------|-----------------|-----------------|------------------|------------------|----------------|
| ANTIMONY | 41.5 | ND | 33.9 | ND | 41.5 | 50.2 |
| ARSENIC | ND | ND | 9.5 | ND | ND | ND |
| BERYLLIUM | 2.2 | 1.8 | 7.6 | 2.5 | 1.9 | 3.4 |
| CADMIUM | 3.1 | 2.9 | 2.1 | ND | 3.4 | 2.8 |
| CHROMIUM | 13.5 | ND | 10.0 | 5.9 | 10.4 | 120 |
| COPPER | 25.7 | 8.6 | 13.6 | 17.7 | 17.2 | 49.8 |
| LEAD | 4.8 | ND | 6.1 | ND | ND | 54.7 |
| MERCURY | ND | ND | ND | ND | 2.2 | ND |
| NICKEL | 12.4 | 13.3 | 3 8.9 | 18.2 | 94.6 | 32.5 |
| SELENIUM | ND | ND | ND | 7.4 | 2.6 | ND |
| SILVER | ND | 3.3 | 2.1 | 2.3 | 4.4 | ND |
| THALLIUM | ND | ND | ND | ND | ND | ND |
| ZINC | 434 | ND | 100 | 147 | 83.5 | 427 |

TOTAL INORGANIC CONSTITUENTS

Page 3 of 3

| Compound | SL-3 (μg/l) | WP-6 (μg/l) | WP-9A (μ g/l) |
|-----------|----------------|----------------|--------------------------|
| ANTIMONY | 50.2 | 74.7 | ND |
| ARSENIC | 4.3 | ND | 6.0 |
| BERYLLIUM | 5.6 | 75.3 | 2.6 |
| CADMIUM | 14.7 | 5.6 | 3.2 |
| CHROMIUM | 234 | 33.4 | 144 |
| COPPER | 56.6 | 3 9.0 | 48.6 |
| LEAD | 36.3 | 6.6 | 17.0 |
| MERCURY | 0.45 | ND | 0.41 |
| NICKEL | 27.6 | 293 | 57.4 |
| SELENIUM | ND | 12.9 | 3.6 |
| SILVER | ND | 14.4 | ND |
| THALLIUM | ND | ND | ND |
| ZINC | 239 | 1130 | 299 |

Page 1 of 4

| Compound | BR-7 (μg/l) | BR-7D (μg/l) | BR-8 (μg/l) | CA-1 (μg/l) | CA-2 (μg/l) | CA-3 (μg/l) | |
|-----------|----------------|-----------------|----------------|----------------|----------------|----------------|--|
| ANTIMONY | ND | ND | ND | ND | ND | ND | |
| ARSENIC | ND | ND | ND | 3.0 | ND | ND | |
| BERYLLIUM | 52.0 | 58.0 | 51.0 | 53.0 | 57.0 | 57.0 | |
| CADMIUM | ND | ND | ND | ND | ND | ND | |
| CHROMIUM | 107 | ND | ND | ND | ND | 88.0 | |
| COPPER | ND | ND | ND | ND | ND | 89.0 | |
| LEAD | ND | 51.0 | 3.2 | 9.0 | 24.4 | 3.4 | |
| MERCURY | 2.8 | 130 | 1.2 | ND | 22 | 3.4 | |
| NICKEL | ND | 190 | ND | ND | 157 | 338 | |
| SELENIUM | 2.3 | ND | 27 | 31.9 | 2.2 | ND | |
| SILVER | ND | ND | ND | ND | ND | 29.0 | |
| THALLIUM | ND | ND | ND | ND | ND | ND | |
| ZINC | 2080 | 206 | ND | 199 | 777 | 87.0 | |

NOTES:

1 ND = Not detected.

Page 2 of 4

| Compound | CA-4 (μg/l) | CA-5 (μg/l) | E-1 (μg/l) | E-2 (μg/l) | E-4 (μg/l) | E-5 (ug/l) |
|-----------|----------------|----------------|---------------|---------------|---------------|---------------|
| ANTIMONY | ND | ND | ND | ND | ND | ND |
| ARSENIC | ND | ND | ND | 4.8 | ND | ND |
| BERYLLIUM | 54.0 | 56.0 | 51.0 | 50.0 | 55.0 | 68.0 |
| CADMIUM | ND | ND | ND | ND | ND | 33.0 |
| CHROMIUM | ND | ND | ND | 137 | ND | ND |
| COPPER | ND | ND | ND | ND | ND | ND |
| LEAD | 10.3 | 17.3 | 6.6 | 44.6 | 33.0 | 7.3 |
| MERCURY | 9.7 | 22 | 0.23 | 0.56 | 2.6 | 2.8 |
| NICKEL | 194 | 195 | ND | ND | ND | 1310 |
| SELENIUM | ND | 4.0 | 4.7 | ND | ND | ND |
| SILVER | ND | ND | ND | ND | ND | ND |
| THALLIUM | ND | ND | ND | ND | ND | ND |
| ZINC | 999 | 213 | ND | 32.0 | ND | 3060 |

Page 3 of 4

| | | | | | |
|-----------|-----------------|-----------------|-----------------|----------------|----------------|
| Compound | MP-13 (μg/l) | MP-14 (μg/l) | MP-15 (μg/l) | SL-4 (μg/l) | WW-8 (μg/l) |
| ANTIMONY | ND | ND | ND | 2120 | ND |
| ARSENIC | ND | ND | ND | ND | ND |
| BERYLLIUM | 62.0 | 61.0 | 81.0 | 115 | 54.0 |
| CADMIUM | 20.0 | 95.0 | 25.0 | ND | ND |
| CHROMIUM | ND | 213 | 719 | 363 | ND |
| COPPER | 56.0 | 244 | 184 | 3430 | ND |
| LEAD | 252 | 18.6 | 19.3 | 30.5 | 6.0 |
| MERCURY | 64 | 5.8 | 130 | ND | ND |
| NICKEL | 800 | 899 | 588 | 58.9 | ND |
| SELENIUM | ND | ND | ND | ND | ND |
| SILVER | 35.0 | ND | ND | ND | ND |
| THALLIUM | ND | ND | ND | ND | ND |
| ZINC | 1090 | 1420 | 2280 | 319 | ND |

Page 4 of 4

| Compound | WW-12 (μg/l) | D/WW-12 (μg/l) |
|-----------|-----------------|-------------------|
| ANTIMONY | ND | ND |
| ARSENIC | ND | ND |
| BERYLLIUM | 51.0 | 52.0 |
| CADMIUM | ND | ND |
| CHROMIUM | ND | ND |
| COPPER | ND | ND |
| LEAD | ND | ND |
| MERCURY | ND | ND |
| NICKEL | ND | ND |
| SELENIUM | 2.7 | ND |
| SILVER | ND | ND |
| THALLIUM | ND | ND |
| ZINC | 1240 | 1290 |

Page 1 of 3

| Compound | DH-1 (μ g/ l) | DH-3 (μg/l) | E-1 (μg/l) | E-2 (μg/l) | PE-3D (μg/l) | PL-4S (μg/l) |
|-----------|-------------------------|----------------|---------------|---------------|-----------------|-----------------|
| ANTIMONY | ND^1 | ND | ND | ND | 34.7 | ND |
| ARSENIC | ND | 3.2 | ND | ND | ND | ND |
| BERYLLIUM | 105 | 115 | 2.9 | 2.8 | 17.1 | 100 |
| CADMIUM | ND | ND | ND | ND | 4.3 | ND |
| CHROMIUM | 76.0 | ND | ND | ND | 34 .9 | ND |
| COPPER | 18.5 | 1010 | 7.5 | 6.8 | 81.5 | 625 |
| LEAD | ND | ND | ND | 5.4 | 6.1 | ND |
| MERCURY | ND | ND | ND | ND | ND | ND |
| NICKEL | 39.0 | ND | 17.4 | 11.5 | 187 | 239 |
| SELENIUM | ND | ND | ND | ND | 3.1 | 2.8 |
| SILVER | 115 | 105 | ND | 2.3 | 9.7 | 135 |
| THALLIUM | ND | ND | ND | ND | ND | ND |
| ZINC | 10.5 | 81.1 | 25.5 | 59.0 | 497 | 584 |

NOTES:

1 ND = Not detected.

Page 2 of 3

| | | | | | | |
|-----------|-----------------|-------------------|-----------------|-----------------|-----------------|------------------|
| Compound | PL-8D (μg/l) | D/PL-8D (µg/l) | PL-8S (μg/l) | PL-9D (μg/l) | PL-9S (μg/l) | PL-10D (μg/l) |
| ANTIMONY | ND | ND | ND | ND | ND | ND |
| ARSENIC | ND | ND | ND | ND | ND | ND |
| BERYLLIUM | 100 | 95.0 | 100 | 85.0 | 90.0 | 95.0 |
| CADMIUM | ND | ND | ND | ND | ND | ND |
| CHROMIUM | 5.2 | 4.1 | ND | ND | ND | ND |
| COPPER | 440 | 480 | 440 | 350 | 525 | 505 |
| LEAD | ND | ND | ND | ND | ND | ND |
| MERCURY | ND | ND | ND | ND | ND | ND |
| NICKEL | ND | ND | ND | 15.0 | 30.3 | 14.4 |
| SELENIUM | ND | ND | ND | ND | 2.0 | ND |
| SILVER | ND | 130 | 110 | ND | 185 | 105 |
| THALLIUM | ND | ND | ND | ND | ND | ND |
| ZINC | 34.8 | 20.0 | 39.4 | 62.9 | 111 | 50.7 |

Page 3 of 3
PRELIMINARY GROUNDWATER DATA

| | | | | | | |
|-----------|------------------|----------------|----------------|----------------|----------------|-----------------|
| Compound | PL-10S (μg/l) | SL-2 (μg/l) | SL-3 (μg/l) | SL-4 (μg/l) | WP-6 (μg/l) | WP-9A (μg/l) |
| ANTIMONY | ND | ND | ND | ND | ND | ND |
| ARSENIC | ND | ND | ND | ND | ND | ND |
| BERYLLIUM | 95.0 | 110 | 110 | 115 | 105 | 2.0 |
| CADMIUM | ND | ND | ND | ND | ND | ND |
| CHROMIUM | ND | ND | ND | ND | ND | ND |
| COPPER | 420 | 9.0 | 11.4 | 8.4 | 415 | 8.3 |
| LEAD | ND | ND | 4.1 | 3.1 | ND | ND |
| MERCURY | 1.8 | ND | ND | ND | ND | ND |
| NICKEL | 93.2 | ND | ND | 14.2 | ND | 17.1 |
| SELENIUM | ND | ND | ND | ND | 4.2 | 2.4 |
| SILVER | ND | ND | ND | ND | 105 | ND |
| THALLIUM | ND | ND | ND | ND | ND | ND |
| ZINC | 124 | 65.9 | 56.5 | 55.8 | ND | 168 |

DISSOLVED INORGANIC CONSTITUENTS

Page 1 of 3

| Compound | BR-7 (μg/l) | BR-7D (μg/l) | BR-8 (μg/l) | CA-1 (μg/l) | CA-2 (μg/l) | CA-3 (μg/l) |
|-----------|----------------|-----------------|----------------|----------------|----------------|----------------|
| ANTIMONY | 325 | ND | ND | ND | 341 | 512 |
| ARSENIC | ND | ND | ND | ND | ND | ND |
| BERYLLIUM | 25.0 | 20.0 | 23.0 | 15.0 | 29.0 | 22.0 |
| CADMIUM | 20.0 | ND | ND | ND | ND | ND |
| CHROMIUM | 116 | 241 | 96.0 | 41.0 | 312 | 176 |
| COPPER | 41.0 | 81.0 | 41.0 | 23.0 | 80.0 | 64.0 |
| LEAD | ND | ND | ND | 56.5 | 125 | ND |
| MERCURY | 1.8 | 130 | 11.0 | ND | 1.5 | 0.78 |
| NICKEL | 137 | 302 | 156 | ND | 516 | 217 |
| SELENIUM | ND | ND | ND | ND | ND | ND |
| SILVER | ND | ND | ND | ND | ND | 49.0 |
| THALLIUM | ND | ND | ND | ND | ND | ND |
| ZINC | 124 | 3 98 | 55.4 | 9.9 | 244 | 306 |

NOTES:

1 ND = Not detected.

Page 2 of 3

| Compound | CA-4 (μg/l) | CA-5 (μg/l) | E-4 (μg/l) | E-5 (μg/l) | MP-13 (μg/l) | MP-14 (μg/l) |
|-----------|----------------|----------------|---------------|---------------|-----------------|-----------------|
| ANTIMONY | ND | 343 | ND | 389 | ND | ND |
| ARSENIC | ND | ND | ND | ND | ND | ND |
| BERYLLIUM | 18.0 | 22.0 | 42.0 | 68.0 | 33.0 | 39.0 |
| CADMIUM | ND | ND | ND | 33.0 | 25.0 | 25.0 |
| CHROMIUM | ND | 298 | 239 | ND | ND | 247 |
| COPPER | ND | 57.0 | 51.0 | 175 | 52.0 | 209 |
| LEAD | 9.7 | 13.6 | 5.2 | 41.9 | 441 | ND |
| MERCURY | 9.2 | 26.0 | 28.0 | 27.0 | 51.0 | 120 |
| NICKEL | ND | 238 | ND | 1240 | 701 | 700 |
| SELENIUM | 2.2 | 3.8 | ,.D | 48.7 | 19.1 | 45,9 |
| SILVER | ND | ND | 51.0 | 35.0 | 67.0 | 4 5.0 |
| THALLIUM | ND | ND | ND | ND | ND | ND |
| ZINC | 175 | 237 | 96.7 | 1420 | 624 | 1040 |

PRELIMINARY GROUNDWATER DATA
DISSOLVED INORGANIC CONSTITUENTS

Page 3 of 3

| Compound | MP-15 (μg/l) | PL-4D (μg/l) | WW-8 (μg/l) | WW-12 (μg/l) | D/WW-12 (μg/l) |
|-----------|-----------------|-----------------|----------------|-----------------|-------------------|
| ANTIMONY | ND | ND | ND | ND | ND |
| ARSENIC | ND | ND | ND | ND | ND |
| BERYLLIUM | 42.0 | 31.0 | 14.0 | 16.0 | 17.0 |
| CADMIUM | ND | 36.0 | ND | ND | ND |
| CHROMIUM | 206 | 313 | ND | ND | ND |
| COPPER | 269 | 112 | 36.0 | 21.0 | 41 .0 |
| LEAD | 33.2 | ND | 3.0 | ND | 8.7 |
| MERCURY | 84.0 | ND | ND | ND | ND |
| NICKEL | 566 | 324 | ND | ND | ND |
| SELENIUM | 31.9 | 2.1 | ND | 2.9 | ND |
| SILVER | 45.0 | 32.0 | ND | ND | ND |
| THALLIUM | ND | ND | ND | ND | ND |
| ZINC | 881 | 36.6 | 8.8 | 46.5 | ND |

Woodward-Clyde Consultants

3 8 0569

APPENDIX B

PRELIMINARY SURFACE WATER DATA

PRELIMINARY SURFACE WATER DATA TARGET COMPOUND LIST (TCL) VOLATILE ORGANICS

) 🔝

0570

| Compound | WG-C9/01 (μg/l) | WG-C9/02 (μg/l) | WG-F2/01 (μg/l) | WG-G6/01 (μg/l) |
|----------------------------|--------------------|--------------------|--------------------|--------------------|
| 1,1,1-TRICHLOROETHANE | U | U | U | U |
| 1,1,2,2-TETRACHLOROETHANE | U | U | U | U |
| 1,1,2-TRICHLOROETHANE | U | U | U | U |
| 1,1-DICHLOROETHANE | U | U | U | U |
| 1,1-DICHLOROETHENE | U | U | U | U |
| 1,2-DICHLOROPROPANE | \mathbf{U} | U | U | U |
| 1,2-DICHOLOROETHANE | U | U | U | U |
| 1,2-DICHOLOROETHENE(TOTAL) | U | U | U | U |
| 2-BUTANONE | U | U | U | U |
| 2-HEXANONE | U | U | U | U |
| 4-METHYL-2-PENTANONE | U | U | U | U |
| ACETONE | 8BJ | 15B | 11 | 30B |
| BENZENE | U | U | U | U |
| BROMODICHLOROMETHANE | U | U | U | U |
| BROMOFORM | U | U | U | U |
| BROMOMETHANE | U | U | U | U |
| CARBON DISULFIDE | U | U | 1J | 3J |
| CARBON TETRACHLORIDE | U | U | U | U |
| CHLOROBENZENE | \mathbf{U} | U | U | U |
| CHLOROETHANE | U | U | U | U |
| CHOLOROFORM | U | U | U | U |
| CHOLOROMETHANE | U | U | U | U |
| CIS-1,3-DICHLOROPROPENE | U | U | \mathbf{U} | U |
| DIBROMOCHLOROMETHANE | U | U | U | \mathbf{U} |
| ETHYLBENZENE | U | U | U | U |
| METHYLENE CHLORIDE | 34B | 40B | 26B | 56B |
| STYRENE | U | U | U | U |
| TETRACHLOROETHENE | U | Ü | Ü | Ü |
| TOLUENE | U | Ü | Ü | Ü |
| TRANS-1,3-DICHLOROPROPENE | U | Ü | U | Ü |
| TRICHLOROETHENE | U | Ū | U | Ū |
| VINYL CHLORIDE | Ü | Ü | Ü | Ŭ |
| XYLENE (TOTAL) | Ū | Ų | Ū | Ū |

- B Analyte was found in the associated blank as well as the sample.
- C Compound confirmed by GC/MS.
- D Result from a diluted sample.
- E Concentrations exceeded the calibration range. The original extract was diluted and reanalyzed per the method.
- J An estimated value below the Contract Required Quantitation Limit.
- P Greater than 25 percent difference for detected concentrations between the two GC columns.
- U Compound was analyzed for, but not detected.
- X The detected concentrations from the two GC columns varied more than a factor of 2.
- The designation DL indicates that the results are from analysis of the sample extract after dilution.

PRELIMINARY SURFACE WATER DATA TARGET COMPOUND LIST (TCL) VOLATILE ORGANICS

3 8 0571

| Compound | D/WG-G6/01 (μg/l) | WG-G6/02 (μg/l) | WG-H5/01 (μg/l) | WG-H5/02 (μg/l) |
|----------------------------|----------------------|--------------------|--------------------|--------------------|
| 1,1,1-TRICHLOROETHANE | U | U | U | U |
| 1,1,2,2-TETRACHLOROETHANE | U | U | U | U |
| 1,1,2-TRICHLOROETHANE | U | U | U | U |
| 1,1-DICHLOROETHANE | U | U | U | U |
| 1,1-DICHLOROETHENE | U | U | Ū | U |
| 1,2-DICHLOROPROPANE | U | U | U | U |
| 1,2-DICHOLOROETHANE | U | U | U | \mathbf{U} |
| 1,2-DICHOLOROETHENE(TOTAL) | U | U | U | U |
| 2-BUTANONE | U | U | U | U |
| 2-HEXANONE | U | U | U | U |
| 4-METHYL-2-PENTANONE | U | U | U | U |
| ACETONE | 11B | 9BJ | 11B | 27 |
| BENZENE | U | U | U | U |
| BROMODICHLOROMETHANE | U | U | U | U |
| BROMOFORM | U | U | U | U |
| BROMOMETHANE | U | U | U | U |
| CARBON DISULFIDE | 2J | 2.J | U | U |
| CARBON TETRACHLORIDE | U | U | U | U |
| CHLOROBENZENE | U | U | U | U |
| CHLOROETHANE | U | U | \mathbf{U} | U |
| CHOLOROFORM | U | U | U | U |
| CHOLOROMETHANE | U | U | U | U |
| CIS-1,3-DICHLOROPROPENE | U | U | U | U |
| DIBROMOCHLOROMETHANE | U | U | U | U |
| ETHYLBENZENE | U | U | U | \mathbf{U} |
| METHYLENE CHLORIDE | 39B | 50B | 28B | 22B |
| STYRENE | U | U | U | Ü |
| TETRACHLOROETHENE | U | U | U | \mathbf{U} |
| TOLUENE | U | U | U | U |
| TRANS-1,3-DICHLOROPROPENE | U | U | \mathbf{U} | U |
| TRICHLOROETHENE | U | U | U | U |
| VINYL CHLORIDE | U | U | U | U |
| XYLENE (TOTAL) | U | Ų | U | U |

- B Analyte was found in the associated blank as well as the sample.
- C Compound confirmed by GC/MS.
- D Result from a diluted sample.
- E Concentrations exceeded the calibration range. The original extract was diluted and reanalyzed per the method.
- J An estimated value below the Contract Required Quantitation Limit.
- P Greater than 25 percent difference for detected concentrations between the two GC columns.
- U Compound was analyzed for, but not detected.
- X The detected concentrations from the two GC columns varied more than a factor of 2.
- The designation DL indicates that the results are from analysis of the sample extract after dilution.
- 2 Field duplicate sample.

PRELIMINARY SURFACE WATER DATA TARGET COMPOUND LIST (TCL) VOLATILE ORGANICS

| Compound | WG-H9/01 (μg/l) | WG-H9/02 (μg/l) | WG-BD03 (μg/l) | WG-DD02 (μg/l) |
|----------------------------|--------------------|--------------------|-------------------|-------------------|
| 1,1,1-TRICHLOROETHANE | U | U | U | Ŭ |
| 1,1,2,2-TETRACHLOROETHANE | U | U | U | U |
| 1,1,2-TRICHLOROETHANE | U | U | U | U |
| 1,1-DICHLOROETHANE | U | U | U | U |
| 1,1-DICHLOROETHENE | U | U | U | U |
| 1,2-DICHLOROPROPANE | U | U | U | U |
| 1,2-DICHOLOROETHANE | U | U | U | U |
| 1,2-DICHOLOROETHENE(TOTAL) | U | U | U | U |
| 2-BUTANONE | U | U | U | U |
| 2-HEXANONE | U | U | U | U |
| 4-METHYL-2-PENTANONE | U | U | U | U |
| ACETONE | 10B | U | U | U |
| BENZENE | U | U | U | U |
| BROMODICHLOROMETHANE | U | U | U | U |
| BROMOFORM | U | U | 43 | U |
| BROMOMETHANE | U | U | \mathbf{U} | \mathbf{U} |
| CARBON DISULFIDE | 2J | U | U | U |
| CARBON TETRACHLORIDE | U | U | U | U |
| CHLOROBENZENE | U | U | U | U |
| CHLOROETHANE | U | U | U | U |
| CHOLOROFORM | U | U | U | U |
| CHOLOROMETHANE | U | U | U | U |
| CIS-1,3-DICHLOROPROPENE | U | \mathbf{U} | U | U |
| DIBROMOCHLOROMETHANE | U | U | U | U |
| ETHYLBENZENE | U | U | U | U |
| METHYLENE CHLORIDE | 40B | 37B | 19B | 20B |
| STYRENE | U | U | U | U |
| TETRACHLOROETHENE | U | U | U | U |
| TOLUENE | U | U | U | U |
| TRANS-1,3-DICHLOROPROPENE | U | U | U | U |
| TRICHLOROETHENE | U | U | U | U |
| VINYL CHLORIDE | U | U | U | U |
| XYLENE (TOTAL) | Ŭ | U, | U | U |

- B Analyte was found in the associated blank as well as the sample.
- C Compound confirmed by GC/MS.
- D Result from a diluted sample.
- E Concentrations exceeded the calibration range. The original extract was diluted and reanalyzed per the method.
- J An estimated value below the Contract Required Quantitation Limit.
- P Greater than 25 percent difference for detected concentrations between the two GC columns.
- U Compound was analyzed for, but not detected.
- X The detected concentrations from the two GC columns varied more than a factor of 2.
- The designation DL indicates that the results are from reanalysis of the sample extract after dilution.

PRELIMINARY SURFACE WATER DATA TARGET COMPOUND LIST (TCL) VOLATILE ORGANICS

3 8 0573

| Compound | WG-OD25 (μg/l) | |
|----------------------------|-------------------|---|
| 1,1,1-TRICHLOROETHANE | U | |
| 1,1,2,2-TETRACHLOROETHANE | U | |
| 1,1,2-TRICHLOROETHANE | U | |
| 1,1-DICHLOROETHANE | U | |
| 1,1-DICHLOROETHENE | U | |
| 1,2-DICHLOROPROPANE | U | |
| 1,2-DICHOLOROETHANE | U | |
| 1,2-DICHOLOROETHENE(TOTAL) | U | |
| 2-BUTANONE | U | |
| 2-HEXANONE | U | |
| 4-METHYL-2-PENTANONE | U | |
| ACETONE | U | |
| BENZENE | U | |
| BROMODICHLOROMETHANE | U | |
| BROMOFORM | U | |
| BROMOMETHANE | U | |
| CARBON DISULFIDE | ${f U}$ | |
| CARBON TETRACHLORIDE | U | |
| CHLOROBENZENE | U | |
| CHLOROETHANE | U | |
| CHOLOROFORM | 3Ј | |
| CHOLOROMETHANE | U | |
| CIS-1,3-DICHLOROPROPENE | U | |
| DIBROMOCHLOROMETHANE | U | |
| ETHYLBENZENE | U | |
| METHYLENE CHLORIDE | Ū | |
| STYRENE | 18B | |
| TETRACHLOROETHENE | U | |
| TOLUENE | U | |
| TRANS-1,3-DICHLOROPROPENE | Ū | |
| TRICHLOROETHENE | Ū | |
| VINYL CHLORIDE | Ū | • |
| XYLENE (TOTAL) | Ŭ | |

- B Analyte was found in the associated blank as well as the sample.
- C Compound confirmed by GC/MS.
- D Result from a diluted sample.
- E Concentrations exceeded the calibration range. The original extract was diluted and reanalyzed per the method.
- J An estimated value below the Contract Required Quantitation Limit.
- P Greater than 25 percent difference for detected concentrations between the two GC columns.
- U Compound was analyzed for, but not detected.
- X The detected concentrations from the two GC columns varied more than a factor of 2.
- The designation DL indicates that the results are from reanalysis of the sample extract after dilution.

3 8 0574

Page 1 of 6

PRELIMINARY SURFACE WATER DATA TARGET COMPOUND LIST (TCL) SEMIVOLATILE ORGANICS

| Compound | /G-C9/01 (μg/l) | WG-C9/02 (μg/l) | WG-F2/01 (μg/l) | WG-G6/01 (μg/l) | D/WG-G6/01 (μg/l) | WG-G6/02 (μg/l) |
|-----------------------------|--------------------|--------------------|--------------------|--------------------|----------------------|--------------------|
| 1,2,4-TRICHLOROBENZENE | บ | U | U | U | U | U |
| 1,2-DICHLOROBENZENE | U | U | U | U | U | U |
| 1,3-DICHLOROBENZENE | U | U | U | U | U | U |
| 1,4-DICHLOROBENZENE | U | U | U | U | U | Ü |
| 2,4,5-TRICHLOROPHENOL | U | U | U | Ū | U | Ū |
| 2,4,6-TRICHLOROPHENOL | Ū | Ū | Ū | Ū | Ü | Ü |
| 2,4-DICHLOROPHENOL | U | Ū | Ü | Ŭ | Ü | ſ. |
| 2,4-DIMETHYLPHENOL | Ü | Ü | Ü | Ŭ | Ü | Ü |
| 2,4-DINITROPHENOL | Ŭ | Ū | Ŭ | Ü | Ü | Ü |
| 2,4-DINITROTOLUENE | Ü | Ü | Ü | Ŭ | U | Ü |
| 2,6-DINITROTOLUENE | Ü | Ŭ | Ü | Ü | U | U |
| 2-CHLORONAPHTHALENE | U | U | U | Ü | U | Ü |
| | U | U | | | | |
| 2-CHLOROPHENOL | | - | U | U | U | U |
| 2-METHYLNAPHTHALENE | U | U | U | U | U | U |
| 2-METHYLPHENOL | Ŭ | U | U | Ŭ | U | U |
| 2-NITROANILINE | U | U | U | U | U | U |
| 2-NITROPHENOL | U | U | U | U | U | U |
| 3,3'-DICHLOROBENZIDINE | U | U | U | U | U | U |
| 3-NITROANILINE | U | U | \mathbf{U} | U | U | U |
| 4,6-DINITRO-2-METHYLPHENOL | U | U | U | U | U | U |
| 4-BROMOPHENYL-PHENYLETHE | R U | U | U | U | U | U |
| 4-CHLORO-3-METHYLPHENOL | U | U | U | U | U | \mathbf{U} |
| 4-CHLOROANILINE | U | U | U | U | U | U |
| 4-CHLOROPHENYL-PHENYLETHI | ER U | U | U | U | U | U |
| 4-METHYLPHENOL | U | U | U | U | U | U |
| 4-NITROANILINE | U | U | U | U | U | U |
| 4-NITROPHENOL | U | U | U | U | U | U |
| ACENAPHTHENE | Ū | Ū | Ü | Ü | Ū | Ū |
| ACENAPHTHYLENE | Ü | Ü | Ü | Ü | Ŭ | Ŭ |
| ANTHRACENE | Ü | Ü | Ü | Ŭ | Ŭ | Ü |
| BENZO(A)ANTHRACENE | Ŭ | Ŭ | Ü | Ü | Ŭ | Ü |
| BENZO(A)PYRENE | IJ | Ü | Ü | Ü | Ü | Ü |
| BENZO(B)FLUORANTHENE | Ü | Ü | U | Ü | Ü | Ü |
| BENZO(G,H,I)PERYLENE | บ | U | U | Ü | U | Ü |
| • • • | U | U | | | | |
| BENZO(K)FLUORANTHENE | _ | | U | U | U | U |
| BIS(2-CHLOROETHOXY)METHAN | | U | U | U | U | U |
| BIS(2-CHLOROETHYL)ETHER | U | Ü | U | U | U | U |
| BIS(2-CHLOROISOPROPYL)ETHEI | | Ü | U | U | U | U |
| BIS(2-ETHYLHEXYL)PHTHALATE | | 4J | 0.9J | 11 | 51 | 2.J |
| BUTYLBENZYLPHTHALATE | U | U | U | U | U | U |
| CARBAZOLE | U | U | U | U | U | U |
| CHRYSENE | U | U | U | U | U | U |
| DI-N-BUTYLPHTHALATE | U | U | U | U | U | U |
| DI-N-OCTYL PHTHALATE | U | U | U | U | U | U |
| DIBENZO(A,H)ANTHRACENE | U | U | U | U | U | U |

Page 2 of 6

PRELIMINARY SURFACE WATER DATA TARGET COMPOUND LIST (TCL) SEMIVOLATILE ORGANICS

| Compound | WG-C9/01 (μg/l) | WG-C9/02 (μg/l) | WG-F2/01 (μg/l) | WG-G6/01 (μg/l) | D/WG-G6/01 (µg/l) | WG-G6/02 (μg/l) |
|---------------------------|--------------------|--------------------|--------------------|--------------------|----------------------|--------------------|
| DIBENZOFURAN | IJ | U | U | U | U | U |
| DIETHYLPHTHALATE | Ū | Ü | Ü | Ü | Ü | Ü |
| DIMETHYL PHTHALATE | Ü | Ü | U | Ü | U | Ü |
| FLUORANTHENE | Ū | Ü | U | Ū | Ü | Ū |
| FLUORENE | Ü | Ū | Ŭ | Ü | Ü | Ŭ |
| HEXACHLOROBENZENE | Ü | Ü | Ū | Ŭ | Ü | Ū |
| HEXACHLOROBUTADIENE | U | Ū | U | Ū | U | U |
| HEXACHLOROCYCLOPENTADI | ENEU | U | U | U | U | U |
| HEXACHLOROETHANE | U | U | U | U | U | ſ. |
| INDENO(1,2,3-CD)PYRENE | U | U | U | U | U | U |
| ISOPHORONE | U | U | U | U | U | U |
| N-NITROSO-DI-N-PROPYLAMIN | E U | U | U | U | U | U |
| N-NITROSODIPHENYLAMINE (1 | l) U | U | U | U | U | U |
| NAPHTHALENE | Ú | U | U | U | U | U |
| NITROBENZENE | U | U | U | U | U | U |
| PENTACHLOROPHENOL | U | Ū | U | U | U | U |
| PHENANTHRENE | U | U | U | U | U | U |
| PHENOL | U | U | U | U | U | U |
| PYRENE | U | U | U | U | U | U |
| | | | | | | |

- B Analyte was found in the associated blank as well as the sample.
- C Compound confirmed by GC/MS.
- D Result from a diluted sample.
- E Concentrations exceeded the calibration range. The original extract was diluted and reanalyzed per the method.
- J An estimated value below the Contract Required Quantitation Limit.
- P Greater than 25 percent difference for detected concentrations between the two GC columns.
- U Compound was analyzed for, but not detected.
- X The detected concentrations from the two GC columns varied more than a factor of 2.
- The designation DL indicates that the results are from reanalysis of the sample extract after dilution.

Page 3 of 6

PRELIMINARY SURFACE WATER DATA TARGET COMPOUND LIST (TCL) SEMIVOLATILE ORGANICS

| Compound | WG-H5/01 (μg/l) | WG-H5/02 (μg/l) | WG-H9/01 (μg/l) | WG-H9/02 (μg/l) | WG-BD03 (μg/l) | WG-DD02 (μg/l) |
|--------------------------------|--------------------|--------------------|--------------------|--------------------|-------------------------|-------------------|
| 1,2,4-TRICHLOROBENZENE | U | U | U | U | U | U |
| 1,2-DICHLOROBENZENE | Ù | U | Ü | Ü | Ü | Ü |
| 1,3-DICHLOROBENZENE | Ū | Ü | Ū | Ū | Ū | Ū |
| 1,4-DICHLOROBENZENE | Ū | Ū | Ū | Ū | Ü | Ū |
| 2,4,5-TRICHLOROPHENOL | Ū | Ū | Ū | Ü | Ü | Ü |
| 2,4,6-TRICHLOROPHENOL | Ü | Ū | Ü | Ü | Ü | Ü |
| 2,4-DICHLOROPHENOL | Ū | Ü | $\dot{	extbf{U}}$ | Ü | $\overline{\mathbf{U}}$ | Ũ |
| 2,4-DIMETHYLPHENOL | Ū | Ü | Ü | Ŭ | Ü | Ü |
| 2,4-DINITROPHENOL | Ü | Ü | Ü | Ü | Ü | Ü |
| 2,4-DINITROTOLUENE | Ŭ | Ü | Ü | Ŭ | Ü | Ü |
| 2,6-DINITROTOLUENE | Ü | Ü | Ü | Ü | Ü | U |
| 2-CHLORONAPHTHALENE | U | U | U | U | Ü | Ü |
| 2-CHLOROPHENOL | U | U | U | U | Ü | Ü |
| 2-METHYLNAPHTHALENE | U | U | Ü | U | U | U |
| 2-METHYLPHENOL | U | Ü | Ü | U | Ü | U |
| 2-NITROANILINE | U | U | U | U | U | Ü |
| 2-NITROANDINE 2-NITROPHENOL | Ü | U | U | Ü | U | Ü |
| | U | U | U | U | | |
| 3,3'-DICHLOROBENZIDINE | | | | | U | U |
| 3-NITROANILINE | U | U | U | U | U | U |
| 4,6-DINITRO-2-METHYLPHENOL | U | U | U | U | U | U |
| 4-BROMOPHENYL-PHENYLETHER | U | U | U | U | U | U |
| 4-CHLORO-3-METHYLPHENOL | U | U | U | U | U | U |
| 4-CHLOROANILINE | U | U | U | U | U | U |
| 4-CHLOROPHENYL-PHENYLETHER | | U | U | U | U | U |
| 4-METHYLPHENOL | U | U | U | U | U | U |
| 4-NITROANILINE | U | U | U | U | U | U |
| 4-NITROPHENOL | U | U | U | U | U | U |
| ACENAPHTHENE | U | U | U | U | U | U |
| ACENAPHTHYLENE | U | U | U | U | U | U |
| ANTHRACENE | U | ${f U}$ | U | U | U | U |
| BENZO(A)ANTHRACENE | U | U | U | U | U | U |
| BENZO(A)PYRENE | U | U | , U | U | U | U |
| BENZO(B)FLUORANTHENE | U | U | U | U | U | U |
| BENZO(G,H,I)PERYLENE | U | U | U | U | \mathbf{U} | U |
| BENZO(K)FLUORANTHENE | U | U | U | U | U | U |
| BIS(2-CHLOROETHOXY)METHANE | U | U | U | U | U | U |
| BIS(2-CHLOROETHYL)ETHER | U | U | U | U | U | U |
| BIS(2-CHLOROISOPROPYL)ETHER | U | U | U | U | Ū | Ü |
| BIS(2-ETHYLHEXYL)PHTHALATE | 3J | 2J | 2Ј | 5 J | 4 J | 7J |
| BUTYLBENZYLPHTHALATE | U | U | U | U | U | U |
| CARBAZOLE | Ü | U | U | Ū | Ü | Ü |
| CHRYSENE | Ū | Ü | Ü | Ū | Ū | Ü |
| DI-N-BUTYLPHTHALATE | Ü | Ŭ | Ü | Ū | Ü | Ü |
| DI-N-OCTYL PHTHALATE | Ü | Ü | Ü | Ŭ | Ü | Ü |
| | | | | | | |

Page 4 of 6

PRELIMINARY SURFACE WATER DATA TARGET COMPOUND LIST (TCL) SEMIVOLATILE ORGANICS

| Compound | WG-H5/01 (μg/l) | WG-H5/02 (μg/l) | WG-H9/01 (μg/l) | WG-H9/02 (μg/l) | WG-BD03 (μg/l) | WG-DD02 (μg/l) |
|----------------------------|--------------------|--------------------|--------------------|--------------------|-------------------|-------------------|
| DIBENZOFURAN | U | U | U | U | U | U |
| DIETHYLPHTHALATE | Ū | Ü | Ū | Ū | Ü | Ū |
| DIMETHYL PHTHALATE | Ū | Ü | Ū | Ü | Ū | U |
| FLUORANTHENE | U | U | U | U | U | U |
| FLUORENE | U | U | U | U | U | U |
| HEXACHLOROBENZENE | U | U | U | U | U | U |
| HEXACHLOROBUTADIENE | U | U | U | U | U | U |
| HEXACHLOROCYCLOPENTADIENE | E U | U | U | \mathbf{U} | U | U |
| HEXACHLOROETHANE | U | U | U | U | U | U |
| INDENO(1,2,3-CD)PYRENE | U | U | U | U | U | U |
| ISOPHORONE | U | U | U | U | U | U |
| N-NITROSO-DI-N-PROPYLAMINE | U | U | U | U | U | U |
| N-NITROSODIPHENYLAMINE (1) | U | U | U | U | U | U |
| NAPHTHALENE | U | U | U | U | U | U |
| NITROBENZENE | U | U | U | U | U | U |
| PENTACHLOROPHENOL | U | U | U | U | U | U |
| PHENANTHRENE | U | U | U | U | U | U |
| PHENOL | U | U | U | U | U | U |
| PYRENE | U | U | U | U | U | U |

- B Analyte was found in the associated blank as well as the sample.
- C Compound confirmed by GC/MS.
- D Result from a diluted sample.
- E Concentrations exceeded the calibration range. The original extract was diluted and reanalyzed per the method.
- J An estimated value below the Contract Required Quantitation Limit.
- P Greater than 25 percent difference for detected concentrations between the two GC columns.
- U Compound was analyzed for, but not detected.
- X The detected concentrations from the two GC columns varied more than a factor of 2.

Page 5 of 6

PRELIMINARY SURFACE WATER DATA TARGET COMPOUND LIST (TCL) SEMIVOLATILE ORGANICS

| Compound | WG-OD25 (μg/l) | |
|-----------------------------|-------------------|--|
| 1,2,4-TRICHLOROBENZENE | U | |
| 1,2-DICHLOROBENZENE | U | |
| 1,3-DICHLOROBENZENE | U | |
| 1,4-DICHLOROBENZENE | U | |
| 2,4,5-TRICHLOROPHENOL | U | |
| 2,4,6-TRICHLOROPHENOL | U | |
| 2,4-DICHLOROPHENOL | \mathbf{U} | |
| 2,4-DIMETHYLPHENOL | ľ | |
| 2,4-DINITROPHENOL | U | |
| 2,4-DINITROTOLUENE | U | |
| 2,6-DINITROTOLUENE | U | |
| 2-CHLORONAPHTHALENE | U | |
| 2-CHLOROPHENOL | U | |
| 2-METHYLNAPHTHALENE | U | |
| 2-METHYLPHENOL | U | |
| 2-NITROANILINE | U | |
| 2-NITROPHENOL | U | |
| 3,3'-DICHLOROBENZIDINE | U | |
| 3-NITROANILINE | U | |
| 4,6-DINITRO-2-METHYLPHENOL | U | |
| 4-BROMOPHENYL-PHENYLETHER | U | |
| 4-CHLORO-3-METHYLPHENOL | Ü | |
| 4-CHLOROANILINE | Ü | |
| 4-CHLOROPHENYL-PHENYLETHER | Ü | |
| 4-METHYLPHENOL | U | |
| 4-NITROANILINE | U | |
| 4-NITROPHENOL | U | |
| ACENAPHTHENE | U | |
| ACENAPHTHYLENE | U | |
| ANTHRACENE | U | |
| BENZO(A)ANTHRACENE | U | |
| BENZO(A)PYRENE | U , | |
| BENZO(B)FLUORANTHENE | U | |
| BENZO(G,H,I)PERYLENE | U | |
| BENZO(K)FLUORANTHENE | U | |
| BIS(2-CHLOROETHOXY)METHANE | U | |
| BIS(2-CHLOROETHYL)ETHER | Ü | |
| BIS(2-CHLOROISOPROPYL)ETHER | Ü | |
| BIS(2-ETHYLHEXYL)PHTHALATE | Ü | |
| BUTYLBENZYLPHTHALATE | Ü | |
| CARBAZOLE | U | |
| CHRYSENE | Ü | |
| DI-N-BUTYLPHTHALATE | \mathbf{U} | |
| DI-N-OCTYL PHTHALATE | Ü | |
| DIBENZO(A,H)ANTHRACENE | Ü | |

Page 6 of 6

PRELIMINARY SURFACE WATER DATA TARGET COMPOUND LIST (TCL) SEMIVOLATILE ORGANICS

| Compound | WG-OD25 (μg/l) | |
|----------------------------|-------------------|--|
| DIBENZOFURAN | U | |
| DIETHYLPHTHALATE | Ū | |
| DIMETHYL PHTHALATE | Ū | |
| FLUORANTHENE | Ü | |
| FLUORENE | Ū | |
| HEXACHLOROBENZENE | U | |
| HEXACHLOROBUTADIENE | U | |
| HEXACHLOROCYCLOPENTADIENE | U | |
| HEXACHLOROETHANE | U | |
| INDENO(1,2,3-CD)PYRENE | U | |
| ISOPHORONE | U | |
| N-NITROSO-DI-N-PROPYLAMINE | U | |
| N-NITROSODIPHENYLAMINE (1) | U | |
| NAPHTHALENE | U | |
| NITROBENZENE | U | |
| PENTACHLOROPHENOL | U | |
| PHENANTHRENE | U | |
| PHENOL | U | |
| PYRENE | U | |

- B Analyte was found in the associated blank as well as the sample.
- C Compound confirmed by GC/MS.
- D Result from a diluted sample.
- E Concentrations exceeded the calibration range. The original extract was diluted and reanalyzed per the method.
- J An estimated value below the Contract Required Quantitation Limit.
- P Greater than 25 percent difference for detected concentrations between the two GC columns.
- U Compound was analyzed for, but not detected.
- X The detected concentrations from the two GC columns varied more than a factor of 2.

Page 1 of 3

PRELIMINARY SURFACE WATER DATA TARGET COMPOUND LIST (TCL) PESTICIDE/PCB ANALYSIS

| Compound | WG-C9/01 (μg/l) | WG-C9/02 (μg/l) | WG-F2/01 (μg/l) | WG-G6/01 (μg/l) | D/WG-G6/03 (μg/l) |
|--------------------|--------------------|--------------------|--------------------|--------------------|----------------------|
| 4,4'-DDD | U | U | U | U | U |
| 4,4'-DDE | U | U | U | U | U |
| 4,4'-DDT | U | U | U | U | U |
| ALDRIN | U | U | U | U | U |
| ALPHA CHLORDANE | U | U | U | U | \mathbf{U} |
| ALPHA-BHC | U | U | U | U | U |
| AROCLOR - 1016 | U | U | U | U | U |
| AROCLOR - 1221 | U | U | U | U | U |
| AROCLOR - 1232 | U | U | U | U | U |
| AROCLOR - 1242 | U | U | U | U | U |
| AROCLOR - 1248 | U | U | U | U | U |
| AROCLOR - 1254 | \mathbf{U} | U | U | \mathbf{U} | U |
| AROCLOR - 1260 | U | U | U | U | U |
| ВЕТА-ВНС | U | U | U | U | U |
| DELTA-BHC | U | U | U | U | U |
| DIELDRIN | U | U | U | U | U |
| ENDOSULFAN I | U | U | U | U | U |
| ENDOSULFAN II | U | U | U | U | U |
| ENDOSULFAN SULFATE | U | U | U | U | \mathbf{U} |
| ENDRIN | U | U | U | U | \mathbf{U} |
| ENDRIN ALDEHYDE | U | U | U | U | U |
| ENDRIN KETONE | U | U | U | U | U |
| GAMMA CHLORDANE | U | U | U | 11 | U |
| GAMMA-BHC | U | U | U | U | ${f U}$ |
| HEPTACHLOR | U | U | U | U | U |
| HEPTACHLOR EPOXIDE | U | U | U | U | U |
| METHOXYCHLOR | U | U | U | U | U |
| TOXAPHENE | U | U | U | U | U |

- B Analyte was found in the associated blank as well as the sample.
- C Compound confirmed by GC/MS.
- D Result from a diluted sample.
- E Concentrations exceeded the calibration range. The original extract was diluted and reanalyzed per the method.
- J An estimated value below the Contract Required Quantitation Limit.
- P Greater than 25 percent difference for detected concentrations between the two GC columns.
- U Compound was analyzed for, but not detected.
- X The detected concentrations from the two GC columns varied more than a factor of 2.

Page 2 of 3
PRELIMINARY SURFACE WATER DATA
TARGET COMPOUND LIST (TCL) PESTICIDE/PCB ANALYSIS

| Compound | WG-G6/02 (μg/l) | WG-H5/01 (μg/l) | WG-H5/02 (μg/l) | WG-H9/01 (μg/l) | WG-H9/02 (μg/l) |
|--------------------|--------------------|--------------------|--------------------|--------------------|--------------------|
| 4,4'-DDD | U | U | U | U | U |
| 4,4'-DDE | U | U | U | U | U |
| 4,4'-DDT | U | U | U | U | U |
| ALDRIN | U | U | U | U | U |
| ALPHA CHLORDANE | U | U | U | U | U |
| ALPHA-BHC | U | U | U | U | U |
| AROCLOR - 1016 | U | U | U | U | \mathcal{U} |
| AROCLOR - 1221 | U | U | U | U | U |
| AROCLOR - 1232 | U | \mathbf{U} | U - | U | U |
| AROCLOR - 1242 | U | U | U | U | U |
| AROCLOR - 1248 | U | U | U | U | U |
| AROCLOR - 1254 | U | U | U | U | U |
| AROCLOR - 1260 | U | U | U | U | Ŭ |
| BETA-BHC | U | U | U | U | U |
| DELTA-BHC | U | U | U | U | U |
| DIELDRIN | U | U | U | U | U |
| ENDOSULFAN I | U | U | U | \mathbf{U} | U |
| ENDOSULFAN II | U | U | U | \mathbf{U} | U |
| ENDOSULFAN SULFATE | U | \mathbf{U} | U | U | U |
| ENDRIN | U | U | Ú | \mathbf{U} | U |
| ENDRIN ALDEHYDE | U | U | U | U | \mathbf{U} |
| ENDRIN KETONE | U | U | U | U | U |
| GAMMA CHLORDANE | U | \mathbf{U} | \mathbf{U} | U | U |
| GAMMA-BHC | U | U | U | U | U |
| HEPTACHLOR | U | U | U | U | U |
| HEPTACHLOR EPOXIDE | U | U | U | U | U |
| METHOXYCHLOR | U | U | U | U | U |
| TOXAPHENE | U | U | U | U | U |

- B Analyte was found in the associated blank as well as the sample.
- C Compound confirmed by GC/MS.
- D Result from a diluted sample.
- E Concentrations exceeded the calibration range. The original extract was diluted and reanalyzed per the method.
- J An estimated value below the Contract Required Quantitation Limit.
- P Greater than 25 percent difference for detected concentrations between the two GC columns.
- U Compound was analyzed for, but not detected.
- X The detected concentrations from the two GC columns varied more than a factor of 2.

Page 3 of 3

PRELIMINARY SURFACE WATER DATA TARGET COMPOUND LIST (TCL) PESTICIDE/PCB ANALYSIS

| Compound | WG-BD03 (μg/l) | WG-DD02 (μg/l) | WG-0D25 (μg/l) |
|--------------------|-------------------|-------------------|-------------------|
| 4,4'-DDD | U | U | U |
| 4,4'-DDE | U | U | U |
| 4,4'-DDT | U | U | U |
| ALDRIN | U | U | U |
| ALPHA CHLORDANE | U | U | U |
| ALPHA-BHC | U | 0.18P | 0.22 |
| AROCLOR - 1016 | U | U | U |
| AROCLOR - 1221 | U | U | U |
| AROCLOR - 1232 | U | U | U |
| AROCLOR - 1242 | U | U | U |
| AROCLOR - 1248 | U | U | U |
| AROCLOR - 1254 | U | \mathbf{U} | U |
| AROCLOR - 1260 | U | U | U |
| BETA-BHC | U | 0.053P | 0.077 |
| DELTA-BHC | U | U | U |
| DIELDRIN | U | U | U |
| ENDOSULFAN I | U | U | U |
| ENDOSULFAN II | U | U | U |
| ENDOSULFAN SULFATE | U | U | U |
| ENDRIN | U | U | \mathbf{U} |
| ENDRIN ALDEHYDE | U | U | U |
| ENDRIN KETONE | U | U | U |
| GAMMA CHLORDANE | U | U | U |
| GAMMA-BHC | U | U | U |
| HEPTACHLOR | U | U | U |
| HEPTACHLOR EPOXIDE | U | U | U |
| METHOXYCHLOR | U | U | U |
| TOXAPHENE | U | U | U |

- B Analyte was found in the associated blank as well as the sample.
- C Compound confirmed by GC/MS.
- D Result from a diluted sample.
- E Concentrations exceeded the calibration range. The original extract was diluted and reanalyzed per the method.
- J An estimated value below the Contract Required Quantitation Limit.
- P Greater than 25 percent difference for detected concentrations between the two GC columns.
- U Compound was analyzed for, but not detected.
- X The detected concentrations from the two GC columns varied more than a factor of 2.

Page 1 of 3
PRELIMINARY SURFACE WATER DATA

| Compound | WG-C9/01 (μg/l) | WG-C9/02 (μg/l) | WG-F2/01 (μg/l) | WG-06/01 (μg/l) | D/WG-G6/01 (μg/l) | WG-G6/02 (μg/l) |
|-----------|--------------------|--------------------|--------------------|--------------------|----------------------|--------------------|
| ANTIMONY | ND | ND | ND | ND | ND | ND |
| ARSENIC | ND | ND | ND | ND | ND | ND |
| BERYLLIUM | 2.5 | 2.5 | 1.8 | 1.7 | 1.7 | 1.8 |
| CADMIUM | ND | ND | ND | ND | ND | ND |
| CHROMIUM | ND | ND | 4.3 | ND | 4.5 | 5.6 |
| COPPER | 8.7 | 9.5 | 7.8 | 7.9 | 8.7 | 12.0 |
| CYANIDE | ND | ND | ND | ND | ND | ND |
| LEAD | ND | ND | ND | 3.5 | 3.4 | ND |
| MERCURY | 0.26 | 0.45 | 1.5 | 1.1 | 0.98 | 0.83 |
| NICKEL | 12.2 | 21.0 | ND | 10.8 | 10.2 | ND |
| SELENIUM | ND | ND | ND | ND | ND | ND |
| SILVER | ND | ND | 5.8 | ND | 2.2 | ND |
| THALLIUM | ND | ND | ND | ND | ND | ND |
| ZINC | 88.1 | 86.5 | 111 | 39.0 | 121 | 166 |

TOTAL INORGANIC CONSTITUENTS

Page 2 of 3

PRELIMINARY SURFACE WATER DATA TOTAL INORGANIC CONSTITUENTS

| Compound | WG-H5/01 (μg/l) | WG-H5/02 (μg/l) | WG-H9/01 (μg/l) | WG-H9/02 (μg/l) | WG-BD03 (μg/l) | WG-DD02 (μg/l) |
|-----------|--------------------|--------------------|--------------------|--------------------|-------------------|-------------------|
| ANTIMONY | ND | ND | ND | ND | ND | ND |
| ARSENIC | ND | ND | ND | ND | ND | 6.7 |
| BERYLLIUM | 2.4 | 1.7 | 2.5 | 2.5 | 1.7 | 2.1 |
| CADMIUM | ND | 2.1 | ND | ND | ND | ND |
| CHROMIUM | 4.3 | 5.5 | ND | ND | 8.5 | 7.8 |
| COPPER | 9.1 | 9.0 | 6.4 | 7.2 | 9.2 | 14.4 |
| CYANIDE | ND^1 | ND | ND | ND | ND | ND |
| LEAD | ND | ND | ND | ND | ND | 3.8 |
| MERCURY | 1.5 | 1.8 | 1.1 | 1.2 | 1.1 | 2.8 |
| NICKEL | 10.2 | ND | ND | 11.1 | ND | 23.0 |
| SELENIUM | ND | 2.8 | ND | ND | ND | ND |
| SILVER | ND | ND | ND | ND | ND | 2.9 |
| THALLIUM | ND | ND | ND | ND | ND | ND |
| ZINC | 59.9 | 83.6 | 79.8 | 44.5 | 98.8 | 215 |

Page 3 of 3

PRELIMINARY SURFACE WATER DATA TOTAL INORGANIC CONSTITUENTS

| Compound | WG-OD25 (μg/l) |
|-----------|-------------------|
| ANTIMONY | ND |
| ARSENIC | 12.2 |
| BERYLLIUM | 3.3 |
| CADMIUM | 2.2 |
| CHROMIUM | 11.1 |
| COPPER | 22.6 |
| CYANIDE | ND |
| LEAD | 3.7 |
| MERCURY | 2.8 |
| NICKEL | 45.9 |
| SELENIUM | 4.9 |
| SILVER | ND |
| THALLIUM | ND |
| ZINC | 444 |

Page 1 of 3

PRELIMINARY SURFACE WATER DISSOLVED INORGANIC CONSTITUENTS

| COMPOUND | WG-C9/01 (μg/l) | WG-C9/02 (μg/l) | WG-F2/01 (μg/l) | WG-G6/01 (μg/l) | D/WG-G6/01 (μg/l) | WG-G6/02 (μg/l) |
|-----------|--------------------|--------------------|--------------------|--------------------|----------------------|--------------------|
| ANTIMONY | ND | ND | ND | ND | ND | ND |
| ARSENIC | 3.4 | ND | ND | ND | ND | ND |
| BERYLLIUM | 2.2 | 2.2 | 2.3 | 2.3 | 2.2 | 2.2 |
| CADMIUM | ND | ND | ND | ND | ND | ND |
| CHROMIUM | 7.3 | 5.7 | 4.1 | 138 | 32.8 | 23.8 |
| COPPER | 8.7 | 6.9 | 3.8 | 12.3 | 6.2 | 6.2 |
| LEAD | ND | ND | ND | ND | ND | ND |
| MERCURY | ND | ND | ND | ND | ND | ND |
| NICKEL | 14.7 | 14.1 | ND | 98.4 | 30.7 | 35.8 |
| SELENIUM | ND | ND | ND | ND | ND | ND |
| SILVER | 2.4 | 2.0 | 3.2 | 2.2 | ND | 2.3 |
| THALLIUM | ND | ND | ND | ND | ND | ND |
| ZINC | 80.1 | 36.9 | ND | 94.1 | 65.4 | 42.1 |

NOTES:

1 ND = Not detected.

Page 2 of 3

PRELIMINARY SURFACE WATER DATA DISSOLVED INORGANIC CONSTITUENTS

| | | | | | | |
|-----------|--------------------|--------------------|--------------------|--------------------|-------------------|-------------------|
| Compound | WG-H5/01 (μg/l) | WG-H5/02 (μg/l) | WG-H9/01 (μg/l) | WG-H9/02 (µg/l) | WG-BD03 (μg/l) | WG-DD02 (μg/l) |
| ANTIMONY | ND | ND | ND | ND | ND | ND |
| ARSENIC | ND | ND | ND | ND | ND | ND |
| BERYLLIUM | 2.2 | 2.3 | 2.3 | 2.2 | 2.2 | 2.3 |
| CADMIUM | ND | ND | ND | ND | ND | ND |
| CHROMIUM | 882 | 207 | 6.0 | ND | 174 | 136 |
| COPPER | 33.6 | 10.4 | 4.5 | 5.4 | 10.2 | 11.4 |
| LEAD | ND | ND | ND | ND | ND | ND |
| MERCURY | ND | ND | ND | ND | ND | ND |
| NICKEL | 616 | 136 | 11.2 | ND | 101 | 81.9 |
| SELENIUM | ND | ND | ND | ND | ND | 4.9 |
| SILVER | 5.4 | ND | 2.3 | 4.4 | 3.0 | 3.7 |
| THALLIUM | ND | ND | ND | ND | ND | ND |
| ZINC | 43.8 | 22.7 | 4.9 | 23.9 | 8.6 | 11.5 |

Page 3 of 3

PRELIMINARY SURFACE WATER DATA DISSOLVED INORGANIC CONSTITUENTS

| Compound | WG-0D25 (μg/l) | |
|-----------|-------------------|--|
| ANTIMONY | ND | |
| ARSENIC | 8.8 | |
| BERYLLIUM | 2.7 | |
| CADMIUM | ND | |
| CHROMIUM | 140 | |
| COPPER | 14.5 | |
| LEAD | ND | |
| MERCURY | 0.65 | |
| NICKEL | 117 | |
| SELENIUM | ND | |
| SILVER | 6.3 | |
| THALLIUM | ND | |
| ZINC | 253 | |

Woodward-Clyde Consultants

3 8 0589

APPENDIX C

PRELIMINARY SEDIMENT DATA

3 959r

| Compound | SG-G3 (µg/kg) | SG-H4 (µg/kg) | SG-K4 (µg/kg) |
|----------------------------|------------------|------------------|------------------|
| 1,1,1-TRICHLOROETHANE | U | U | U |
| 1,1,2,2-TETRACHLOROETHANE | Ü | Ü | Ū |
| 1,1,2-TRICHLOROETHANE | Ü | Ü | Ü |
| 1,1-DICHLOROETHANE | U | U | U |
| 1,1-DICHLOROETHENE | U | U | U |
| 1,2-DICHLOROPROPANE | U | U | U |
| 1,2-DICHOLOROETHANE | U | \mathbf{U} | U |
| 1,2-DICHOLOROETHENE(TOTAL) | U | U | U |
| 2-BUTANONE | U | U | U |
| 2-HEXANONE | U | U | U |
| 4-METHYL-2-PENTANONE | U | U | U |
| ACETONE | 69 B | 240B | 180B |
| BENZENE | U | U | U |
| BROMODICHLOROMETHANE | U | U | U |
| BROMOFORM | U | U | U |
| BROMOMETHANE | U | U | U |
| CARBON DISULFIDE | 6J | 13J | 3J |
| CARBON TETRACHLORIDE | U | U | U |
| CHLOROBENZENE | 1000D | 100 | 9J |
| CHLOROETHANE | U | \mathbf{U} | U |
| CHOLOROFORM | U | U | U |
| CHOLOROMETHANE | U | U | U |
| CIS-1,3-DICHLOROPROPENE | U | U | U |
| DIBROMOCHLOROMETHANE | U | U | U |
| ETHYLBENZENE | U | \mathbf{U} | U |
| METHYLENE CHLORIDE | 22B | 31B | 45B |
| STYRENE | U | U | U |
| TETRACHLOROETHENE | U | U | U |
| TOLUENE | U | U | U |
| TRANS-1,3-DICHLOROPROPENE | U | U | U |
| TRICHLOROETHENE | U | U | U |
| VINYL CHLORIDE | U | U | U |
| XYLENE (TOTAL) | U | U | U |

- B Analyte was found in the associated blank as well as the sample.
- C Compound confirmed by GC/MS.
- D Result from a diluted sample.
- E Concentrations exceeded the calibration range. The original extract was diluted and reanalyzed per the method.
- J An estimated value below the Contract Required Quantitation Limit.
- P Greater than 25 percent difference for detected concentrations between the two GC columns.
- U Compound was analyzed for, but not detected.
- X The detected concentrations from the two GC columns varied more than a factor of 2.
- The designation DL indicates that the results are from analysis of the sample extract after dilution.

3 8 0591

| Compound | SG-C5 (µg/kg) | SG-C6 (µg/kg) | DSG-C6² (µg/kg) |
|----------------------------|------------------|------------------|--------------------|
| 1,1,1-TRICHLOROETHANE | U | U | U |
| 1,1,2,2-TETRACHLOROETHANE | U | U | U |
| 1,1,2-TRICHLOROETHANE | U | U | U |
| 1,1-DICHLOROETHANE | U | U | U |
| 1,1-DICHLOROETHENE | U | U | U |
| 1,2-DICHLOROPROPANE | U | \mathbf{U} | U |
| 1,2-DICHOLOROETHANE | U | U | Ŭ |
| 1,2-DICHOLOROETHENE(TOTAL) | U | U | U |
| 2-BUTANONE | U | 64 | 140 |
| 2-HEXANONE | U | U | U |
| 4-METHYL-2-PENTANONE | U | U | U |
| ACETONE | 59B | 470B | 670B |
| BENZENE | U | U | U |
| BROMODICHLOROMETHANE | U | U | U |
| BROMOFORM | U | U | U |
| BROMOMETHANE | U | \mathbf{U} | U |
| CARBON DISULFIDE | U | 30J | 27 J |
| CARBON TETRACHLORIDE | U | ${f U}$ | U |
| CHLOROBENZENE | 460D | 3 80 | 400 |
| CHLOROETHANE | U | U | U |
| CHOLOROFORM | U | \mathbf{U} | U |
| CHOLOROMETHANE | U | U | U |
| CIS-1,3-DICHLOROPROPENE | U | U | U |
| DIBROMOCHLOROMETHANE | U | U | U |
| ETHYLBENZENE | U | U | U |
| METHYLENE CHLORIDE | 17B | 43B | 39BJ |
| STYRENE | U | U | U |
| TETRACHLOROETHENE | U | U | U |
| TOLUENE | U | U | U |
| TRANS-1,3-DICHLOROPROPENE | U | U | U |
| FRICHLOROETHENE | U | U | U |
| VINYL CHLORIDE | U | U | U |
| KYLENE (TOTAL) | U | , U | U |

- B Analyte was found in the associated blank as well as the sample.
- C Compound confirmed by GC/MS.
- D Result from a diluted sample.
- E Concentrations exceeded the calibration range. The original extract was diluted and reanalyzed per the method.
- J An estimated value below the Contract Required Quantitation Limit.
- P Greater than 25 percent difference for detected concentrations between the two GC columns.
- U Compound was analyzed for, but not detected.
- X The detected concentrations from the two GC columns varied more than a factor of 2.
- The designation DL indicates that the results are from analysis of the sample extract after dilution.
- 2 Field duplicate sample.

3 8

0592

| Compound | SG-D6 (µg/kg) | SG-J6 (μg/kg) | SG-F7 (µg/kg) | SG-J7 (µg/kg) |
|----------------------------|------------------|------------------|------------------|------------------|
| 1,1,1-TRICHLOROETHANE | U | U | U | U |
| 1,1,2,2-TETRACHLOROETHANE | U | U | Ū | U |
| 1,1,2-TRICHLOROETHANE | U | U | U | U |
| 1,1-DICHLOROETHANE | U | U | U | U |
| 1,1-DICHLOROETHENE | U | U | U | U |
| 1,2-DICHLOROPROPANE | U | U | U | U |
| 1,2-DICHOLOROETHANE | U | U | \mathbf{U} | U |
| 1,2-DICHOLOROETHENE(TOTAL) | U | U | \mathbf{U} | \mathbf{U} |
| 2-BUTANONE | \mathbf{U} | 31J | 72 | 62 |
| 2-HEXANONE | U | U | \mathbf{U} | U |
| 4-METHYL-2-PENTANONE | U | U | U | U |
| ACETONE | 540B | 380B | 320B | 250B |
| BENZENE | U | U | U | U |
| BROMODICHLOROMETHANE | U | U | U . | U |
| BROMOFORM | \mathbf{U} | U | U | U |
| BROMOMETHANE | \mathbf{U} | U | U | Ü |
| CARBON DISULFIDE | 11J | 18J | 64 | 5J |
| CARBON TETRACHLORIDE | U | U | U | U |
| CHLOROBENZENE | 650 | 10J | 70 | 12J |
| CHLOROETHANE | \mathbf{U} | U | U | U |
| CHOLOROFORM | U | U | U | U |
| CHOLOROMETHANE | U | U | U | U |
| CIS-1,3-DICHLOROPROPENE | \mathbf{U} | U | Ū | Ü |
| DIBROMOCHLOROMETHANE | U | U | U | Ū |
| ETHYLBENZENE | U | U | U | U |
| METHYLENE CHLORIDE | 55B | 150B | 35BJ | 28B |
| STYRENE | U | U | U | U |
| TETRACHLOROETHENE | U | \mathbf{U} | Ü | Ū |
| TOLUENE | U | U | Ü | Ū |
| TRANS-1,3-DICHLOROPROPENE | U | U | U | Ü |
| TRICHLOROETHENE | U | Ū | Ū | Ü |
| VINYL CHLORIDE | Ü | Ū | Ü | Ū |
| XYLENE (TOTAL) | Ü | Ü | Ŭ | Ŭ |

- B Analyte was found in the associated blank as well as the sample.
- C Compound confirmed by GC/MS.
- D Result from a diluted sample.
- E Concentrations exceeded the calibration range. The original extract was diluted and reanalyzed per the method.
- J An estimated value below the Contract Required Quantitation Limit.
- P Greater than 25 percent difference for detected concentrations between the two GC columns.
- U Compound was analyzed for, but not detected.
- X The detected concentrations from the two GC columns varied more than a factor of 2.
- The designation DL indicates that the results are from reanalysis of the sample extract after dilution.

3 8 0593

| Compound | SG-G8 (μg/kg) | SG-H8 (µg/kg) | SG-G9 (µg/kg) | SG-C10 (µg/kg) |
|----------------------------|------------------|------------------|------------------|-------------------|
| 1,1,1-TRICHLOROETHANE | U | Ū | U | U |
| 1,1,2,2-TETRACHLOROETHANE | U | U | U | U |
| 1,1,2-TRICHLOROETHANE | U | U | U | U |
| 1,1-DICHLOROETHANE | U | U | U | U |
| 1,1-DICHLOROETHENE | U | U | U | U |
| 1,2-DICHLOROPROPANE | U | U | U | U |
| 1,2-DICHOLOROETHANE | U | U | U | \mathbf{U} |
| 1,2-DICHOLOROETHENE(TOTAL) | U | U | U | U |
| 2-BUTANONE | 50 | U | 45 | 200 |
| 2-HEXANONE | U | U | U | U |
| 4-METHYL-2-PENTANONE | U | U | \mathbf{U} | U |
| ACETONE | 600B | 1000BE | 350B | 890B |
| BENZENE | U | U | U | U |
| BROMODICHLOROMETHANE | U | U | U | U |
| BROMOFORM | U | U | U | U |
| BROMOMETHANE | U | U | U | U |
| CARBON DISULFIDE | 20J | U | 23J | 28J |
| CARBON TETRACHLORIDE | U | U | U | \mathbf{U} |
| CHLOROBENZENE | 12J | 14J | 39J | 48 |
| CHLOROETHANE | U | U | U | U |
| CHOLOROFORM | U | U | U | U |
| CHOLOROMETHANE | U | U | U | U |
| CIS-1,3-DICHLOROPROPENE | U | U | U | U |
| DIBROMOCHLOROMETHANE | U | U | U | U |
| ETHYLBENZENE | U | U | U | U |
| METHYLENE CHLORIDE | 45B | 46B | 41BJ | 33BJ |
| STYRENE | U | U | U | Ū |
| TETRACHLOROETHENE | U | U | U | U |
| TOLUENE | U | U | U | U |
| TRANS-1,3-DICHLOROPROPENE | U | U | U | U |
| TRICHLOROETHENE | U | U | U | U |
| VINYL CHLORIDE | U | U | U | U |
| XYLENE (TOTAL) | U | U | Ū | U |

- B Analyte was found in the associated blank as well as the sample.
- C Compound confirmed by GC/MS.
- D Result from a diluted sample.
- E Concentrations exceeded the calibration range. The original extract was diluted and reanalyzed per the method.
- J An estimated value below the Contract Required Quantitation Limit.
- P Greater than 25 percent difference for detected concentrations between the two GC columns.
- U Compound was analyzed for, but not detected.
- X The detected concentrations from the two GC columns varied more than a factor of 2.
- The designation DL indicates that the results are from reanalysis of the sample extract after dilution.

3 8

0594

| Compound | SG-D10 (µg/kg) | SG-I10 (μg/kg) | SG-BD05 (µg/kg) | SG-BD06 (µg/kg) |
|----------------------------|-------------------|-------------------|--------------------|--------------------|
| 1,1,1-TRICHLOROETHANE | U | U | U | U |
| 1,1,2,2-TETRACHLOROETHANE | U | U | U | U |
| 1,1,2-TRICHLOROETHANE | \mathbf{U} | U | U | U |
| 1,1-DICHLOROETHANE | U | U | U | U |
| 1,1-DICHLOROETHENE | U | U | U | U |
| 1,2-DICHLOROPROPANE | U | U | U | U |
| 1,2-DICHOLOROETHANE | U | U | U | U |
| 1,2-DICHOLOROETHENE(TOTAL) | U | U | U | U |
| 2-BUTANONE | 140 | 60 | 34 | U |
| 2-HEXANONE | U | \mathbf{U} | U | U |
| 4-METHYL-2-PENTANONE | \mathbf{U} | U | U | U |
| ACETONE | 600B | 220B | 110B | 59B |
| BENZENE | U | U | U | \mathbf{U} |
| BROMODICHLOROMETHANE | U | U | U | U |
| BROMOFORM | \mathbf{U} | U | U | U |
| BROMOMETHANE | U | U | U | \mathbf{U} |
| CARBON DISULFIDE | 56 | 17J | U | 6J |
| CARBON TETRACHLORIDE | U | U | U | U |
| CHLOROBENZENE | 45J | 21J | 42 | 46 |
| CHLOROETHANE | U | U | U | U |
| CHOLOROFORM | U | U | U | U |
| CHOLOROMETHANE | U | U | U | U |
| CIS-1,3-DICHLOROPROPENE | U | U | U | U |
| DIBROMOCHLOROME THANL | U | U | U | U |
| ETHYLBENZENE | U | U | U | \mathbf{U} |
| METHYLENE CHLORIDE | 45BJ | 50B | 58B | 47B |
| STYRENE | U | U | U | U |
| TETRACHLOROETHENE | U | U | U | U |
| TOLUENE | U | U | U | U |
| TRANS-1,3-DICHLOROPROPENE | U | U | U | U |
| TRICHLOROETHENE | U | U | U | U |
| VINYL CHLORIDE | U | U | U | U |
| XYLENE (TOTAL) | U | U | U | U |

- B Analyte was found in the associated blank as well as the sample.
- C Compound confirmed by GC/MS.
- D Result from a diluted sample.
- E Concentrations exceeded the calibration range. The original extract was diluted and reanalyzed per the method.
- J An estimated value below the Contract Required Quantitation Limit.
- P Greater than 25 percent difference for detected concentrations between the two GC columns.
- U Compound was analyzed for, but not detected.
- X The detected concentrations from the two GC columns varied more than a factor of 2.
- The designation DL indicates that the results are from reanalysis of the sample extract after dilution.

3 8

0595

| Compound | SC-C1/02 (μg/kg) | SC-C1/04 (µg/kg) | SC-C2/02 (µg/kg) | SC-C2/04 (μg/kg) |
|----------------------------|---------------------|---------------------|---------------------|---------------------|
| 1,1,1-TRICHLOROETHANE | U | U | U | U |
| 1,1,2,2-TETRACHLOROETHANE | U | U | U | Ü |
| 1,1,2-TRICHLOROETHANE | U | U | U | U |
| 1,1-DICHLOROETHANE | U | U | U | U |
| 1,1-DICHLOROETHENE | U | U | U | U |
| 1,2-DICHLOROPROPANE | U | U | U | U |
| 1,2-DICHOLOROETHANE | U | U | U | U |
| 1,2-DICHOLOROETHENE(TOTAL) | U | U | U | \mathbf{U} |
| 2-BUTANONE | U | U | 46 | 45 |
| 2-HEXANONE | U | U | U | U |
| 4-METHYL-2-PENTANONE | U | U | U | U |
| ACETONE | 210B | 220B | 110B | 180B |
| BENZENE | U | U | 40 | 180D |
| BROMODICHLOROMETHANE | U | U | U | U |
| BROMOFORM | U | U | U | U |
| BROMOMETHANE | U | U | U | U |
| CARBON DISULFIDE | U | 7 J | U | U |
| CARBON TETRACHLORIDE | U | U | U | U |
| CHLOROBENZENE | 140 | U | 2500 | 5800 |
| CHLOROETHANE | U | U | U | U |
| CHOLOROFORM | U | U | U | U |
| CHOLOROMETHANE | U | U | \mathbf{U} | U |
| CIS-1,3-DICHLOROPROPENE | U | U | U | U |
| DIBROMOCHLOROMETHANE | U | U | U | U |
| ETHYLBENZENE | U | U | U | U |
| METHYLENE CHLORIDE | 69B | 42B | 33B | 27B |
| STYRENE | U | U | U | U |
| TETRACHLOROETHENE | U | U | U | U |
| TOLUENE | U | U | U | U |
| TRANS-1,3-DICHLOROPROPENE | U | U | U | U |
| TRICHLOROETHENE | U | U | U | U |
| VINYL CHLORIDE | U | U | U | U |
| XYLENE (TOTAL) | U | U | U | U |

- B Analyte was found in the associated blank as well as the sample.
- C Compound confirmed by GC/MS.
- D Result from a diluted sample.
- E Concentrations exceeded the calibration range. The original extract was diluted and reanalyzed per the method.
- J An estimated value below the Contract Required Quantitation Limit.
- P Greater than 25 percent difference for detected concentrations between the two GC columns.
- U Compound was analyzed for, but not detected.
- X The detected concentrations from the two GC columns varied more than a factor of 2.

3 8 0596

| Compound | SC-C3/02 (µg/kg) | SC-C3/04 (µg/kg) | SG-DD01 (µg/kg) |
|----------------------------|---------------------|---------------------|--------------------|
| 1,1,1-TRICHLOROETHANE | U | U | U |
| 1,1,2,2-TETRACHLOROETHANE | U | U | U |
| 1,1,2-TRICHLOROETHANE | U | U | U |
| 1,1-DICHLOROETHANE | U | U | U |
| 1,1-DICHLOROETHENE | U | U | U |
| 1,2-DICHLOROPROPANE | U | U | U |
| 1,2-DICHOLOROETHANE | U | U | U |
| 1,2-DICHOLOROETHENE(TOTAL) | U | U | t |
| 2-BUTANONE | 14J | 26 | 24 |
| 2-HEXANONE | U | U | U |
| 4-METHYL-2-PENTANONE | U | U | U |
| ACETONE | 180B | 170B | 270B |
| BENZENE | \mathbf{U} | 30 | \mathbf{U} |
| BROMODICHLOROMETHANE | U | U | U |
| BROMOFORM | U | U | U |
| BROMOMETHANE | U | U | U |
| CARBON DISULFIDE | U | U | U |
| CARBON TETRACHLORIDE | U | U | U |
| CHLOROBENZENE | 350D | 480D | 23 |
| CHLOROETHANE | U | U | U |
| CHOLOROFORM | U | U | U |
| CHOLOROMETHANE | U | U | U |
| CIS-1,3-DICHLOROPROPENE | U | U | U |
| DIBROMOCHLOROMETHANE | U | U | U |
| ETHYLBENZENE | U | U | U |
| METHYLENE CHLORIDE | 32B | 33B | 99B |
| STYRENE | U | U | U |
| TETRACHLOROETHENE | U | U | U |
| TOLUENE | U | U | U |
| TRANS-1,3-DICHLOROPROPENE | U | U | U |
| TRICHLOROETHENE | U | U | U |
| VINYL CHLORIDE | U | U | U |
| XYLENE (TOTAL) | U | U | U |

- B Analyte was found in the associated blank as well as the sample.
- C Compound confirmed by GC/MS.
- D Result from a diluted sample.
- E Concentrations exceeded the calibration range. The original extract was diluted and reanalyzed per the method.
- J An estimated value below the Contract Required Quantitation Limit.
- P Greater than 25 percent difference for detected concentrations between the two GC columns.
- U Compound was analyzed for, but not detected.
- X The detected concentrations from the two GC columns varied more than a factor of 2.
- The designation DL indicates that the results are from analysis of the sample extract after dilution.
- 2 Field duplicate sample.

3 8

0597

| Compound | SG-OD06 (µg/kg) | SG-OD17 (µg/kg) | D/SG-OD17 (μg/kg) | SG-OD20 (µg/kg) |
|----------------------------|--------------------|--------------------|----------------------|--------------------|
| 1,1,1-TRICHLOROETHANE | U | U | U | U |
| 1,1,2,2-TETRACHLOROETHANE | U | U | U | U |
| 1,1,2-TRICHLOROETHANE | U | U | U | U |
| 1,1-DICHLOROETHANE | U | U | U | U |
| 1,1-DICHLOROETHENE | U | \mathbf{U} | U | U |
| 1,2-DICHLOROPROPANE | U | U | U | \mathbf{U} |
| 1,2-DICHOLOROETHANE | U | U | U | U |
| 1,2-DICHOLOROETHENE(TOTAL) | U | U | U | U |
| 2-BUTANONE | Ü | U | Ü | U |
| 2-HEXANONE | Ü | U | U | U |
| 4-METHYL-2-PENTANONE | U | U | U | U |
| ACETONE | 100B | 17B | 15B | 86B |
| BENZENE | U | U | U | U |
| BROMODICHLOROMETHANE | U | U | U | Ü |
| BROMOFORM | Ü | Ü | U | Ü |
| BROMOMETHANE | U | U | U | U |
| CARBON DISULFIDE | U | U | U | U |
| CARBON TETRACHLORIDE | U | U | U | U |
| CHLOROBENZENE | 74 | 4 J | 3J | U |
| CHLOROETHANE | U | U | U | U |
| CHOLOROFORM | U | U | U | U |
| CHOLOROMETHANE | U | U | U | U |
| CIS-1,3-DICHLOROPROPENE | U | U | \mathbf{U} | U |
| DIBROMOCHLOROMETHANE | Ū | Ü | Ü | Ū |
| ETHYLBENZENE | Ū | U | Ü | Ü |
| METHYLENE CHLORIDE | 48B | 46B | 36B | 31B |
| STYRENE | U | U | U | U |
| TETRACHLOROETHENE | U | Ü | U | Ü |
| TOLUENE | U | U | U | U |
| TRANS-1,3-DICHLOROPROPENE | U | U | U | U |
| TRICHLOROETHENE | U | U | U | U |
| VINYL CHLORIDE | U | U | U | U |
| XYLENE (TOTAL) | Ū | U | Ü | Ü |

- B Analyte was found in the associated blank as well as the sample.
- C Compound confirmed by GC/MS.
- D Result from a diluted sample.
- E Concentrations exceeded the calibration range. The original extract was diluted and reanalyzed per the
- J An estimated value below the Contract Required Quantitation Limit.
- P Greater than 25 percent difference for detected concentrations between the two GC columns.
- U Compound was analyzed for, but not detected.
- X The detected concentrations from the two GC columns varied more than a factor of 2.
- The designation DL indicates that the results are from analysis of the sample extract after dilution.

Page 1 of 8
PRELIMINARY SEDIMENT DATA

SG-G3 SG-H4 SG-K4 SG-C5 Compound $(\mu g/kg)$ $(\mu g/kg)$ $(\mu g/kg)$ $(\mu g/kg)$ U 1,2,4-TRICHLOROBENZENE U U U 1,2-DICHLOROBENZENE U U U U U 1,3-DICHLOROBENZENE 180J U 200J 1,4-DICHLOROBENZENE 510J U U 470 U U 2,4,5-TRICHLOROPHENOL U L. 2,4,6-TRICHLOROPHENOL U U U U U U U U 2,4-DICHLOROPHENOL U U U ί. 2,4-DIMETHYLPHENOL U U U U 2,4-DINITROPHENOL 2,4-DINITROTOLUENE U U U U 2,6-DINITROTOLUENE U U U U U U U U 2-CHLORONAPHTHALENE U U U U 2-CHLOROPHENOL 2-METHYLNAPHTHALENE U U U U 2-METHYLPHENOL U U U U 2-NITROANILINE U U U U 2-NITROPHENOL U U U U 3,3'-DICHLOROBENZIDINE U U U U **3-NITROANILINE** U U U U 4.6-DINITRO-2-METHYLPHENOL U U U U 4-BROMOPHENYL-PHENYLETHER U U U U 4-CHLORO-3-METHYLPHENOL U U U U 4-CHLOROANILINE U U U U 4-CHLOROPHENYL-PHENYLETHER U U Ū U 4-METHYLPHENOL U U U U 4-NITROANILINE U U U U 4-NITROPHENOL U U U U ACENAPHTHENE U U U U U U U U ACENAPHTHYLENE ANTHRACENE U U U U BENZO(A)ANTHRACENE U U U U BENZO(A)PYRENE U U U U BENZO(B)FLUORANTHENE U U U U BENZO(G,H,I)PERYLENE U U U U BENZO(K)FLUORANTHENE U U U U BIS(2-CHLOROETHOXY)METHANE U U U U U U U U BIS(2-CHLOROETHYL)ETHER BIS(2-CHLOROISOPROPYL)ETHER U U U U BIS(2-ETHYLHEXYL)PHTHALATE 240J 140J U 2700 BUTYLBENZYLPHTHALATE U U U U CARBAZOLE U U U U **CHRYSENE** U U U U DI-N-BUTYLPHTHALATE U U U U

U

U

TARGET COMPOUND LIST (TCL) SEMIVOLATILE ORGANICS

DI-N-OCTYL PHTHALATE

DIBENZO(A,H)ANTHRACENE

U

U

U

U

U

U

Page 2 of 8

PRELIMINARY SEDIMENT DATA TARGET COMPOUND LIST (TCL) SEMIVOLATILE ORGANICS

| Compound | SG-G3 (µg/kg) | SG-H4 (µg/kg) | SG-K4 (µg/kg) | SG-C5 (μg/kg) |
|----------------------------|------------------|------------------|------------------|------------------|
| DIBENZOFURAN | U | U | U | U |
| DIETHYLPHTHALATE | Ü | Ü | Ü | Ü |
| DIMETHYL PHTHALATE | Ü | Ü | Ü | Ŭ |
| FLUORANTHENE | Ü | Ü | Ü | Ū |
| FLUORENE | Ü | Ü | Ü | Ü |
| HEXACHLOROBENZENE | 40000D | 500J | Ü | 20000D |
| HEXACHLOROBUTADIENE | U | U | U | U |
| HEXACHLOROCYCLOPENTADIE: | NE U | U | U | U |
| HEXACHLOROETHANE | U | U | U | \mathbf{U} |
| INDENO(1,2,3-CD)PYRENE | U | U | U | \mathbf{U} |
| ISOPHORONE | U | U | U | U |
| N-NITROSO-DI-N-PROPYLAMINE | U | U | U | U |
| N-NITROSODIPHENYLAMINE (1) | U | \mathbf{U} | U | \mathbf{U} |
| NAPHTHALENE | U | U | U | U |
| NITROBENZENE | U | U | U | U |
| PENTACHLOROPHENOL | U | U | U | U |
| PHENANTHRENE | U | U | \mathbf{U} | U |
| PHENOL | U | \mathbf{U} | U | U |
| PYRENE | U | U | U | U |

- B Analyte was found in the associated blank as well as the sample.
- C Compound confirmed by GC/MS.
- D Result from a diluted sample.
- E Concentrations exceeded the calibration range. The original extract was diluted and reanalyzed per the method.
- J An estimated value below the Contract Required Quantitation Limit.
- P Greater than 25 percent difference for detected concentrations between the two GC columns.
- U Compound was analyzed for, but not detected.
- X The detected concentrations from the two GC columns varied more than a factor of 2.
- The designation DL indicates that the results are from analysis of the sample extract after dilution.

Page 3 of 8

PRELIMINARY SEDIMENT DATA TARGET COMPOUND LIST (TCL) SEMIVOLATILE ORGANICS

| Compound | SG-C6 (µg/kg) | DSG-C6² (µg/kg) | SG-D6 (µg/kg) | SG-J6 (µg/kg) | SG-F7 (µg/kg) | SG-J7 (µg/kg) |
|-----------------------------|------------------|--------------------|------------------|------------------|------------------|------------------|
| 1,2,4-TRICHLOROBENZENE | U | U | U | U | U | U |
| 1,2-DICHLOROBENZENE | U | U | U | U | U | U |
| 1,3-DICHLOROBENZENE | U | U | U | U | U | U |
| 1,4-DICHLOROBENZENE | U | U | U | U | U | U |
| 2,4,5-TRICHLOROPHENOL | U | U | U | U | U | U |
| 2,4,6-TRICHLOROPHENOL | U | U | U | U | U | ſ. |
| 2,4-DICHLOROPHENOL | U | U | U | U | U | U |
| 2,4-DIMETHYLPHENOL | U | U | U | U | U | U |
| 2,4-DINITROPHENOL | U | U | U | U | U | U |
| 2,4-DINITROTOLUENE | U | U | U | U | U | U |
| 2,6-DINITROTOLUENE | Ü | Ü | Ū | Ū | Ü | Ü |
| 2-CHLORONAPHTHALENE | Ū | Ü | Ü | Ü | Ü | Ü |
| 2-CHLOROPHENOL | Ū | Ū | Ü | Ū | Ü | Ü |
| 2-METHYLNAPHTHALENE | Ü | Ū | Ū | Ü | Ü | Ŭ |
| 2-METHYLPHENOL | Ü | Ū | Ü | Ü | Ü | Ŭ |
| 2-NITROANILINE | Ū | Ū | Ū | Ū | Ū | Ŭ |
| 2-NITROPHENOL | Ū | Ü | Ū | Ü | Ŭ | Ü |
| 3,3'-DICHLOROBENZIDINE | Ū | Ū | Ū | Ü | Ū | Ü |
| 3-NITROANILINE | Ū | Ŭ | Ü | Ŭ | Ŭ | Ü |
| 4,6-DINITRO-2-METHYLPHENOL | Ü | Ü | Ü | Ü | Ŭ | Ŭ |
| 4-BROMOPHENYL-PHENYLETHER | Ŭ | Ŭ | Ü | Ü | Ŭ | Ü |
| 4-CHI ORO-3-MFTHYLPHENOL | Ü | Ŭ | Ü | Ü | Ü | Ü |
| 4-CHLOROANILINE | Ü | Ü | Ŭ | Ü | Ŭ | Ü |
| 4-CHLOROPHENYL-PHENYLETHER | Ü | Ü | Ŭ | Ü | Ü | Ü |
| 4-METHYLPHENOL | Ü | Ü | Ü | Ü | Ü | Ü |
| 4-NITROANILINE | Ü | Ü | Ŭ | Ü | Ü | Ü |
| 4-NITROPHENOL | Ü | Ŭ | Ŭ | Ŭ | Ü | Ü |
| ACENAPHTHENE | Ŭ | Ü | Ŭ | Ŭ | Ü | Ü |
| ACENAPHTHYLENE | Ü | Ŭ | Ŭ | Ŭ | Ü | U |
| ANTHRACENE | Ŭ | Ŭ | Ŭ | Ŭ | Ü | Ü |
| BENZO(A)ANTHRACENE | Ü | Ü | Ŭ | Ü | Ü | U |
| BENZO(A)PYRENE | Ü | Ŭ | , Ŭ | Ŭ | Ü | Ü |
| BENZO(B)FLUORANTHENE | Ü | Ü | Ü | Ŭ | Ü | Ü |
| BENZO(G,H,I)PERYLENE | Ü | Ü | Ŭ | Ŭ | Ŭ | Ŭ |
| BENZO(K)FLUORANTHENE | Ü | Ü | Ü | Ü | Ü | Ü |
| BIS(2-CHLOROETHOXY)METHANE | Ŭ | Ü | Ŭ | Ü | Ü | Ü |
| BIS(2-CHLOROETHYL)ETHER | Ü | Ü | U | Ü | Ü | Ü |
| BIS(2-CHLOROISOPROPYL)ETHER | U | U | U | U | U | U |
| BIS(2-ETHYLHEXYL)PHTHALATE | 240J | U | Ŭ | U | 280J | U |
| BUTYLBENZYLPHTHALATE | 2403 U | U | U | | 2803 U | U |
| CARBAZOLE | U | U | U | U U | U | U |
| CHRYSENE | U | U | U | U | U | U |
| DI-N-BUTYLPHTHALATE | U | U | U | U | Ü | U |
| DI-N-OCTYL PHTHALATE | U | U | U | U | U | U |
| DIBENZO(A,H)ANTHRACENE | U | Ü | U | U | Ü | U |

Page 4 of 8

PRELIMINARY SEDIMENT DATA TARGET COMPOUND LIST (TCL) SEMIVOLATILE ORGANICS

| Compound | SG-C6 (µg/kg) | DSG-C6² (µg/kg) | SG-D6 (µg/kg) | SG-J6 (<i>µ</i> g/kg) | SG-F7 (µg/kg) | SG-J7 (μg/kg) |
|----------------------------|------------------|--------------------|------------------|---------------------------|------------------|------------------|
| DIBENZOFURAN | IJ | U | U | U | U | IJ |
| DIETHYLPHTHALATE | IJ | U | Ü | U | U | I |
| DIMETHYL PHTHALATE | IJ | Ü | Ü | U | U | U |
| FLUORANTHENE | 91J | Ü | Ü | Ü | 110J | 1; |
| FLUORENE | Ü | Ü | Ü | Ü | U | Ü |
| HEXACHLOROBENZENE | Ü | Ü | Ü | Ü | Ü | Ü |
| HEXACHLOROBUTADIENE | Ü | Ü | Ü | Ū | Ü | Ü |
| HEXACHLOROCYCLOPENTADIENE | U | U | U | U | Ü | Ţ. |
| HEXACHLOROETHANE | U | U | U | U | U | Ţ: |
| INDENO(1,2,3-CD)PYRENE | U | U | U | U | U | U |
| ISOPHORONE | U | U | U | U | U | U |
| N-NITROSO-DI-N-PROPYLAMINE | U | U | U | U | U | U |
| N-NITROSODIPHENYLAMINE (1) | U | U | U | \mathbf{U} | U | U |
| NAPHTHALENE | U | U | U | U | U | U |
| NITROBENZENE | U | U | U | U | U | U |
| PENTACHLOROPHENOL | U | U | U | U | U | U |
| PHENANTHRENE | U | U | U | U | U | U |
| PHENOL | U | U | U | U | U | U |
| PYRENE | 170J | U | U | U | 230J | U |

- B Analyte was found in the associated blank as well as the sample.
- C Compound confirmed by GC/MS.
- D Result from a diluted sample.
- E Concentrations exceeded the calibration range. The original extract was diluted and reanalyzed per the method.
- J An estimated value below the Contract Required Quantitation Limit.
- P Greater than 25 percent difference for detected concentrations between the two GC columns.
- U Compound was analyzed for, but not detected.
- X The detected concentrations from the two GC columns varied more than a factor of 2.
- The designation DL indicates that the results are from reanalysis of the sample extract after dilution.
- 2 Field duplicate sample.

Page 5 of 8

| Compound | SG-G8 (µg/kg) | SG-H8 (µg/kg) | SG-G9 (µg/kg) | SG-C10 (µg/kg) | SG-D10 (µg/kg) |
|-----------------------------|------------------|------------------|------------------|-------------------|-------------------|
| 1,2,4-TRICHLOROBENZENE | U | U | U | U | U |
| 1,2-DICHLOROBENZENE | Ū | U | Ü | Ū | U |
| 1,3-DICHLOROBENZENE | Ü | U | U | Ū | U |
| 1,4-DICHLOROBENZENE | Ū | U | Ü | Ü | U |
| 2,4,5-TRICHLOROPHENOL | Ū | Ü | U | Ū | Ü |
| 2,4,6-TRICHLOROPHENOL | U | U | U | U | U |
| 2,4-DICHLOROPHENOL | U | U | U | U | U |
| 2,4-DIMETHYLPHENOL | U | U | U | Ü | Ü |
| 2,4-DINITROPHENOL | U | Ü | U | U | Ü |
| 2,4-DINITROTOLUENE | Ü | Ü | Ū | Ü | Ü |
| 2,6-DINITROTOLUENE | Ü | Ü | Ü | Ū | Ū |
| 2-CHLORONAPHTHALENE | Ü | Ü | Ü | Ü | Ü |
| 2-CHLOROPHENOL | Ŭ | Ü | Ŭ | Ü | Ü |
| 2-METHYLNAPHTHALENE | Ü | Ü | Ü | Ü | Ü |
| 2-METHYLPHENOL | U | Ü | Ü | Ŭ | U |
| 2-NITROANILINE | U | U | Ŭ | Ŭ | U |
| 2-NITROPHENOL | U | U | U | U | U |
| 3,3'-DICHLOROBENZIDINE | U | U | U | U | Ü |
| 3-NITROANILINE | Ü | Ü | U | U | U |
| 4,6-DINITRO-2-METHYLPHENOL | U | U | U | U | U |
| 4-BROMOPHENYL-PHENYLETHER | U | U | U | U | U |
| 4-CHLORO-3-METHYLPHENOL | U | Ŭ | U | U | U |
| 4-CHLOROANILINE | U | U | U | U | |
| | | | | | U |
| 4-CHLOROPHENYL-PHENYLETHER | U | U | U | U | U |
| 4-METHYLPHENOL | U | U | U | U | U |
| 4-NITROANILINE | U | U | U | U | U |
| 4-NITROPHENOL | U | U | U | U | U |
| ACENAPHTHENE | U | U | U | U | U |
| ACENAPHTHYLENE | U | U | U | U | U |
| ANTHRACENE | U | U | U | U | U |
| BENZO(A)ANTHRACENE | U | U | U | U | U |
| BENZO(A)PYRENE | U | U , | U | U | U |
| BENZO(B)FLUORANTHENE | U | U | U | U | U |
| BENZO(G,H,I)PERYLENE | U | U | U | U | U |
| BENZO(K)FLUORANTHENE | U | U | U | U | U |
| BIS(2-CHLOROETHOXY)METHANE | U | U | U | U | U |
| BIS(2-CHLOROETHYL)ETHER | U | U | U | U | U |
| BIS(2-CHLOROISOPROPYL)ETHER | U | U | U | U | U |
| BIS(2-ETHYLHEXYL)PHTHALATE | 410J | U | 270J | 430J | 37000D |
| BUTYLBENZYLPHTHALATE | U | U | U | U | U |
| CARBAZOLE | U | U | U | U | U |
| CHRYSENE | U | U | U | U | U |
| DI-N-BUTYLPHTHALATE | U | U | U | U | U |
| DI-N-OCTYL PHTHALATE | U | U | U | U | U |
| DIBENZO(A,H)ANTHRACENE | U | U | U | U | U |

Page 6 of 8

PRELIMINARY SEDIMENT DATA TARGET COMPOUND LIST (TCL) SEMIVOLATILE ORGANICS

| Compound | SG-G8 (µg/kg) | SG-H8 (μg/kg) | SG-G9 (<i>µ</i> g/kg) | SG-C10 (µg/kg) | SG-D 10 (μ g/k g) |
|----------------------------|------------------|------------------|---------------------------|-------------------|------------------------------------|
| DIBENZOFURAN | U | U | U | U | U |
| DIETHYLPHTHALATE | U | Ü | U | U | U |
| DIMETHYL PHTHALATE | U | U | U | \mathbf{U} | \mathbf{U} |
| FLUORANTHENE | U | 100J | U | U | U |
| FLUORENE | U | U | U | U | U |
| HEXACHLOROBENZENE | U | U | U | U | U |
| HEXACHLOROBUTADIENE | U | U | U | U | Γ |
| HEXACHLOROCYCLOPENTADIENE | U | U | U | U | \mathbf{U} |
| HEXACHLOROETHANE | U | U | U | U | U |
| INDENO(1,2,3-CD)PYRENE | U | U | U | U | U |
| ISOPHORONE | U | U | U | U | U |
| N-NITROSO-DI-N-PROPYLAMINE | U | U | U | U | U |
| N-NITROSODIPHENYLAMINE (1) | U | U | U | U | U |
| NAPHTHALENE | U | U | U | U | U |
| NITROBENZENE | U | U | U | U | \mathbf{U} |
| PENTACHLOROPHENOL | U | U | U | U | U |
| PHENANTHRENE | U | U | U | U | U |
| PHENOL | U | U | U | U | U |
| PYRENE | 160J | 250J | 150J | 180J | 270J |

- B Analyte was found in the associated blank as well as the sample.
- C Compound confirmed by GC/MS.
- D Result from a diluted sample.
- E Concentrations exceeded the calibration range. The original extract was diluted and reanalyzed per the method.
- J An estimated value below the Contract Required Quantitation Limit.
- P Greater than 25 percent difference for detected concentrations between the two GC columns.
- U Compound was analyzed for, but not detected.
- X The detected concentrations from the two GC columns varied more than a factor of 2.
- The designation DL indicates that the results are from reanalysis of the sample extract after dilution.

Page 7 of 8

PRELIMINARY SEDIMENT DATA TARGET COMPOUND LIST (TCL) SEMIVOLATILE ORGANICS

| Compound | SG-I10 (μg/kg) | SG-BD05 (µg/kg) | SG-BD06 (µg/kg) |
|-----------------------------|-------------------|--------------------|-------------------------|
| 1,2,4-TRICHLOROBENZENE | U | U | U |
| 1,2-DICHLOROBENZENE | U | U | U |
| 1,3-DICHLOROBENZENE | U | U | U |
| 1,4-DICHLOROBENZENE | 290J | U | U |
| 2,4,5-TRICHLOROPHENOL | U | U | U |
| 2,4,6-TRICHLOROPHENOL | U | U | U |
| 2,4-DICHLOROPHENOL | \mathbf{U} | U | U |
| 2,4-DIMETHYLPHENOL | U | U | U |
| 2,4-DINITROPHENOL | \mathbf{U} | U | U |
| 2,4-DINITROTOLUENE | U | U | U |
| 2,6-DINITROTOLUENE | U | U | Ü |
| 2-CHLORONAPHTHALENE | Ü | Ü | Ü |
| 2-CHLOROPHENOL | Ū | Ü | Ü |
| 2-METHYLNAPHTHALENE | Ü | Ü | Ü |
| 2-METHYLPHENOL | U | U | Ü |
| 2-NITROANILINE | U | U | Ū |
| 2-NITROPHENOL | U | U | Ü |
| 3,3'-DICHLOROBENZIDINE | U | Ü | Ü |
| 3-NITROANILINE | U | U | Ü |
| 4,6-DINITRO-2-METHYLPHENOL | U | U | $\overline{\mathbf{U}}$ |
| 4-BROMOPHENYL-PHENYLETHER | Ü | Ü | Ū |
| 4-CHLORO-3-METHYLPHENOL | Ū | Ū | Ü |
| 4-CHLOROANILINE | Ü | Ū | Ü |
| 4-CHLOROPHENYL-PHENYLETHER | Ü | Ü | Ŭ |
| 4-METHYLPHENOL | Ü | Ü | Ü |
| 4-NITROANILINE | Ū | Ū | Ŭ |
| 4-NITROPHENOL | Ü | Ü | \mathbf{U}^{-} |
| ACENAPHTHENE | U | Ü | Ū |
| ACENAPHTHYLENE | Ū | Ü | Ŭ |
| ANTHRACENE | Ŭ | Ŭ | Ŭ |
| BENZO(A)ANTHRACENE | Ü | บ | Ŭ |
| BENZO(A)PYRENE | Ü | , Ü | บ |
| BENZO(B)FLUORANTHENE | Ŭ | Ü | Ü |
| BENZO(G,H,I)PERYLENE | Ü | Ü | Ŭ |
| BENZO(K)FLUORANTHENE | Ŭ | Ŭ | Ü |
| BIS(2-CHLOROETHOXY)METHANE | Ü | Ü | Ü |
| BIS(2-CHLOROETHYL)ETHER | Ü | Ü | Ŭ |
| BIS(2-CHLOROISOPROPYL)ETHER | Ŭ | Ü | Ŭ |
| BIS(2-ETHYLHEXYL)PHTHALATE | Ŭ | 250BJ | 240BJ |
| BUTYLBENZYLPHTHALATE | Ü | U | U |
| CARBAZOLE | Ŭ | Ŭ | Ŭ |
| CHRYSENE | Ŭ | Ŭ | Ŭ |
| DI-N-BUTYLPHTHALATE | Ü | Ü | Ü |
| OI-N-OCTYL PHTHALATE | Ü | Ü | Ü |
| DIBENZO(A,H)ANTHRACENE | Ü | Ü | Ü |

Page 8 of 8

PRELIMINARY SEDIMENT DATA TARGET COMPOUND LIST (TCL) SEMIVOLATILE ORGANICS

| Compound | SG-I10 (µg/kg) | SG-BD05 (<i>µ</i> g/kg) | SG-BD06 $(\mu g/kg)$ |
|----------------------------|-------------------|-----------------------------|----------------------|
| DIBENZOFURAN | U | U | U |
| DIETHYLPHTHALATE | Ü | Ü | Ü |
| DIMETHYL PHTHALATE | Ü | Ŭ | Ü |
| FLUORANTHENE | Ū | Ū | Ü |
| FLUORENE | U | U | U |
| HEXACHLOROBENZENE | 1800 | 730J | 4500 |
| HEXACHLOROBUTADIENE | U | U | U |
| HEXACHLOROCYCLOPENTADIENE | U | U | U |
| HEXACHLOROETHANE | U | U | U |
| INDENO(1,2,3-CD)PYRENE | U | U | U |
| ISOPHORONE | U | U | U |
| N-NITROSO-DI-N-PROPYLAMINE | U | U | U |
| N-NITROSODIPHENYLAMINE (1) | U | U | U |
| NAPHTHALENE | U | U | U |
| NITROBENZENE | U | U | U |
| PENTACHLOROPHENOL | U | U | U |
| PHENANTHRENE | U | \mathbf{U} | U |
| PHENOL | U | U | U |
| PYRENE | U | U | U |

- B Analyte was found in the associated blank as well as the sample.
- C Compound confirmed by GC/MS.
- D Result from a diluted sample.
- E Concentrations exceeded the calibration range. The original extract was diluted and reanalyzed per the method.
- J An estimated value below the Contract Required Quantitation Limit.
- P Greater than 25 percent difference for detected concentrations between the two GC columns.
- U Compound was analyzed for, but not detected.
- X The detected concentrations from the two GC columns varied more than a factor of 2.
- 1 The designation DL indicates that the results are from reanalysis of the sample extract after dilution.

Page 1 of 4

| Compound | SC-C1/02 (μg/kg) | SC-C1/04 (μg/kg) | SC-C2/02 (µg/kg) | SC-C2/04 (μg/kg) | SC-C3/02 (µg/kg) | SC-C3/0- (µg/kg) |
|-----------------------------|---------------------|---------------------|---------------------|---------------------|---------------------|---------------------|
| 1,2,4-TRICHLOROBENZENE | U | U | U | U | U | U |
| 1,2-DICHLOROBENZENE | U | U | U | U | U | U |
| 1,3-DICHLOROBENZENE | U | U | U | U | U | U |
| 1,4-DICHLOROBENZENE | 490J | U | \mathbf{U} | U | U | U |
| 2,4,5-TRICHLOROPHENOL | U | U | U | ${f U}$ | U | U |
| 2,4,6-TRICHLOROPHENOL | U | U | U | U | U | U |
| 2,4-DICHLOROPHENOL | U | U | U | U | U | U |
| 2,4-DIMETHYLPHENOL | U | U | U | U | U | U |
| 2,4-DINITROPHENOL | U | U | U | U | U | ſ. |
| 2,4-DINITROTOLUENE | U | U | U | U | U | U |
| 2,6-DINITROTOLUENE | U | U | U | U | Ü | Ü |
| 2-CHLORONAPHTHALENE | U | U | U | U | U | U |
| 2-CHLOROPHENOL | U | U | U | U | U | U |
| 2-METHYLNAPHTHALENE | U | U | U | U | U | U |
| 2-METHYLPHENOL | U | U | U | U | U | U |
| 2-NITROANILINE | U | U | U | U | U | Ü |
| 2-NITROPHENOL | U | U | U | U | U | U |
| 3,3'-DICHLOROBENZIDINE | U | U | U | \mathbf{U} | U | U |
| 3-NITROANILINE | U | U | U | U | Ü | Ü |
| 4,6-DINITRO-2-METHYLPHENOL | U | U | U | U | Ü | Ü |
| 4-BROMOPHENYL-PHENYLETHER | U | U | U | U | Ü | U |
| 4-CHLORO-3-METHYLPHENOL | U | U | U | U | U | U |
| 4-CHLOROANILINE | U | U | U | U | \mathbf{U} | U |
| 4-CHLOROPHENYL-PHENYLETHER | t U | U | \mathbf{U} | U | U | U |
| 4-METHYLPHENOL | U | U | U | U | Ū | U |
| 4-NITROANILINE | U | U | U | U | Ū | Ü |
| 4-NITROPHENOL | U | U | U | U | Ü | U |
| ACENAPHTHENE | U | U | U | U | Ü | Ü |
| ACENAPHTHYLENE | U | Ü | U | Ū | Ū | Ū |
| ANTHRACENE | U | U | U | U | Ü | Ü |
| BENZO(A)ANTHRACENE | U | U | U | U | Ü | U |
| BENZO(A)PYRENE | U | U | , U | U | U | U |
| BENZO(B)FLUORANTHENE | U | U | U | U | U | U |
| BENZO(G,H,I)PERYLENE | U | U | Ü | Ū | Ü | Ū |
| BENZO(K)FLUORANTHENE | Ū | Ū | Ū | Ū | Ū | Ū |
| BIS(2-CHLOROETHOXY)METHANE | | Ü | Ü | Ŭ | Ü | Ü |
| BIS(2-CHLOROETHYL)ETHER | Ü | Ü | Ŭ | Ü | Ü | Ü |
| BIS(2-CHLOROISOPROPYL)ETHER | Ŭ | Ü | Ŭ | Ŭ | Ŭ | Ü |
| BIS(2-ETHYLHEXYL)PHTHALATE | Ü | Ü | 67BJ | 64BJ | 400BJ | Ü |
| BUTYLBENZYLPHTHALATE | Ŭ | Ü | U | U | U | Ü |
| CARBAZOLE | Ü | Ü | Ŭ | Ŭ | Ŭ | Ŭ |
| CHRYSENE | Ü | Ü | Ŭ | Ü | Ü | Ü |
| DI-N-BUTYLPHTHALATE | Ü | Ü | Ü | Ü | Ü | Ü |
| DI-N-OCTYL PHTHALATE | Ü | Ü | Ü | U | Ŭ | Ü |
| DIBENZO(A,H)ANTHRACENE | U | U | Ü | U | U | Ü |

Page 2 of 4

PRELIMINARY SEDIMENT DATA TARGET COMPOUND LIST (TCL) SEMIVOLATILE ORGANICS

| Compound | SC-C1/02 (μg/kg) | SC-C1/04 (µg/kg) | SC-C2/02 (µg/kg) | SC-C2/04 (µg/kg) | SC-C3/02 (µg/kg) | SC-C3/04 (µg/kg) |
|----------------------------|---------------------|---------------------|---------------------|---------------------|---------------------|---------------------|
| DIBENZOFURAN | U | Ū | U | U | U | U |
| DIETHYLPHTHALATE | U | U | U | บ | U | U |
| DIMETHYL PHTHALATE | U | U | U | U | U | U |
| FLUORANTHENE | IJ | U | U | U | 190J | 1, |
| | U | • | • | • | | <i>C</i> |
| FLUORENE | U | U | U | U | U | Ĺ |
| HEXACHLOROBENZENE | U | U | U | \mathbf{U} | 5800 | U |
| HEXACHLOROBUTADIENE | U | U | U | U | U | U |
| HEXACHLOROCYCLOPENTADIENE | U | U | \mathbf{U} | U | ľ. | f. |
| HEXACHLOROETHANE | U | U | U | U | U | \mathcal{U} |
| INDENO(1,2,3-CD)PYRENE | U | U | \mathbf{U} | U | U | U |
| ISOPHORONE | U | U | U | U | U | U |
| N-NITROSO-DI-N-PROPYLAMINE | \mathbf{U} | U | Ù | U | U | U |
| N-NITROSODIPHENYLAMINE (1) | $ar{\mathbf{U}}$ | Ū | Ü | Ū | Ŭ | Ū |
| NAPHTHALENE | 11 | Ü | Ŭ | Ũ | Ŭ | i. |
| NITROBENZENE | Ü | Ü | Ü | Ü | Ü | 1' |
| PENTACHLOROPHENOL | U | U | U | U | U | 11 |
| | U | • | - | - | • | U |
| PHENANTHRENE | U | U | U | U | 210J | U |
| PHENOL | U | U | U | U | U | Ü |
| PYRENE | U | U | U | U | 160J | U |

- B Analyte was found in the associated blank as well as the sample.
- C Compound confirmed by GC/MS.
- D Result from a diluted sample.
- E Concentrations exceeded the calibration range. The original extract was diluted and reanalyzed per the method.
- J An estimated value below the Contract Required Quantitation Limit.
- P Greater than 25 percent difference for detected concentrations between the two GC columns.
- U Compound was analyzed for, but not detected.
- X The detected concentrations from the two GC columns varied more than a factor of 2.
- The designation DL indicates that the results are from analysis of the sample extract after dilution.

Page 3 of 4
PRELIMINARY SEDIMENT DATA
TARGET COMPOUND LIST (TCL) SEMIVOLATILE ORGANICS

| Compound | SG-DD01 (µg/kg) | SG-OD06 (µg/kg) | SG-OD17 (µg/kg) | D/SG-OD17 (µg/kg) | SG-OD2((μg/kg) |
|-----------------------------|--------------------|--------------------|--------------------|----------------------|--------------------|
| 1,2,4-TRICHLOROBENZENE | U | 1100 | U | U | U |
| 1,2-DICHLOROBENZENE | U | 240J | U | U | U |
| 1,3-DICHLOROBENZENE | 590J | 950 | U | U | U |
| 1,4-DICHLOROBENZENE | 190J | 630 | U | U | U |
| 2,4,5-TRICHLOROPHENOL | U | U | U | U | U |
| 2,4,6-TRICHLOROPHENOL | U | U | U | U | U |
| 2,4-DICHLOROPHENOL | U | U | U | U | U |
| 2,4-DIMETHYLPHENOL | U | U | Ü | U | U |
| 2,4-DINITROPHENOL | Ü | Ü | Ü | Ü | Ü |
| 2,4-DINITROTOLUENE | Ü | Ü | Ū | Ū | Ü |
| 2,6-DINITROTOLUENE | Ü | Ü | Ū | Ü | Ü |
| 2-CHLORONAPHTHALENE | Ŭ | Ŭ | Ü | Ŭ | Ü |
| 2-CHLOROPHENOL | Ŭ | Ŭ | Ŭ | Ü | Ü |
| 2-METHYLNAPHTHALENE | Ŭ | Ŭ | Ŭ | U | Ü |
| 2-METHYLPHENOL | U | Ü | U | U | U |
| 2-NITROANILINE | U | U | U | U | U |
| 2-NITROPHENOL | U | U | U | U | U |
| 3,3'-DICHLOROBENZIDINE | U | U | U | U | Ü |
| 3-NITROANILINE | U | U | U | U | U |
| | U | U | U | U | |
| 4,6-DINITRO-2-METHYLPHENOL | | | | | U |
| 4-BROMOPHENYL-PHENYLETHER | U | U | U | U | U |
| 4-CHLORO-3-METHYLPHENOL | U | U | U | U | U |
| 4-CHLOROANILINE | U | U | ប | U | U |
| 4-CHLOROPHENYL-PHENYLETHER | U | U | U | U | U |
| 4-METHYLPHENOL | U | U | U | U | U |
| 4-NITROANILINE | U | U | U | U | U |
| 4-NITROPHENOL | U | U | U | U | U |
| ACENAPHTHENE | U | U | U | U | U |
| ACENAPHTHYLENE | U | U | Ŭ | U | U |
| ANTHRACENE | U | U | U | U | U |
| BENZO(A)ANTHRACENE | U | U | U | U | U |
| BENZO(A)PYRENE | U | U ' | U | U | U |
| BENZO(B)FLUORANTHENE | U | \mathbf{U} | U | U | U |
| BENZO(G,H,I)PERYLENE | U | U | U | U | U |
| BENZO(K)FLUORANTHENE | U | U | U | U | U |
| BIS(2-CHLOROETHOXY)METHANE | U | U | U | U | U |
| BIS(2-CHLOROETHYL)ETHER | U | U | U | U | U |
| BIS(2-CHLOROISOPROPYL)ETHER | U | U | U | U | U |
| BIS(2-ETHYLHEXYL)PHTHALATE | 310J | 3500DJ | U | U | U |
| BUTYLBENZYLPHTHALATE | U | U | U | U | U |
| CARBAZOLE | U | U | U | U | U |
| CHRYSENE | Ū | Ü | Ü | Ü | Ü |
| DI-N-BUTYLPHTHALATE | Ü | Ü | Ŭ | Ü | Ü |
| DI-N-OCTYL PHTHALATE | Ŭ | Ŭ | Ü | Ŭ | Ü |
| DIBENZO(A,H)ANTHRACENE | Ŭ | Ü | Ŭ | Ŭ | Ü |

12-18-91

Page 4 of 4
PRELIMINARY SEDIMENT DATA
TARGET COMPOUND LIST (TCL) SEMIVOLATILE ORGANICS

| Compound | SG-DD01 (μg/kg) | SG-OD06 (μg/kg) | SG-OD17 (µg/kg) | D/SG-OD17 (µg/kg) | SG-OD2((µg/kg) |
|----------------------------|--------------------|--------------------|--------------------|----------------------|--------------------|
| DIBENZOFURAN | U | U | U | U | Ü |
| DIETHYLPHTHALATE | U | U | U | Ü | U |
| DIMETHYL PHTHALATE | U | U | U | U | U |
| FLUORANTHENE | U | U | U | 4900J | U |
| FLUORENE | U | U | U | U | U |
| HEXACHLOROBENZENE | 26000D | 19000D | 67000 | 63000 | 810000D |
| HEXACHLOROBUTADIENE | U | \mathbf{U} | U | U | U |
| HEXACHLOROCYCLOPENTADIE! | NE U | U | U | U | ť, |
| HEXACHLOROETHANE | U | U | U | U | C |
| INDENO(1,2,3-CD)PYRENE | U | U | U | U | U |
| ISOPHORONE | U | U | U | U | U |
| N-NITROSO-DI-N-PROPYLAMINE | U | \mathbf{U} | U | \mathbf{U} | U |
| N-NITROSODIPHENYLAMINE (1) | U | U | U | U | U |
| NAPHTHALENE | U | U | U | U | U |
| NITROBENZENE | U | U | U | U | U |
| PENTACHLOROPHENOL | U | \mathbf{U} | U | U | U |
| PHENANTHRENE | U | U | U | U | U |
| PHENOL | U | U | U | U | U |
| PYRENE | U | U | \mathbf{U} | 3500J | U |

- B Analyte was found in the associated blank as well as the sample.
- C Compound confirmed by GC/MS.
- D Result from a diluted sample.
- E Concentrations exceeded the calibration range. The original extract was diluted and reanalyzed per the method.
- J An estimated value below the Contract Required Quantitation Limit.
- P Greater than 25 percent difference for detected concentrations between the two GC columns.
- U Compound was analyzed for, but not detected.
- X The detected concentrations from the two GC columns varied more than a factor of 2.
- 1 The designation DL indicates that the results are from reanalysis of the sample extract after dilution.
- 2 Field duplicate sample.

Page 1 of 6

| Compound | SG-G3 (µg/kg) | SG-H4 (<i>μ</i> g/kg) | SG-K4 (<i>µ</i> g/kg) |
|--------------------|------------------|---------------------------|---------------------------|
| 1,4'-DDD | 570CD | 490CD | 1800CD |
| 4,4'-DDE | 930CD | 740PCD | 1100PCD |
| 1,4'-DDT | 170P | 420PD | 4000D |
| ALDRIN | 4.7P | U | U |
| ALPHA CHLORDANE | U | U | U |
| ALPHA-BHC | 14P | 9.8P | U |
| AROCLOR - 1016 | U | \mathbf{U} | U |
| AROCLOR - 1221 | U | U | U |
| AROCLOR - 1232 | U | U | U |
| AROCLOR - 1242 | U | U | U |
| AROCLOR - 1248 | U | U | U |
| AROCLOR - 1254 | U | U | U |
| AROCLOR - 1260 | U | U | U |
| BETA-BHC | U | U | U |
| DELTA-BHC | 120DPX | U | U |
| DIELDRIN | U | U | U |
| ENDOSULFAN I | 47PX | 63PX | 220PX |
| ENDOSULFAN II | U | U | U |
| ENDOSULFAN SULFATE | U | U | U |
| ENDRIN | U | U | U |
| ENDRIN ALDEHYDE | U | U | U |
| ENDRIN KETONE | U | U | U |
| GAMMA CHLORDANE | U | U | U |
| GAMMA-BHC | U | U | U |
| HEPTACHLOR | U | U | U |
| HEPTACHLOR EPOXIDE | U | U | U |
| METHOXYCHLOR | U | U | U |
| TOXAPHENE | U | U | U |

- B Analyte was found in the associated blank as well as the sample.
- C Compound confirmed by GC/MS.
- D Result from a diluted sample.
- E Concentrations exceeded the calibration range. The original extract was diluted and reanalyzed per the method.
- J An estimated value below the Contract Required Quantitation Limit.
- P Greater than 25 percent difference for detected concentrations between the two GC columns.
- U Compound was analyzed for, but not detected.
- X The detected concentrations from the two GC columns varied more than a factor of 2.
- The designation DL indicates that the results are from reanalysis of the sample extract after dilution.

Page 2 of 6

PRELIMINARY SEDIMENT DATA TARGET COMPOUND LIST (TCL) PESTICIDE/PCB ANALYSIS

| Compound | SG-C5 (µg/kg) | SG-C6 (µg/kg) | DSG-C6² (µg/kg) |
|--------------------|------------------|------------------|--------------------|
| 4,4'-DDD | 120PCD | 760CD | 890CD |
| 4,4'-DDE | 100CD | 530CD | 590CD |
| 4,4'-DDT | 52D | 170P | 160P |
| ALDRIN | 19PX | U | U |
| ALPHA CHLORDANE | U | U | U |
| ALPHA-BHC | U | U | U |
| AROCLOR - 1016 | U | U | U |
| AROCLOR - 1221 | U | U | U |
| AROCLOR - 1232 | U | U | U |
| AROCLOR - 1242 | U | U | U |
| AROCLOR - 1248 | U | U | Į |
| AROCLOR - 1254 | U | U | Ţ |
| AROCLOR - 1260 | U | U | Į |
| BETA-BHC | U | 15P | 16PX |
| DELTA-BHC | U | U | 54PX |
| DIELDRIN | U | U | Ţ |
| ENDOSULFAN I | 110PD | 60PX | 70PX |
| ENDOSULFAN II | 20 PX | U | Ţ |
| ENDOSULFAN SULFATE | 16PX | \mathbf{U} | ĭ |
| ENDRIN | 16PX | \mathbf{U} | Į |
| ENDRIN ALDEHYDE | 18PX | U | J |
| ENDRIN KETONE | \mathbf{U} | U | Ţ |
| GAMMA CHLORDANE | ${f U}$ | U | Ţ |
| GAMMA-BHC | 29 | U | Ţ |
| HEPTACHLOR | U | U | J |
| HEPTACHLOR EPOXIDE | 3.0PX | U | j |
| METHOXYCHLOR | 110PX | U | Ţ |
| TOXAPHENE | U | U | J |

- B Analyte was found in the associated blank as well as the sample.
- C Compound confirmed by GC/MS.
- D Result from a diluted sample.
- E Concentrations exceeded the calibration range. The original extract was diluted and reanalyzed per the method.
- J An estimated value below the Contract Required Quantitation Limit.
- P Greater than 25 percent difference for detected concentrations between the two GC columns.
- U Compound was analyzed for, but not detected.
- X The detected concentrations from the two GC columns varied more than a factor of 2.
- The designation DL indicates that the results are from reanalysis of the sample extract after dilution.
- 2 Field duplicate sample.

Page 3 of 6

PRELIMINARY SEDIMENT DATA TARGET COMPOUND LIST (TCL) PESTICIDE/PCB ANALYSIS

| Compound | SG-D6 $(\mu g/kg)$ | SG-J6 (µg/kg) | SG-F7 (µg/kg) |
|--------------------|--------------------|------------------|------------------|
| 4,4'-DDD | 1300CD | 200C | 250CP |
| 4,4'-DDE | 850CD | 210PC | 340CD |
| 4,4'-DDT | 290D | 84P | 150P |
| ALDRIN | U | U | U |
| ALPHA CHLORDANE | U | U | U |
| ALPHA-BHC | 24 | U | U |
| AROCLOR - 1016 | U | ſ. | U |
| AROCLOR - 1221 | U | U | C: |
| AROCLOR - 1232 | U | U | U |
| AROCLOR - 1242 | U | \mathbf{U} | U |
| AROCLOR - 1248 | U | U | U |
| AROCLOR - 1254 | U | \mathbf{U} | U |
| AROCLOR - 1260 | U | U | U |
| BETA-BHC | 27PX | U | 18P |
| DELTA-BHC | 170PD | U | U |
| DIELDRIN | 36PX | U | 15P |
| ENDOSULFAN I | 140PX | 17PX | 51PX |
| ENDOSULFAN II | U | U | U |
| ENDOSULFAN SULFATE | U | U | U |
| ENDRIN | U | U | U |
| ENDRIN ALDEHYDE | U | U | U |
| ENDRIN KETONE | U | U | U |
| GAMMA CHLORDANE | U | U | 78 |
| GAMMA-BHC | U | U | U |
| HEPTACHLOR | U | U | U |
| HEPTACHLOR EPOXIDE | U | U | U |
| METHOXYCHLOR | U | U | U |
| TOXAPHENE | U | U | U |

- B Analyte was found in the associated blank as well as the sample.
- C Compound confirmed by GC/MS.
- D Result from a diluted sample.
- E Concentrations exceeded the calibration range. The original extract was diluted and reanalyzed per the method.
- J An estimated value below the Contract Required Quantitation Limit.
- P Greater than 25 percent difference for detected concentrations between the two GC columns.
- U Compound was analyzed for, but not detected.
- X The detected concentrations from the two GC columns varied more than a factor of 2.
- The designation DL indicates that the results are from reanalysis of the sample extract after dilution.

Page 4 of 6

| Compound | SG-J7 $(\mu_{\mathbf{g}}/k_{\mathbf{g}})$ | SG-G8 (µg/kg) | SG-H8 (µg/kg) |
|--------------------|---|------------------|------------------|
| 4,4'-DDD | 510CD | 570CD | 580CD |
| 4,4'-DDE | 830CD | 530CD | 560PCD |
| 4,4'-DDT | 310D | 200 | 220D |
| ALDRIN | U | U | U |
| ALPHA CHLORDANE | U | U | U |
| ALPHA-BHC | 8.9P | U | U |
| AROCLOR - 1016 | \mathbf{U} | U | ſ. |
| AROCLOR - 1221 | \mathbf{U} | \mathbf{U} | U |
| AROCLOR - 1232 | U | U | ſ. |
| AROCLOR - 1242 | U | U | U |
| AROCLOR - 1248 | U | U | U |
| AROCLOR - 1254 | \mathbf{U} | U | U |
| AROCLOR - 1260 | \mathbf{U} | \mathbf{U} | U |
| ВЕТА-ВНС | U | 11P | U |
| DELTA-BHC | 130PXD | 54PX | U |
| DIELDRIN | 7.9 PX | U | U |
| ENDOSULFAN I | 89PXD | 45PX | 54PX |
| ENDOSULFAN II | U | U | U |
| ENDOSULFAN SULFATE | U | \mathbf{U} | U |
| ENDRIN | U | U | U |
| ENDRIN ALDEHYDE | \mathbf{U} | U | U |
| ENDRIN KETONE | U | U | U |
| GAMMA CHLORDANE | U | U | U |
| GAMMA-BHC | U | U | U |
| HEPTACHLOR | U | U | U |
| HEPTACHLOR EPOXIDE | U | U | 9.2PX |
| METHOXYCHLOR | U | (T | U |
| TOXAPHENE | U | U | U |

- B Analyte was found in the associated blank as well as the sample.
- C Compound confirmed by GC/MS.
- D Result from a diluted sample.
- E Concentrations exceeded the calibration range. The original extract was diluted and reanalyzed per the method.
- J An estimated value below the Contract Required Quantitation Limit.
- P Greater than 25 percent difference for detected concentrations between the two GC columns.
- U Compound was analyzed for, but not detected.
- X The detected concentrations from the two GC columns varied more than a factor of 2.
- The designation DL indicates that the results are from reanalysis of the sample extract after dilution.

Page 5 of 6

| Compound | SG-G9 (μg/kg) | SG-C10 (μg/kg) | SG-D10 (µg/kg) |
|--------------------|------------------|-------------------|-------------------|
| 4,4'-DDD | 440CD | 820CD | 710CD |
| 4,4'-DDE | 410CD | 760CD | 520CD |
| 4,4'-DDT | 180 | 150P | 360PD |
| ALDRIN | U | U | U |
| ALPHA CHLORDANE | U | U | U |
| ALPHA-BHC | U | \mathbf{U} | U |
| AROCLOR - 1016 | U | U | U |
| AROCLOR - 1221 | \mathbf{U} | U | U |
| AROCLOR - 1232 | U | U | U |
| AROCLOR - 1242 | U | U | U |
| AROCLOR - 1248 | U | U | U |
| AROCLOR - 1254 | U | \mathbf{U} | U |
| AROCLOR - 1260 | \mathbf{U} | U | U |
| BETA-BHC | U | 11PX | U |
| DELTA-BHC | 33PX | 52PX | 30PX |
| DIELDRIN | U | U | U |
| ENDOSULFAN I | 29PX | 92PX | 64PX |
| ENDOSULFAN II | U | U | U |
| ENDOSULFAN SULFATE | U | U | U |
| ENDRIN | U | U | U |
| ENDRIN ALDEHYDE | U | U | U |
| ENDRIN KETONE | U | U | U |
| GAMMA CHLORDANE | \mathbf{U} | U | U |
| GAMMA-BHC | \mathbf{U} | U | U |
| HEPTACHLOR | U | U | U |
| HEPTACHLOR EPOXIDE | U | U | U |
| METHOXYCHLOR | \mathbf{U} | U | U |
| TOXAPHENE | U | U | U |

- B Analyte was found in the associated blank as well as the sample.
- C Compound confirmed by GC/MS.
- D Result from a diluted sample.
- E Concentrations exceeded the calibration range. The original extract was diluted and reanalyzed per the method.
- J An estimated value below the Contract Required Quantitation Limit.
- P Greater than 25 percent difference for detected concentrations between the two GC columns.
- U Compound was analyzed for, but not detected.
- X The detected concentrations from the two GC columns varied more than a factor of 2.
- The designation DL indicates that the results are from reanalysis of the sample extract after dilution.

Page 6 of 6

| Compound | SG-I10 (µg/kg) | SG-BD05 $(\mu g/kg)$ | $SG-BD06$ ($\mu g/kg$) |
|--------------------|-------------------|----------------------|--------------------------|
| 4,4'-DDD | 560CD | 300CD | 120PC |
| 4,4'-DDE | 1400CD | 260CD | 150CD |
| 4,4'-DDT | 200 | 170D | 34P |
| ALDRIN | U | \mathbf{U} | U |
| ALPHA CHLORDANE | U | U | U |
| ALPHA-BHC | 8.2 | U | U |
| AROCLOR - 1016 | U | U | ſ. |
| AROCLOR - 1221 | U | U | ſ, |
| AROCLOR - 1232 | U | U | Ľ. |
| AROCLOR - 1242 | \mathbf{U} | U | U |
| AROCLOR - 1248 | U | U | U |
| AROCLOR - 1254 | U | \mathbf{U} | U |
| AROCLOR - 1260 | U | \mathbf{U} | U |
| BETA-BHC | 8.8PX | U | U |
| DELTA-BHC | U | 22PX | 24PX |
| DIELDRIN | U | \mathbf{U} | U |
| ENDOSULFAN I | 89PXD | U | U |
| ENDOSULFAN II | 51 | U | ι |
| ENDOSULFAN SULFATE | U | U | U |
| ENDRIN | 15PX | U | U |
| ENDRIN ALDEHYDE | U | U | Ţ |
| ENDRIN KETONE | U | U | ι |
| GAMMA CHLORDANE | U | U | Ţ |
| GAMMA-BHC | U | \mathbf{U} | Ţ |
| HEPTACHLOR | U | U | J |
| HEPTACHLOR EPOXIDE | 17P | U | U |
| METHOXYCHLOR | U | U | Ţ |
| TOXAPHENE | U | U | U |

- B Analyte was found in the associated blank as well as the sample.
- C Compound confirmed by GC/MS.
- D Result from a diluted sample.
- E Concentrations exceeded the calibration range. The original extract was diluted and reanalyzed per the method.
- J An estimated value below the Contract Required Quantitation Limit.
- P Greater than 25 percent difference for detected concentrations between the two GC columns.
- U Compound was analyzed for, but not detected.
- X The detected concentrations from the two GC columns varied more than a factor of 2.
- The designation DL indicates that the results are from reanalysis of the sample extract after dilution.

Page 1 of 2
PRELIMINARY SEDIMENT DATA
TARGET COMPOUND LIST (TCL) PESTICIDE/PCB ANALYSIS

| SC-C1/02 (μg/kg) | SC-C1/04 (μg/kg) | SC-C2/02 (µg/kg) | SC-C2/04 (µg/kg) | SC-C3/02 (µg/kg) | SC-C3/0- (μg/kg) |
|---------------------|---|---|--|--|--|
| 70 | U | 130PCD | 20PC | 100PCD | U |
| 32 | U | 710CD | 23C | 280CD | U |
| U | U | U | 7.2P | U | U |
| U | U | U | U | U | U |
| U | U | U | U | U | U |
| U | U | U | U | U | U |
| U | U | U | U | r. | ſ. |
| U | U | U | U | U. | ſ. |
| U | U | U | U | U | U |
| U | U | U | U | U | U |
| U | U | U | U | U | U |
| U | U | U | U | U | Ľ' |
| U | U | U | U | U | U |
| U | U | U | U | U | U |
| U | U | U | U | U | U |
| U | U | U | U | U | U |
| U | U | U | U | U | U |
| U | U | U | U | U | U |
| \mathbf{U} | U | U | U | U | U |
| U | \mathbf{U} | U | U | U | U |
| U | U | U | U | \mathbf{U} | U |
| U | U | U | U | U | U |
| U | U | U | U | U | U |
| U | U | U | U | \mathbf{U} | U |
| U | U | U | U | U | U |
| U | U | 19 | U | U | U |
| U U | U U | U U | U U | U U | U U |
| | 70 32 UUUUUUUUUUUUUUUUUUUUUUUUUUUUUUUUUUU | 70 U 32 U U U U U U U U U U U U U U U U U | 70 U 130PCD 32 U 710CD U U U U U < | 70 U 130PCD 20PC 32 U 710CD 23C U U U U 7.2P U U U U U U U | (μg/kg) (μg/kg) (μg/kg) (μg/kg) (μg/kg) (μg/kg) 70 U 130PCD 20PC 100PCD 32 U 710CD 23C 280CD U U U U U U U U U U U U U U U U U U U U U U U U U U U U U U U |

- B Analyte was found in the associated blank as well as the sample.
- C Compound confirmed by GC/MS.
- D Result from a diluted sample.
- E Concentrations exceeded the calibration range. The original extract was diluted and reanalyzed per the method.
- J An estimated value below the Contract Required Quantitation Limit.
- P Greater than 25 percent difference for detected concentrations between the two GC columns.
- U Compound was analyzed for, but not detected.
- X The detected concentrations from the two GC columns varied more than a factor of 2.
- The designation DL indicates that the results are from reanalysis of the sample extract after dilution.

Page 2 of 2

| Compound | SG-DD01 (µg/kg) | SG-0D06 (μg/kg) | SG-0D17 (μg/kg) | D/SG-0D17 (µg/kg) | SG-0D20 (µg/kg) |
|--------------------|--------------------|--------------------|--------------------|----------------------|--------------------|
| 4,4'-DDD | 73 | 9.0 | 4.7P | 9.8 | 59P |
| 4,4'-DDE | 70 | 8.2 | 9.4P | 10P | 920PDE |
| 4,4'-DDT | 38 | U | U | U | U |
| ALDRIN | U | U | U | 6.8PX | 34PX |
| ALPHA CHLORDANE | U | U | U | U | U |
| ALPHA-BHC | U | U | U | U | U |
| AROCLOR - 1016 | U | U | U | U | U |
| AROCLOR - 1221 | U | U | U | U | U |
| AROCLOR - 1232 | U | U | U | U | U |
| AROCLOR - 1242 | U | U | U | U | U |
| AROCLOR - 1248 | U | U | U | U | U |
| AROCLOR - 1254 | U | U | U | U | U |
| AROCLOR - 1260 | U | U | U | U | U |
| BETA-BHC | 7.3P | 7.2P | U | U | U |
| DELTA-BHC | U | U | 5.5PX | 9.2PX | 76PXD |
| DIELDRIN | U | U | U | U | U |
| ENDOSULFAN I | U | U | U | U | U |
| ENDOSULFAN II | U | U | U | U | 33PX |
| ENDOSULFAN SULFATE | U | U | U | U | U |
| ENDRIN | U | U | U | U | U |
| ENDRIN ALDEHYDE | 7.6P | U | 16PX | 8.9 PX | 23PX |
| ENDRIN KETONE | U | U | U | U | U |
| GAMMA CHLORDANE | U | U | 2.5PX | 14PX | 82PXD |
| GAMMA-BHC | U | U | U | U | U |
| HEPTACHLOR | U | U | U | U | U |
| HEPTACHLOR EPOXIDE | U | U | U | 8.5P | 5.4PX |
| METHOXYCHLOR | U | U | U | U | U |
| TOXAPHENE | U | U | U | U | U |

- B Analyte was found in the associated blank as well as the sample.
- C Compound confirmed by GC/MS.
- D Result from a diluted sample.
- E Concentrations exceeded the calibration range. The original extract was diluted and reanalyzed per the
- J An estimated value below the Contract Required Quantitation Limit.
- P Greater than 25 percent difference for detected concentrations between the two GC columns.
- U Compound was analyzed for, but not detected.
- X The detected concentrations from the two GC columns varied more than a factor of 2.
- The designation DL indicates that the results are from reanalysis of the sample extract after dilution.
- 2 Field duplicate sample.

Page 1 of 3

PRELIMINARY SEDIMENT DATA INORGANIC CONSTITUENTS

| Compound | SG-G3 (mg/kg) | SG-H4 (mg/kg) | SG-K4 (mg/kg) | SG-C5 (mg/kg) | SG-C6 (mg/kg) | DSG-C6 (mg/kg) |
|-----------|------------------|------------------|------------------|------------------|------------------|-------------------|
| ANTIMONY | 4.8 | 9.1 | 2.6 | 3.7 | 6.9 | 2.2 |
| ARSENIC | 3.4 | 6.6 | 3.7 | 2.1 | 6.7 | 6.0 |
| BERYLLIUM | 1.0 | 1.3 | 0.8 | 0.9 | 1.9 | 2.2 |
| CADMIUM | 0.4 | 0.5 | 0.1 | 0.3 | 0.4 | ND |
| CHROMIUM | 21.3 | 44.7 | 30.8 | 10.5 | 26.9 | 29.6 |
| COPPER | 25.2 | 31.8 | 18.4 | 3.33 | 21.5 | 21.7 |
| CYANIDE | ND^1 | 0.47 | ND | ND | ND | 0.30 |
| LEAD | 16.5 | 28.5 | 19.5 | 5.9 | 26.7 | 22.4 |
| MERCURY | 12.9 | 21.6 | 2.8 | 5.3 | 7.0 | 6.9 |
| NICKEL | 11.5 | 20.9 | 14.1 | 2.67 | 13.5 | 13.9 |
| SELENIUM | ND | ND | 0.2 | 0.1 | 0.1 | 0.5 |
| SILVER | 0.87 | 1.18 | 0.41 | 0.13 | 0.38 | 0.87 |
| THALLIUM | ND | ND | ND | ND | ND | ND |
| ZINC | 89.7 | 13.3 | 83.0 | 10.3 | 104 | 112 |
| | | | | | | |

NOTES:

1 ND = Not detected.

Page 2 of 3

PRELIMINARY SEDIMENT DATA INORGANIC CONSTITUENTS

| Compound | SG-D6 (mg/kg) | SG-J6 (mg/kg) | SG-F7 (mg/kg) | SG-J7 (mg/kg) | SG-G8 (mg/kg) | SG-H8 (mg/kg) |
|-----------|------------------|------------------|------------------|------------------|------------------|------------------|
| ANTIMONY | 3.0 | 6.5 | 24.6 | 6.3 | 6.0 | 9.5 |
| ARSENIC | 7.3 | 10.1 | 7.4 | 7.6 | 6.9 | 8.2 |
| BERYLLIUM | 2.5 | 2.5 | 2.5 | 1.2 | 2.0 | 2.3 |
| CADMIUM | 1.0 | 1.0 | 0.4 | 0.5 | 0.4 | 0.9 |
| CHROMIUM | 33.5 | 54.5 | 37.1 | 18.8 | 40.8 | 42.3 |
| COPPER | 20.5 | 45.5 | 35.0 | 21.4 | 28.4 | 35.9 |
| CYANIDE | 0.3 | ND | ND | ND | ND | ND |
| LEAD | 22.4 | 44.2 | 30.7 | 15.2 | 23.8 | 37.7 |
| MERCURY | 4.5 | 16.5 | 8.2 | 15.3 | 7.6 | 8.6 |
| NICKEL | 22.0 | 24.5 | 17.9 | 11.6 | 19.6 | 21.8 |
| SELENIUM | 2.4 | 0.7 | 0.5 | 0.6 | 0.4 | 0.8 |
| SILVER | 1.0 | ND | 0.42 | 0.23 | 0.8 | 0.9 |
| THALLIUM | 0.9 | 0.8 | ND | ND | ND | ND |
| ZINC | 123 | 205 | 170 | 89.1 | 152 | 202 |
| | | | | | | |

Page 3 of 3
PRELIMINARY SEDIMENT DATA
INORGANIC CONSTITUENTS

| Compound | SG-G9 (mg/kg) | SG-C10 (mg/kg) | SG-D10 (mg/kg) | SG-110 (mg/kg) | SG-BD05 (mg/kg) | SG-BD06 (mg/kg) |
|-----------|------------------|-------------------|-------------------|-------------------|--------------------|--------------------|
| ANTIMONY | 22.5 | 22.7 | 20.0 | 6.2 | 7.4 | 10.2 |
| ARSENIC | 7.1 | 8.3 | 8.4 | 12.8 | 4.1 | 1.6 |
| BERYLLIUM | 1.2 | 1.4 | 1.6 | 2.1 | 2.1 | 2.3 |
| CADMIUM | 0.9 | 0.1 | 0.7 | 0.4 | 0.5 | 0.1 |
| CHROMIUM | 29.54 | 35.9 | 43.2 | 45.4 | 39.2 | 18.5 |
| COPPER | 30.0 | 24.5 | 27.7 | 50.4 | 17.4 | 12.7 |
| CYANIDE | ND | ND | 0.28 | ND | 0.26 | ND |
| LEAD | 24.9 | 24.7 | 24.3 | 32.6 | 19.3 | 5.7 |
| MERCURY | 7.5 | 4.2 | 6.8 | 30.1 | 1.3 | 1.8 |
| NICKEL | 17.9 | 21.4 | 21.8 | 22.9 | 25.3 | 20.2 |
| SELENIUM | 0.7 | 0.8 | 0.7 | 1.2 | 0.8 | 0.2 |
| SILVER | 0.83 | 1.36 | 0.45 | 0.42 | 0.29 | 0.73 |
| THALLIUM | ND | 0.5 | 0.3 | ND | ND | ND |
| ZINC | 144 | 144 | 152 | 199 | 116 | 88.9 |

9.1949/C4A 1EAZ447 T4 OLN4 12:18:91

Page 1 of 2

PRELIMINARY SEDIMENT DATA INORGANIC CONSTITUENTS

| Compound | SC-C1/02 (mg/kg) | SC-C1/04 (mg/kg) | SC-C2/02 (mg/kg) | SC-C2/04 (mg/kg) | SC-C3/02 (mg/kg) | SC-C3/04 (mg/kg) |
|-----------|---------------------|---------------------|---------------------|---------------------|---------------------|---------------------|
| ANTIMONY | ND1 | ND | ND | ND | ND | ND |
| ARSENIC | 4.3 | 4.6 | 2.5 | 2.2 | 4.2 | 3.3 |
| BERYLLIUM | 1.4 | 1.6 | 0.59 | 0.50 | 0.64 | 0.96 |
| CADMIUM | ND | ND | ND | ND | ND | ND |
| CHROMIUM | 55.4 | 69.4 | 28.3 | 22.5 | 27.1 | 35.2 |
| COPPER | 16.6 | 15.1 | 9.5 | 9.3 | 13.1 | 8.9 |
| CYANIDE | ND | ND | ND | ND | ND | ND |
| LEAD | 26.2 | 21.0 | 26.4 | 24.6 | 16.1 | 18.7 |
| MERCURY | 14.8 | 1.7 | 5.1 | 5.1 | 2.7 | 1.2 |
| NICKEL | 26.0 | 28.9 | 6.5 | 6.5 | 10.0 | 10.8 |
| SELENIUM | ND | ND | ND | ND | 0.58 | 0.59 |
| SILVER | ND | ND | ND | ND | ND | 0.49 |
| THALLIUM | ND | ND | ND | ND | ND | ND |
| ZINC | 86.4 | 85.0 | 26.4 | 21.9 | 47.1 | 41.1 |

NOTES:

1 ND = Not detected.

Page 2 of 2
PRELIMINARY SEDIMENT DATA
INORGANIC CONSTITUENTS

| Compound | SG-DD01 (mg/kg) | SG-0D06 (mg/kg) | SG-0D17 (mg/kg) | D/SG-0D17 (mg/kg) | SG-0D20 (mg/kg) |
|----------|--------------------|--------------------|--------------------|----------------------|--------------------|
| NTIMONY | ND | ND | ND | ND | ND |
| RSENIC | 16.1 | 4.8 | 1.3 | 3.3 | 5.4 |
| ERYLLIUM | 3.7 | 1.0 | 0.40 | 0.39 | 0.65 |
| ADMIUM | 0.78 | ND | 0.27 | 0.28 | ND |
| HROMIUM | 26.7 | 21.0 | 9.3 | 10.3 | 14.4 |
| OPPER | 19.0 | 18.4 | 4.0 | 4.6 | 5.1 |
| YANIDE | ND | ND | ND | ND | 0.34 |
| EAD | 13.1 | 10.7 | 5.3 | 4.6 | 11.6 |
| ERCURY | 3.0 | 1.8 | 0.87 | 0.59 | 0.41 |
| CKEL | 27.9 | 9.6 | 7.5 | 10.7 | 9.5 |
| ELENIUM | 0.65 | 0.64 | ND | ND | 0.42 |
| LVER | ND | ND | ND | ND | ND |
| HALLIUM | ND | ND | ND | ND | ND |
| NC | 192 | 71.7 | 89.9 | 80.2 | 68.9 |